

## PRODUCT FACT SHEET

## 3AA HAZ-LO® HEADLAMP

**DESCRIPTION:** The 3AA HAZ-LO® is a compact, long running, high performance LED headlight. This headlight has

been engineered to meet the stringent requirements of Division 1 or Zone 0 hazardous locations, while maintaining exceptional light output and run time. The headlight is packaged with an elastic

head strap and a rubber hard hat strap.

CASE MATERIAL: Impact-resistant engineered resin case offering exceptional durability and weather resistance. UL

Division 1 headlamp available in yellow and ATEX/IEC Zone 0 headlamp available in international

safety orange. All openings are O-ring sealed.

**DIMENSIONS:** Face cap diameter: 1.88 in. (4.78 cm)

Maximum headlight width 2.50 in. (6.35 cm) Maximum headlight length 3.08 in. (7.82 cm)

**WEIGHT:** 7.1 oz (202 grams) with batteries and head strap (included with purchase)

**LENS:** Unbreakable polycarbonate lens

**LIGHT SOURCE:** High-power LED, white, impervious to shock with a 50,000-hour lifetime

LIGHT OUTPUT: 270 lumens measured system output, 5,600 candela peak beam intensity, and 150 m beam distance

**ON/OFF:** Push button switch - on/off operation

Rubber dome actuator provides easy operation even when wearing heavy gloves.

**RUN TIME:** 8 hours. All run time claims are to the 10% output level.

BATTERY: Three (3) "AA" alkaline batteries

FEATURES: High-power LED for extreme brightness Impact-resistant housing, 1-meter drop test verified

Parabolic reflector produces long range brilliance and smooth uniform beam pattern.

Package includes both elastic head strap and rubber hard hat strap.

**APPROVALS\*:** UL Classified Class 1, Division 1, Groups A,B,C,D;

Class II, Division 1, Groups E,F,G; Class III, Temperature Code: T4

ATEX: II 1G Ex ia op is IIC T3 Ga - FTZU 11 ATEX 0052X IECEx: Ex ia op is IIC T3 Ga - FTZU 18.0011X

•


Ex ia op is IIC T3 Ga; UL-BR 12.0403X

**C** € UK Meets Applicable European Community Directives

WARRANTY: Streamlight's Limited Lifetime Warranty

OPTIONAL

ACCESSORIES: N/A



\*See product for specific ratings.
All performance claims to ANSI/PLATO FL1-2019 Standard Issued: 11/03/2006

Revised: 04/28/2022 Rev: 9