



SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! Its rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7 waterproof to 1m. It floats.

WHITE	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5.75h	11.5h	36.25h
RED	HIGH	sos	LOW
RED LUMENS:	ні с н 2.7	sos 2.7	Low 1
			том 1 348h

(RED SOS)

Hold on/off button to activate



WEIGHT: 867.62g COLOR: Coyote







Includes 230V/240V

AC Charge Cord



Rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port.

ITEM#	DESCRIPTION
44948	Super Siege - 230V/240V AC — Coyote
44919	230V/240V AC Charge Cord
44950	Glare Guard™
44951	Magnetic Base - Black

(RED SOS) Hold on/off button to activate



LANTERN HIGH мепшм ıпw LUMENS: 325 170 30 RUN TIME: 7.75h 4.5h 25h LUMENS: 1.6 1.6 RUN TIME: 22h 90h FLASHLIGHT нівн ınw LUMENS: 300 40 CANDELA: 6,000 900 DISTANCE: 155m RΠm **RUN TIME:** 3.5h 25h



Incorporated flashlight produces 300 lumens

SIEGE® X USB

This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area or a focused beam to light your path. Features three lighting modes: smooth lantern lighting; a red LED to preserve night vision and a front spot light for use as a handheld flashlight. It accepts the Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack or two CR123A lithium batteries. IPX7 waterproof to 1m submersion. Its ergonomic handle can also be used as a hang hook or use the D-ring in the base for handsfree lighting needs.

SIEGE X USB

BATTERY: (1) SL-B26 USB rechargeable battery pack (included); also

accepts (2) CR123 lithium batteries

SIZE: 5.38 x 11.05 cm

WEIGHT W/SL-B26: 204.12g WEIGHT W/CR123A: 192.78g

COLOR: Coyote

ITEM#	DESCRIPTION
44956	Siege X USB - with SL-B26 battery pack — Coyote



THE SIEGE

BATTERY: (3) "D" alkaline **SIZE:** 3.8" x 7.25" (9.65 x 18.41 cm) **WEIGHT:** 1 lb 15 oz. (878.83g)

COLOR: Coyote

ITEM#	DESCRIPTION
44931	The Siege - Coyote
44950	Glare Guard™
44952	Magnetic Base - Black

SIEGE® AA

The Siege AA lantern features white LED and red LEDs for scene lighting, low level lighting or SOS mode. There are five output modes and a battery level indicator built into the power button. With the outer lantern globe in place, the Siege AA will float. Remove the outer globe and hang the body upside down by the D-ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

SIEGE AA

BATTERY: (3) "AA" alkaline **SIZE:** 6.00 x 13.82 cm **WEIGHT:** 249.47g

MAG. MODEL WEIGHT: 257.98g

COLOR: Covote

ITEM#	DESCRIPTION
44941	Siege AA — Coyote
44942	Magnetic Base - Coyote

THE SIEGE®

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

HIGH	MEDIUM	LOW
540	275	55
30h	70h	295h
HIGH	SOS	
10	10	
235h	43∩h	
	540 30h нібн 10	540 275 30h 70h HIGH SOS 10 10



((RED SOS))
Hold on/off button
to activate



WHITE	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15.5h	37h
RED	HIGH	SOS	
LUMENS:	.7	.7	
	нівн .7 192h	.7 288h	

((RED SOS))

Hold on/off button to activate



Optional magnetic base for hands-free work.



WAYPOINT®

LUMENS: CANDELA: 100,000 7,900 DISTANCE: 625m 178m RUN TIME: 10h 82h

12V DC POWER CORD - UNLIMITED RUN TIME EMERGENCY SIGNAL: RUNS 82 HOURS





Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or searching from a distance. IPX4 water-resistant.

WAYPOINT

BATTERY: 4 "C" batteries (not included).

Can also be powered by 12V DC power cord (included)

SIZE: 17.15 x 18.14 x 8.89 cm

WEIGHT: 816g COLOR: Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)





Red Filter preserves

44902 Waypoint - Includes 12V DC power cord - Box - Black 44905 Waypoint - Includes 12V DC power cord - Clam - Black 44908 Polymer storage mount 44903 12V DC power cord* 44924 Red filter 44925 Green filter

WAYPOINT® 400

	HIGH	MEDIUM	LOW
LUMENS:	1,400	600	38
CANDELA:	400,000	165,000	10,000
DISTANCE:	1,265m	812m	200m
RUN TIME:	3.25h	7.5h	84h







The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

WAYPOINT 400

BATTERY: Lithium Ion with on-board safety control circuit

SIZE: 17.15 x 18.14 x 9.2 cm

WEIGHT: 691g COLOR: Black











Polymer storage mount (included)





Red Filter preserves night vision

ITEM #	DESCRIPTION
44921	Waypoint 400 - 230/240V AC - Box - Black
44918	Polymer storage mount
44919	230V/240V AC cord
44923	12V DC cord
44915	Red filter
44916	Green filter

^{*12}V DC power cord does not charge batteries

EXTRAORDINARY

//THRO MODE PROVIDES A BLAST OF 1,000 LUMENS

WEDGE®

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Battery charge indicator located in the on/off switch shines red when charging and green when charged. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.

Outfitted with an intuitive rotating thumb switch providing tactile control over constant-on and THRO modes.



	THRO	CONSTANT ON
LUMENS:	1,000	300
CANDELA:	3,000	1,200
DISTANCE:	110m	69m
RUN TIME:	35sec	3h



ITEM#	DESCRIPTION
88811	Wedge - Includes USB-C cord, lanyard - Coyote
22084	USB-C Cord - 58.8 cm

BATTERY: Lithium Polymer

SIZE: 13.87 cm **WEIGHT:** 93.5g COLOR: Coyote



Securely attaches to MOLLE, turnout gear, harnesses, etc.



Small enough to fit in your tool bag



Designed for comfortable, deep pocket carry



The perfect addition to your EDC kit



Width: 1.52 cm

WEDGE® XT

The Wedge XT features a push-button tail switch with a FIVE-TAP $^{\text{\tiny{TM}}}$ Lockout system, which prevents accidental activation inside your pocket or bag. Crafted from rugged anodized aluminum and features a waterproof USB-C port for use in virtually any weather condition.



Push-button tactical tail switch features constant on or momentary operation and Lockout mode



Another great addition to your EDC kit



Proven waterproof USB-C port with charge indication LED: Red - Charging; Green - Charged Lithium-polymer battery charges in 6 hours



Comfortable, deep pocket carry


	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h



BATTERY: Lithium Polymer

SIZE: 10.8 cm **WEIGHT:** 74.3g COLOR: Coyote

ITEM#	DESCRIPTION
88813	Wedge XT - Includes USB-C cord, lanyard - Coyote
22084	USB-C Cord - 58.8 cm





PROTAC® 1L-1AA

The ProTac 1L-1AA is a perfect everyday carry light. This multi-fuel, ultracompact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7 waterproof to 1m for 30 minutes; 2 meter impact resistance tested.

CR123A	HIGH		LOW	
LUMENS:	350		40	
CANDELA:	6,40	00	720	
DISTANCE:	160r	n	53m	1
RUN TIME:	1.5h		14h	
STROBE RUN	з з ноц	JRS		
AA		HIGH		LOW
LUMENS:		150		40
CANDELA:		2,75	50	720
DISTANCE:		105	m	53m
RUN TIME (A	LK]:	1h 2	0m	7.5h
RUN TIME (L	ITH):	4.25	5h	14h
STROBE RUNS 3.5 HOURS (ALK); 8 HOURS (LITH)				

MULTI-FUEL DESIGN: Runs on (1) CR123 or (1) "AA" battery



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- · low/high

Double tap switch to activate

PROTAC 1L-1AA

BATTERY: (1) CR123A lithium or (1) "AA" alkaline/lithium

SIZE: 10.8 x 2.41 x 2.16 cm

WEIGHT W/CR123: 71g
WEIGHT W/AA: 79g Alkaline // 68g Lithium

COLOR: Coyote

ITEM#	DESCRIPTION
88073	ProTac 1L-1AA - Includes 1 lithium & AA alkaline battery & holster - Coyote

MICROSTREAM® USB

The MicroStream USB is small enough for you to discreetly keep it in your pocket, or clip it to a hat for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source. To charge it, slide the head cover forward to expose the micro-USB port.



BATTERY: Lithium ion SIZE: 98.3 x 1.55 cm WEIGHT: 34.1g COLOR: Coyote

ITEM#	DESCRIPTION
66608	MicroStream USB - Includes micro USB cord & lanyard - Clam - Coyote
66609	MicroStream USB - Includes micro USB cord & lanyard - Box - Coyote
66607	Lithium ion battery - MicroStream USB
22070	Micro USB cord 101.6 cm

MACROSTREAM® USB

High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4 water-resistant.



BATTERY: Lithium ion SIZE: 11.43 x 2.1 cm WEIGHT: 62.4g COLOR: Black

1	ITEM#	DESCRIPTION
ſ	66320	MacroStream USB - Includes micro USB cord - Clam - Black
66321 Lithium ion battery - MacroStream USB		Lithium ion battery - MacroStream USB
	22070	101.6cm Micro USB Cord



POLYTAC® X USB // POLYTAC® X

This multi-fuel tactical light allows the user to use disposable batteries to power the light if the rechargeable battery back is out of power and can't be charged. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 waterproof to 1m for 60 minutes. Maximum light output throughout battery life.



battery pack or (2) CR123A lithium batteries

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- · high only
- low/medium/high

switch to activate

(STROBE)

Double tap

NFPA Meets requirements of NFPA 1971-8.6 (2018); 500° heat resistance test

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack

or (2) CR123A lithium **SIZE:** 13.87 x 3.18 x 2.54 cm

WEIGHT: 139g (SL-B26); 125g (CR123A)

COLOR: Coyote

CLAM	BOX	DESCRIPTION
88602	88605	PolyTac X - Includes 2 CR123A lithium batteries - Coyote
88612	88615	PolyTac X USB - Includes SL-B26 Battery Pack and micro USB cord - Coyote

POLYTAC® HP

Super-bright with a long-range beam - ideal for lighting the way to the end of a dark alley, down a wooded path. Virtually indestructible housing with a superior grip texture for a comfortable/slip-resistant feel. IPX7 rated waterproof to 1m for 30 minutes. Maximum light output throughout battery life.



- · high only
- · low/medium/high

BATTERY: (2) CR123A lithium **SIZE:** 14.98 x 4.26 x 2.54 cm

WEIGHT: 148g COLOR: Coyote

ITEM#	DESCRIPTION
88861	PolyTac HP - with lithium batteries - Coyote

EDC // POLYTAC ACCESSORIES

ITEM		PART #	GOES WITH
CR123A Lithium Batteries 2pk 6pk 12pk 400pk	STREAMLERT TO STREAM ST	85175 85180 85177 85179	ProTac 1L-1AA, PolyTac X, PolyTac HP
SL-B26 Battery Pack - 2pk	STREOMLIGHT St-1826 Teach 19 years the lawy real	22104	PolyTac X USB
101.6 cm Micro USB Cord 55.88 cm Micro USB Cord		22070 22081	PolyTac X USB
55.88 cm USB-C Cord		22084	Wedge, Wedge XT



ENDURO® PRO

This low-profile headlamp has multiple modes to cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. 45° tilting head design. IPX4 water-resistant.

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h
FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h



ENDURO PRO

BATTERY: (3) "AAA" alkaline or lithium

SIZE: 4.70 x 5.56 x 3.68 cm

WEIGHT: 96.38g COLOR: Coyote

ITEM#	DESCRIPTION	
61425	Enduro Pro - Includes AAA batteries, elastic headstrap - Clam - Coyote	

BANDIT®

Ultra lightweight, weather-resistant headlamp provides 180 lumens of widespread light. It features a large button for easy actuation, and a lithium polymer USB rechargeable battery. A handy hat clip adaptor lets you attach the light on the brim of your cap or to add additional downward adjustability.

GREEN LED	HIGH	LOW
LUMENS:	135	25
RUN TIME:	3h	13.5h
RED LED	HIGH	LOW
LUMENS:	45	10
RUN TIME:	2.5h	10h

Coyote Models: White/Red LED White/Green LED







Includes a handy snap-in hat clip adapter to attach the light on yor hat or to add additional downward adjustability when using the headband.

BANDIT

BATTERY: Lithium Polymer Rechargeable

SIZE: 6.85 x 2.87 x 1.9 cm

WEIGHT: 36.8g COLOR: Coyote

ITEM #	DESCRIPTION
61706	Bandit - Includes micro-USB cord - Coyote with Red LED - Clam
61707	Bandit - Includes micro-USB cord - Coyote with Green LED - Clam



Streamlight, Inc. 30 Eagleville Road Eagleville, PA U.S.A. 19403-3996

streamlight.com // streamlightgear.com (800) 523-7488 Toll-Free (800) 220-7007 Fax (610) 631-0600 (610) 631-0712 Fax



Distributed by:























©2024 Streamlight, Inc. ISO 9001:2015 certified 991187 Rev A 4/24 asi/89871