



STREAMLIGHT®



PROFESSIONAL-GRADE
ILLUMINATION TOOLS

TACTICAL CATALOG

LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS:



STINGER® 2020
pg. 7



STINGER LED HL®
STINGER DS LED HL®
pg. 8



STINGER®
COLOR-RITE®
pg. 8



STINGER® HPL
STINGER DS® HPL
pg. 9



STINGER® LED
STINGER DS® LED
pg. 10



ULTRASTINGER®
LED pg. 10



SYCLONE®
SERIES pg. 20



FLIPMATE®
pg. 21



BEARTRAP® 360
pg. 22



PORTABLE SCENE
LIGHT II pg. 23



PORTABLE SCENE
LIGHT pg. 23



WAYPOINT®
pg. 24



WAYPOINT® 400
pg. 24



MICROSTREAM®
pg. 90



MICROSTREAM® USB
pg. 90



MACROSTREAM® USB
pg. 90



MEGASTREAM® USB
pg. 91



STREAMLIGHT JR® LED
pg. 92



STREAMLIGHT JR. F-STOP®
pg. 92

STREAMLIGHT

PERFORMANCE. PERIOD.



STRION® 2020
pg. 12



STRION LED HL®
STRION® DS HL
pg. 13



STRION® HPL
STRION® DS HPL®
pg. 13



STRION® LED
STRION® DS
pg. 14



SL-20L®
pg. 16



SL-20LP®
pg. 17



SUPER SIEGE®
pg. 25



THE SIEGE®
pg. 26



SIEGE® AA
pg. 26



PROTAC® 2.0
HEADLAMP pg. 87



BANDIT® // BANDIT® PRO
pg. 88



ENDURO® PRO
pg. 89



ENDURO® PRO USB
pg. 89



STYLUS PRO® USB
SERIES pg. 93



STYLUS PRO®
pg. 93



STYLUS®
pg. 93



POCKET MATE®
pg. 94



CLIPMATE® USB
pg. 95



NANO LIGHT® II
pg. 95

LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF TACTICAL LIGHTS



TLR-1 HL[®]-X
pg. 31



TLR-1 HL[®]
pg. 32



TLR-1[®] // TLR-1[®]s
pg. 33



TLR-2 HL[®]
pg. 33



TLR-2 HL[®] G
pg. 33



TLR-2[®] // TLR-2[®]s
pg. 34



TLR-2[®] G
pg. 34



TLR-7[®] X SUB
pg. 41



TLR-8[®] X
pg. 42



TLR-8[®] X G
pg. 42



TLR-8[®] X SUB
pg. 42



TLR-8[®] X G SUB
pg. 42



TLR-8[®] HL-X SUB
pg. 43



TLR-10[®] G
pg. 47



TLR-VIR[®] II
pg. 48



SL-B9[®] BATTERY
PACK pg. 49



SPEEDLOCKER[®]
pg. 51



TLR[®] RM 1 HL-X
pg. 52



TLR[®] RM 1
pg. 52



TLR[®] RM 2
pg. 53



TLR[®] RM 1 LASER
pg. 54



PROTAC[®] RAIL
MOUNT HL-X
pg. 61



PROTAC[®] RAIL
MOUNT HL-X
PRO pg. 62



PROTAC[®] RAIL
MOUNT HL-X
LASER pg. 63



PROTAC[®] 2.0
RAIL MOUNT
pg. 64



PROTAC[®] RAIL
MOUNT HP-X PRO
pg. 66



PROTAC[®] 2.0
RAIL MOUNT HP
pg. 67



WEDGE[®] SERIES
pg. 68-69



PROTAC HL[®] 5-X
pg. 74



PROTAC HL[®] 6
pg. 74



PROTAC[®] HPL USB
pg. 75



PROTAC HL[®] USB
pg. 75



POLYTAC[®] X
pg. 77



POLYTAC 90[®] X
pg. 78



POLYTAC[®]
pg. 77

STREAMLIGHT

PERFORMANCE. PERIOD.



TLR-3®
pg. 35



TLR-4®
pg. 35



TLR-4® G
pg. 35



TLR-6®
pgs. 36-37



TLR-6 HL® /
TLR-6 HL® G
pgs. 38-39



TLR-7® X
pg. 40



TLR-7® X CONTOUR
REMOTE
pg. 40



TLR-7® HL-X SUB
pg. 41



TLR-8® HL-X G SUB
pg. 43



TLR-7® HL-X USB
pg. 44



TLR-8® HL-X
pg. 45



TLR-8® HL-X G
pg. 45



TLR-9®
pg. 46



TLR-10®
pg. 47



TLR® RM 2 LASER
pg. 54



TLR® RM 1 LASER-G
pg. 55



TLR® RM 2 LASER-G
pg. 55



TLR-1 HPL®
pg. 56



TL-RACKER®
pg. 57



PROTAC® RAIL
MOUNT 1
pg. 60



PROTAC® RAIL
MOUNT 2
pg. 61



PROTAC® 1L-1AA
pg. 70



PROTAC® 2.0
pg. 70



PROTAC® 2L
pg. 71



PROTAC HL®
pg. 71



PROTAC® 2AA-X
pg. 72



PROTAC® 2L-X
pg. 72



PROTAC® HL-X
pg. 73



PROTAC® 90X
pg. 73



SL-B26®
BATTERY PACK
pgs. 78-79



SIDEWINDER
STALK®
pgs. 80-81



SIDEWINDER® X
pg. 82



SIDEWINDER®
pg. 83



SIDEWINDER®
RESCUE
pg. 83



SIDEWINDER
COMPACT® II
pg. 84



SIDEWINDER
BOOT®
pg. 84

STREAMLIGHT
STINGER SERIES



STINGER® 2020

The next evolution in high-performance, duty-ready flashlights features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting SL-B26® USB rechargeable battery packs offer multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. Its aluminum alloy body with textured side panels and anti-roll design is ergonomically shaped for a sure grip. IPX7-rated; waterproof to 1m submersion, corrosion-resistant sealed glass lens.



[(STROBE)]
Double tap
switch to activate



	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	25,000	10,000	1,200
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h

STROBE RUNS 3.25 HOURS

BATTERY: (2) SL-B26 protected Li-Ion USB rechargeable battery packs
SIZE: 7.67" x 1.62" (19.48 x 4.11 cm)
WEIGHT: 12.3 oz. (348.7g)
COLOR: Black

ITEM #	DESCRIPTION
78101	Stinger 2020 - 120V/12V DC - 1 holder - Black
78121	Stinger 2020 - 120V/12V DC - 1 holder - Red
78131	Stinger 2020 - 120V/12V DC - 1 holder - Blue
78104	Stinger 2020 - 12V DC - 1 holder - Black
78100	Stinger 2020 - Light Only - Includes "Y" USB cord - Black
78120	Stinger 2020 - Light Only - Includes "Y" USB cord - Red
78130	Stinger 2020 - Light Only - Includes "Y" USB cord - Blue

TAA COMPLIANT



STREAMLIGHT STINGER SERIES

STINGER LED HL® // STINGER DS LED HL®

The Stinger LED HL provides 800 lumens of maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. Rubberized comfort grip. IPX4-rated; water-resistant.

STINGER LED HL

BATTERY: NiMH Rechargeable

SIZE: 8.41" x 1.62" x 1.17"
(21.36 x 4.11 x 2.97 cm)

WEIGHT: 12.4 oz. (352g)

COLOR: Black

STINGER DS LED HL

BATTERY: NiMH Rechargeable

SIZE: 8.85" x 1.62" x 1.17"
(22.48 x 4.11 x 2.97 cm)

WEIGHT: 12.8 oz. (364g)

COLOR: Black

HL	DS HL	DESCRIPTION
75430	75454	120V AC/12V DC - 2 holders
75431	75455	120V AC
75432	75456	12V DC
75434	75458	120V AC/12V DC PiggyBack
75429	75453	Light Only

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1.5h	2.5h	5h

STROBE RUNS 3 HOURS



[(STROBE)]
Double tap
switch to activate

HL®

**Dual
Switch
TECHNOLOGY**



Available in both
dual switch and
standard styles

STINGER® COLOR-RITE®

	HIGH	MEDIUM	LOW
LUMENS:	500	275	140
CANDELA:	17,500	9,000	4,500
DISTANCE:	265m	190m	134m
RUN TIME:	1.5h	2.5h	5h

STROBE RUNS 3 HOURS
COLOR TEMPERATURE: 3,000K

The Stinger Color-Rite features a warm white 90 CRI LED (3,000K) with Color-Rite Technology® that produces a more natural light so you can detect objects more easily. Reduced glare prevents eye fatigue and helps cut through murky atmospheres. Ideal for low-light tracking and detecting trace evidence. IPX4-rated; water-resistant.

BATTERY: NiMH Rechargeable

SIZE: 8.41" x 1.62" x 1.17" (21.36 x 4.11 x 2.97 cm)

WEIGHT: 12.4 oz. (352g)

COLOR: Black



[(STROBE)]
Double tap
switch to activate

**Color-
Rite®**

ITEM #	DESCRIPTION
75499	Stinger Color-Rite - 120V AC/12V DC
75502	Stinger Color-Rite - 120V AC/12V DC PiggyBack
75498	Stinger Color-Rite - Light Only

THE STINGER SERIES IS ALWAYS ON THE JOB

IT'S A DUTY LIGHT BUILT WITH PRECISION & PERFORMANCE



STINGER® HPL // STINGER DS® HPL

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	48,000	24,000	12,000
DISTANCE:	438m	310m	219m
RUN TIME:	1.5h	2.5h	5h

STROBE RUNS 3 HOURS



[(STROBE)]
Double tap
switch to activate



Available in both
dual switch and
standard styles

The Stinger HPL combines two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and into the distance. Its long distance beam reaches 438 meters and the 800 lumen beam provides side-to-side visibility to fill in up-close areas and corners. IPX4-rated; water-resistant.

STINGER HPL

BATTERY: NiMH Rechargeable
SIZE: 9.23" x 2.20" x 1.17"
(23.44 x 5.59 x 2.97 cm)
WEIGHT: 13.6 oz. (385g)
COLOR: Black

STINGER DS HPL

BATTERY: NiMH Rechargeable
SIZE: 9.65" x 2.20" x 1.17"
(24.51 x 5.59 x 2.97 cm)
WEIGHT: 14 oz. (396g)
COLOR: Black

HPL	DS HPL	DESCRIPTION
75763	75863	120V AC/12V DC - 2 holders
75761	75861	120V AC
75799	75899	12V DC
75782	75882	120V AC/12V DC PiggyBack
75980	75900	Light Only



DUTY + TACTICAL HOLSTER

- Super-tough nylon construction
- Quick, Easy Access

STINGER® LED // STINGER DS® LED

The Stinger LED and Stinger DS LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tailcap and head switch. IPX4-rated; water-resistant.

STINGER LED

BATTERY: NiMH Rechargeable
SIZE: 8.41" x 1.62" x 1.17"
(21.36 x 4.11 x 2.97 cm)
WEIGHT: 12.4 oz. (352g)
COLOR: Black

STINGER DS LED

BATTERY: NiMH Rechargeable
SIZE: 8.85" x 1.62" x 1.17"
(22.48 x 4.11 x 2.97 cm)
WEIGHT: 12.8 oz. (364g)
COLOR: Black

LED	DS LED	DESCRIPTION
75713	75813	120V AC/12V DC - 2 Holders
75711	75811	120V AC
75712	75812	12V DC
75732	75832	120V AC/12V DC PiggyBack
75710	75810	Light Only

	HIGH	MEDIUM	LOW
LUMENS:	425	200	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	322m	219m	155m
RUN TIME:	3h	5.5h	10h

STROBE RUNS 7.5 HOURS

[(STROBE)]
Double tap
switch to activate



Available in both
dual switch and
standard styles

ULTRASTINGER® LED

The UltraStinger LED delivers a piercing 1,100 lumens, but that's not all - it also has a far-reaching beam, TEN-TAP® programming for its multiple intensities and a rubber sleeve for a better grip. IPX4-rated; water-resistant.

BATTERY: NiMH Rechargeable
SIZE: 11.82" x 2.37" x 1.19" (30 x 6.01 x 3 cm)
WEIGHT: 19.9 oz. (564g)
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	1,100	350	90
CANDELA:	65,000	21,000	5,000
DISTANCE:	510m	290m	141m
RUN TIME:	1.5h	4.5h	16h

STROBE RUNS 3.25 HOURS




























TEN-TAP® Programmable - choose from three programs:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION
77553	UltraStinger LED - 120V AC/12V DC - 2 Holders
77551	UltraStinger LED - 120V AC
77555	UltraStinger LED - 12V DC
77550	UltraStinger LED - Light Only

STINGER ACCESSORIES

DESCRIPTION	STINGER 2020	STINGER COLOR-RITE	DS LED HL LED HL	DS HPL HPL	DS LED LED	ULTRASTINGER LED
5 Unit Bank Charger 	75400	75400	75400	75400	75400	75400
Smart Charger 	75105	75105	75105	75105	75105	75105
PiggyBack® Charger 	—	75277	75277	75277	75277	—
NiMH Battery Stick 	—	75375	75375	75375	75375	77375
Li-Ion Battery Stick 	—	75176	75176	75176	75176	—
SL-B26 Battery Pack 	78105	—	—	—	—	—
12V DC Car Charge Cord 	22051	22051	22051	22051	22051	22051
12V DC Charge Cord 	22050	22050	22050	22050	22050	22050
120V AC Charge Cord 	22071	22071	22071	22071	22071	22071
Leather Plain Holster 	—	75133	75133	—	75133	—
Leather Weave Holster 	78114	75134	75134	—	75134	—
Nylon Holster 	—	75927	75927	75927	75927	—
Nylon Holster 	78107	—	—	—	—	—
Loop Nylon Holster 	—	75928	75928	75928	75928	75928
Duty Holster 	—	88053	88053	88053	88053	88053
Ring Holder 	—	75906	75906	75906	75906	75906
Flip Lens Red Blue Green 	75115 75116 75117	75115 75116 75117	75115 75116 75117	—	75115 75116 75117	—
Red Wand 	75903	75903	75903	75946	75903	78903
White Wand 	75908	75908	75908	75949	75908	75949
Blue Wand 	75902	75902	75902	75947	75902	—
Yellow Wand 	75904	75904	75904	75948	75904	78904
Glow in the Dark Wand 	75913	75913	75913	75950	75913	78913
USB Cord 	22081 - 22" 22070 - 40"	—	—	—	—	—
"Y" USB Cord 	22082	—	—	—	—	—
Facecap Ring Kit 	78113	—	—	—	—	—

**STREAMLIGHT
STRION SERIES**



STRION® 2020

The Strion 2020 features independently functioning head and tail switches along with an intuitive mode select switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting, lithium-ion rechargeable battery offers multiple charging options using existing Strion® smart chargers and bank chargers. IPX7-rated; waterproof to 1m. Corrosion-resistant sealed glass lens. Fits long gun mounts.

	HIGH	MEDIUM	LOW
LUMENS:	1,200	460	120
CANDELA:	28,000	10,000	3,000
DISTANCE:	335m	200m	110m
RUN TIME:	1.75h	5.5h	12h

STROBE RUNS 3.5 HOURS



Mode intensity switch for easy selection of High, Medium or Low



Battery status indicator:
Green = Charged
Red = Needs to be charged



[(STROBE)]
Double tap
switch to activate

BATTERY: Lithium-ion
SIZE: 6.33" x 1.25" x 0.95" (16.1 x 3.18 x 2.41 cm)
WEIGHT: 5.7 oz. (161.6g)
COLOR: Black

ITEM #	DESCRIPTION
74431	Strion 2020 - 120V AC/12V DC - 1 Holder
74435	Strion 2020 - 120V AC/12V DC PiggyBack
74434	Strion 2020 - 12V DC
74430	Strion 2020 - Light Only



Independently functioning
head and tail switches

STRION LED HL® // STRION® DS HL

The Strion LED HL provides a high lumen beam with maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. IPX4-rated; water-resistant. Fits long gun mounts.

STRION LED HL

BATTERY: Lithium-ion
SIZE: 5.90" x 1.25" x 0.95"
(14.99 x 3.18 x 2.41 cm)
WEIGHT: 5.2 oz. (148g)
COLOR: Black

STRION DS HL

BATTERY: Lithium-ion
SIZE: 6.33" x 1.25" x 0.95"
(16.08 x 3.18 x 2.41 cm)
WEIGHT: 5.4 oz. (153g)
COLOR: Black

STRION LED HL	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	12,000	6,000	3,000
DISTANCE:	219m	155m	110m
RUN TIME:	1.25h	2.5h	4.5h

STROBE RUNS 3 HOURS

STRION® HPL // STRION® DS HPL

Lightweight and ultra-compact, yet extremely powerful. It throws its long beam far out in the distance while casting plenty of peripheral light along the way. Features three intensities plus strobe. Rechargeable battery and powerful illumination result in one of the lowest operating costs of any flashlight. Easy, one-handed operation with multi-function push-button tail switch.

STRION HPL

BATTERY: Lithium-ion
SIZE: 7.00" x 2.2" x 0.95"
(17.78 x 5.59 x 2.41 cm)
WEIGHT: 7.1 oz. (202g)
COLOR: Black

STRION DS HPL

BATTERY: Lithium-ion
SIZE: 7.56" x 2.2" x 0.95"
(19.2 x 5.59 x 2.41 cm)
WEIGHT: 6.9 oz. (196g)
COLOR: Black

STRION HPL	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	40,000	20,000	10,000
DISTANCE:	400m	283m	200m
RUN TIME:	1.25h	2.5h	4.5h

STROBE RUNS 3 HOURS



[(STROBE)]
Double tap
switch to activate



STRION DS HL	HIGH	MEDIUM	LOW
LUMENS:	700	300	40
CANDELA:	12,000	5,000	800
DISTANCE:	219m	141m	57m
RUN TIME:	1.25h	3.5h	24h

STROBE RUNS 2.5 HOURS

DS model features **TEN-TAP®** Programmable:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

HL	DS HL	DESCRIPTION
74752	74612	120V AC/12V DC - 2 Holders
74751	74611	120V AC/12V DC - 1 Holder
74755	74621	120V AC/12V DC - 1 Holder - Clam
74778	74619	120V AC/12V DC PiggyBack
74753	74613	120V AC
74509	74620	120V AC - with Grip Ring
74754	74614	12V DC
74750	74610	Light Only



[(STROBE)]
Double tap
switch to activate



STRION DS HPL	HIGH	MEDIUM	LOW
LUMENS:	700	300	40
CANDELA:	44,000	18,000	2,600
DISTANCE:	420m	268m	102m
RUN TIME:	1.25h	3.5h	24h

STROBE RUNS 2.5 HOURS

DS model features **TEN-TAP®** Programmable:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

HPL	DS HPL	DESCRIPTION
74502	74812	120V AC/12V DC - 2 Holders
74501	74811	120V AC/12V DC - 1 Holder
74536	74819	120V AC/12V DC PiggyBack
74503	74813	120V AC
74504	74814	12V DC
74500	74810	Light Only



STRION® LED // STRION® DS

A powerful value that's perfect for the broadest range of lighting needs. IPX4-rated; water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation.

STRION LED	HIGH	MEDIUM	LOW
LUMENS:	375	175	80
CANDELA:	12,000	6,500	3,200
DISTANCE:	219m	161m	113m
RUN TIME:	2.5h	4.75h	9.5h
STROBE RUNS 6.5 HOURS			



[(STROBE)]

Double tap switch to activate



STRION LED

BATTERY: Lithium-ion
SIZE: 5.9" x 1.25" x 0.95"
 (14.99 x 3.18 x 2.41 cm)
WEIGHT: 5.2 oz. (148g)
COLOR: Black

STRION DS

BATTERY: Lithium-ion
SIZE: 6.4" x 1.25" x 0.95"
 (16.26 x 3.18 x 2.41 cm)
WEIGHT: 5.4 oz. (153g)
COLOR: Black

STRION DS	HIGH	MEDIUM	LOW
LUMENS:	375	150	40
CANDELA:	12,000	5,000	1,300
DISTANCE:	219m	141m	72m
RUN TIME:	2.5h	6.25h	24h
STROBE RUNS 5 HOURS			

LED	DS	DESCRIPTION
74302	74412	120V AC/12V DC - 2 Holders
74301	74411	120V AC/12V DC - 1 Holder
74353	74419	120V AC/12V DC PiggyBack
74303	74413	120V AC
74309	74420	120V AC - with Grip Ring
74304	74414	12V DC
74300	74410	Light Only

DS model features **TEN-TAP™** Programmable:

- high/med/low with strobe
- high only without strobe
- low/medium/high without strobe

STRION ACCESSORIES

DESCRIPTION	STRION DS / STRION DS LED HL	STRION HPL / DS HPL	STRION / STRION DS	STRION 2020
6 Unit Bank Charger 120V	74400	74400	74400	74400
6 Unit Bank Charger DC	74401	74401	74401	74401
Piggyback Charger Holder	74115	74115	74115	---
Smart Charger Holder	74102	74102	74102	74102
Li-ion Battery Stick Strion Series	74175	74175	74175	---
Li-ion Battery Stick Strion 2020	---	---	---	74436
12V DC1 Charge Cord	22051	22051	22051	22051
12V DC2 Charge Cord	22050	22050	22050	22050
120V USB Charge Cord	22071	22071	22071	22071
Rail Mount	74200	74200	74200	74200
Vertical Grip	69114	69114	69114	69114
Leather Plain Holster	74059	---	74059	74059
Leather Weave Holster	74060	---	74060	74060
Nylon Holster	85905	---	85905	85905
Tactical Holster	88051	88051	88051	88051
Red Flip Lens	85115	---	85115	85115
Green Flip Lens	85117	---	85117	85117
Blue Flip Lens	85116	---	85116	85116
Red Wand	74903	75946	74903	74903
Yellow Wand	74904	75948	74904	74904
Glow in the Dark Wand	74913	75950	74913	74913

**STREAMLIGHT
SL-20L SERIES**



SL-20L[®]

Full-size, professional grade light that delivers the intense brightness and run times you need for a wide variety of jobs. Unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

- BATTERY:** NiMH Rechargeable
- SIZE:** 13.1" x 2.5" x 1.5"
(33.3 x 6.35 x 3.81 cm)
- WEIGHT:** 1.7 lbs. (770g)
- COLOR:** Black



[(STROBE)]

Double tap
switch to activate

ITEM #	DESCRIPTION
20703	SL-20L - 120V AC/12V DC - 2 sleeves
20701	SL-20L - 120V AC
20702	SL-20L - 12V DC
20700	SL-20L - Light Only

	HIGH	MEDIUM	LOW
LUMENS:	450	225	60
CANDELA:	70,000	35,000	9,000
DISTANCE:	529m	374m	189m
RUN TIME:	3.25h	5h	20h
STROBE RUNS 4.5 HOURS			

A HISTORY OF PERFORMANCE, THE LEGENDARY FULL-SIZE DUTY LIGHT.



SL-20LP®

	HIGH	MEDIUM	LOW
LUMENS:	450	225	60
CANDELA:	70,000	35,000	9,000
DISTANCE:	529m	374m	189m
RUN TIME:	3.25h	5h	20h

STROBE RUNS 4.5 HOURS

Feature packed, the SL-20LP full sized professional grade, high-intensity, rechargeable flashlight offers high, medium, low and strobe modes. Lightweight, polymer construction, unbreakable, scratch-resistant lens. IPX4-rated; water-resistant.

BATTERY: NiMH Rechargeable

SIZE: 13.2" x 2.5" x 1.5" (33.5 x 6.35 x 3.81 cm)

WEIGHT: 1.3 lbs. (590g)

COLOR: Yellow, Black or Orange

ITEM #	DESCRIPTION
25323	SL-20LP - 120V AC/12V DC - 2 sleeves - Yellow
25303	SL-20LP - 120V AC/12V DC - 2 sleeves - Black
25313	SL-20LP - 120V AC/12V DC - 2 sleeves - Orange
25321	SL-20LP - 120V AC - Yellow
25301	SL-20LP - 120V AC - Black
25311	SL-20LP - 120V AC - Orange
25322	SL-20LP - 12V DC - Yellow
25302	SL-20LP - 12V DC - Black
25312	SL-20LP - 12V DC - Orange
25320	SL-20LP - Light Only - Yellow
25300	SL-20LP - Light Only - Black
25310	SL-20LP - Light Only - Orange

[(STROBE)]

Double tap
switch to activate

ACCESSORIES

DESCRIPTION	SL-20L	SL-20LP
5-Unit Bank Charger 120V AC	21400	21400
5-Unit Bank Charger 12V DC	21401	21401
Charger Holder	22047	22047
12V DC1 Charge Cord	22051	22051
12V DC2 Charge Cord	22050	22050
120V AC Charge Cord	22060	22060
NiMH Battery Stick	77375	77375
Nylon Holster	25090	25090
Red Wand	22511	22511
Yellow Wand	22519	22519
Glow the Dark Wand	22513	22513

// COLOR-RITE TECHNOLOGY®

// WHAT IS COLOR-RITE TECHNOLOGY?

Color-Rite Technology is based on the Color Rendering Index (CRI) -- a scale from 0-100 that indicates how a light source reflects color variations as they appear to the human eye. The higher the CRI, the more vibrant the colors appear. On the scale, lights that measure 90+ are considered "high" CRI lights and are critical for tasks requiring the most accurate color discrimination. A perfect 100 would enable us to see colors as they appear in natural sunlight.

// WHY STREAMLIGHT COLOR-RITE TECHNOLOGY?

Flashlights equipped with Streamlight's proprietary Color-Rite Technology allow users to see the color spectrum as they would in natural light. While a standard high-lumen LED light produces an ultra-bright white beam that is needed in many applications, it prevents seeing subtle color differences in, for example, auto body paint colors or electrical wiring. In contrast, a high CRI light provides a softer, warmer beam to prevent color "washout," allowing the user to see specific colors or imperfections and subtle details, regardless of the task.

// COLOR-RITE® APPLICATIONS FOR EVERY SITUATION

Streamlight offers a family of Color-Rite® lights for situations that require detailed inspections or color differentiation. For markets as diverse as automotive, industrial, law enforcement, military and even outdoor recreation, we have developed high CRI lights with Color-Rite Technology® for a wide variety of tasks that require exacting attention to detail. From repairing electrical wires to inspecting paint finishes or examining forensic evidence, count on Streamlight's Color-Rite® products help get the job done efficiently and safely.

Our family of Color-Rite® products include the following:



STINGER® COLOR-RITE®

Rechargeable, warm white (3,000K)
90 CRI LED with Streamlight's
Color-Rite Technology



*DUALIE® 3AA COLOR-RITE®

Intrinsically safe multi-function dual beam flashlight
with a cool white LED and a warm white (4,000K)
90 CRI LED with Streamlight's Color-Rite Technology



*STINGER SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light |
Color-Rite Light (4,000K) | UV Light



*STRION SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light |
Color-Rite Light (4,000K) | UV Light



SYCLONE®

Ultra-compact work light with a cool white LED
and a warm white (4,000K) 90 CRI LED with
Streamlight's Color-Rite Technology



FLIPMATE®

Compact work light with cool white LEDs and warm
white (4,000K) 90 CRI LEDs with Streamlight's
Color-Rite Technology - each with high and low modes

*Visit Streamlight.com for more information

// A LIGHT FOR EVERY SITUATION

// COLOR-RITE® APPLICATIONS BY MARKET

LAW ENFORCEMENT/MILITARY

- **Improve tracking in low-light conditions.** High CRI lights like the Stinger Color-Rite help border patrol and other law enforcement agencies reveal subtle details of tracks and other markings that white LEDs with their bright “hot spots” can miss.
- **Detect trace evidence.** Forensic teams can more clearly spot fingerprints, fibers and other trace evidence on glass and other slick surfaces with high CRI lights such as the Stinger Color-Rite.
- **Enhance visualization.** High CRI lights can help cut through murky lake or ocean water, thick smoke or fog, and even heavy dust when pursuing vehicles in rough terrain.

AUTOMOTIVE

- **Match and identify colors.** The Dualie 3AA Color-Rite, FlipMate, Stinger Switchblade, Cyclone and Strion Switchblade are ideal for color matching and identifying body imperfections before and after paint repairs.
- **Identify defects.** Paint defects such as swirl marks and color sanding scratches are easily identifiable with high CRI LEDs.
- **Distinguish colors.** When troubleshooting electrical short circuits or other motor vehicle repairs, high CRI lights assist in differentiating colored wires in hard-to-see areas under a hood or carriage.
- **Reduce glare when working in tight spaces.** Because high CRI LEDs reflect back less light than bright white LEDs, mechanics can see greater detail when working in dark, hard-to-reach places underneath a car or under the hood.



INDUSTRIAL

- **Differentiate wire colors in electrical panels.** In plants and other facilities, high CRI lights like the Dualie 3AA Color-Rite, FlipMate and Cyclone provide better color contrast of intricate wires in electrical cabinets, helping technicians to work more efficiently.
- **Spot imperfections.** High CRI lights allow for contrast of color to identify imperfections in finish inspections of products including parts.
- **Reduce eye fatigue.** The soft lighting of high CRI LEDs reduces eye strain and fatigue for many users.

FIRE/RESCUE/EMS

- When responding to fires, accidents or other events under low light conditions, high CRI area lights such as the Dualie 3AA Color-Rite, Stinger Switchblade and Stinger Color-Rite can be essential tools, permitting first responders to **see the color spectrum as they would in natural daylight.**
- High CRI lights allow investigators to **see specific colors, imperfections and subtle details** when examining fire or accident scenes and gathering evidence.

OUTDOOR RECREATION

- **Identify blood trails.** State-of-the-art blood trailing technology in high CRI lights, such as the Stinger Color-Rite, reduces certain colors in the spectrum to better amplify blood trails.
- **Visualize in low-light conditions.** Hikers and other outdoor enthusiasts use high CRI lights like the Dualie 3AA Color-Rite to better see obstacles when navigating trails at night and under other low-light conditions.

SYCLONE®

Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

BATTERY: Lithium Polymer Rechargeable
SIZE: 2.97" x 2.79" x 1.42" (7.54 x 7.08 x 3.60 cm)
WEIGHT: 5.3 oz. (150g)
COLOR: Red



Multi-function push-button switch with charge indicator.
 Battery charges in approx. 4.5 hours

ITEM #	DESCRIPTION
61510	Syclone - Includes micro USB cord

Color-Rite®



Hands-free applications:
 1.) Magnetic base
 2.) Stowable hang hook



SPOT/COOL WHITE LED	HIGH	MEDIUM	LOW
LUMENS:	400	200	100
DISTANCE:	141m	95m	72m
RUN TIME:	2h	4.5h	9.5h

FLOOD/WARM WHITE 90 CRI	HIGH	MEDIUM	LOW
LUMENS:	300	150	75
DISTANCE:	48m	35m	24m
RUN TIME:	2h	4h	8h

COLOR TEMPERATURE: 4,000K

SYCLONE® JR.

Inspect, identify and repair with the Syclone Jr. It produces bright white light for everyday use. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

BATTERY: Lithium Polymer Rechargeable
SIZE: 2.04" x 2.25" x 1.14" (5.18 x 5.71 x 2.89 cm)
WEIGHT: 2.0 oz. (57g)
COLOR: Red



Hands-free applications:
 1.) Magnetic base
 2.) Stowable hang hook



	HIGH	LOW
LUMENS:	210	85
DISTANCE:	79m	49m
RUN TIME:	3.75h	8.5h



Multi-function push-button switch with charge indicator.
 Battery charges in approx. 4.5 hours

ITEM #	DESCRIPTION
61530	Syclone Jr. - Includes micro USB cord

FLIPMATE®

Inspect, identify and repair with the super-compact FlipMate. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable.



270° rotating light bar aims the beam where you need it



Hands-free applications:
1.) Magnetic base
2.) Stowable hang hook
3.) Foot provides stability to stand on end

BATTERY: Lithium-Ion
SIZE: Folded length: 4.58" (11.63 cm) // Extended length: 7.94" (20.17 cm)
WEIGHT: 8.7 oz. (247g)
COLOR: Black, Red or Blue

ITEM #	DESCRIPTION
61500	FlipMate - Includes micro USB cord - Black
61501	FlipMate - Includes micro USB cord - Red
61502	FlipMate - Includes micro USB cord - Blue

Color-Rite®


COOL WHITE	HIGH	LOW
LUMENS:	500	250
RUN TIME:	4h	5.75h

90 CRI WARM WHITE	HIGH	LOW
LUMENS:	400	200
RUN TIME:	4h	6h
COLOR TEMPERATURE: 4,000K		



Double-function light bar:

- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) Cool white LEDs for bright, white light Each with high and low modes



STREAMLIGHT WORK LIGHT SERIES

BEARTRAP® 360

Inspect, identify and repair with the multi-function BearTrap 360 work light featuring a 360° rotating and 270° pivoting body. It produces bright white light in both spot and flood modes. Flood fills your work area with evenly dispersed, bright light; Spot provides a concentrated beam - each with high, medium and low modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-reach spaces like under the dash; also features a magnetic base. Rubberized grip surface designed to prevent scratches.

Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4-rated; water resistant; 1m impact-resistance tested.

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	2,000	1,000	575
CANDELA:	1,200	680	360
DISTANCE:	69m	52m	38m
RUN TIME:	2.5h	5h	8.75h

SPOT	HIGH	MEDIUM	LOW
LUMENS:	1,000	450	325
CANDELA:	7,500	3,600	2,500
DISTANCE:	174m	120m	100m
RUN TIME:	4.5h	8.75h	12.5h

BATTERY: Lithium-Ion


SIZE: 7.62" x 6.5" x 3.12" (19.36 x 16.51 x 7.92 cm)

WEIGHT: 2 lbs. 5 oz. (1049g)

COLOR: Red



2,000 LUMENS



ITEM #	DESCRIPTION
61523	BearTrap 360 - 120V/100V AC
44922	120V AC Cord
44923	12V DC Cord
61522	Lithium-Ion Battery - BearTrap 360



PORTABLE SCENE LIGHT II

	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for "light tower" capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. Unlimited run time using AC/DC power source; batteries will continue to charge while in use. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: Lithium-ion Rechargeable
SIZE: 16" x 11" x 12" (40.6 x 27.9 x 30.5 cm)
WEIGHT: 15.56 lbs. (7.06 kg)
COLOR: Red



ITEM #	DESCRIPTION
46000	Portable Scene Light II - 120V AC/12V DC

PORTABLE SCENE LIGHT PORTABLE SCENE LIGHT EXT

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. Its 90° swivel neck easily shines light into the most out-of-the-way places. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. Full deployment in 30 seconds. Designed to resist 40 mph wind continuous in all directions with head fully extended. Unlimited run time using AC/DC power source. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h

PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance, sealed lead acid
 Can also be powered by 12V DC power cord
SIZE: 22.5" x 6.7" x 11" (55.88 x 17 x 27.9 cm)
WEIGHT: 25 lbs. (11.3kg)
COLOR: Yellow



PORTABLE SCENE LIGHT EXT

BATTERY: Zero-maintenance, sealed lead acid
 Can also be powered by 12V DC power cord
SIZE: 25.5" x 6.7" x 11" (64.8 x 17 x 27.9 cm)
WEIGHT: 25.5 lbs. (11.6kg)
COLOR: Yellow



ITEM #	DESCRIPTION	COO	TAA
45670	Portable Scene Light - 120V AC/12V DC	US	YES
45680	Portable Scene Light EXT - 120V AC/12V DC	US	YES

STREAMLIGHT LANTERN SERIES

WAYPOINT®

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

12V DC POWER CORD - UNLIMITED RUN TIME
EMERGENCY SIGNAL: RUNS 82 HOURS



Integrated stand for hands-free lighting

Trigger style switch with momentary operation



Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or searching from a distance. IPX4-rated; water-resistant.

BATTERY: (4) "C" batteries (not included).
Can also be powered by 12V DC power cord (included)
SIZE: 6.75" x 7.14" x 3.5" (17.15 x 18.14 x 8.89 cm)
WEIGHT: 1.8 lbs. (816g)
COLOR: Yellow or Black

WAYPOINT® 400

	HIGH	MEDIUM	LOW
LUMENS:	1,400	600	38
CANDELA:	400,000	165,000	10,000
DISTANCE:	1,265m	812m	200m
RUN TIME:	3.25h	7.5h	84h



400,000 cd



1,265m



The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8-rated; waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

BATTERY: Lithium-ion with on-board safety control circuit
SIZE: 6.75" x 7.14" x 3.62" (17.15 x 18.14 x 9.2 cm)
WEIGHT: 1.52 lbs. (691g)
COLOR: Yellow or Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)



Includes 120V AC Charge Cord



Optional 12V DC Charge Cord



Polymer storage mount (included)

Green Filter reduces shadows



Red Filter preserves night vision

Green Filter reduces shadows



Red Filter preserves night vision

ITEM #	DESCRIPTION
44900	Waypoint - Includes 12V DC power cord - Box - Yellow
44902	Waypoint - Includes 12V DC power cord - Box - Black
44904	Waypoint - Includes 12V DC power cord - Clam - Yellow
44905	Waypoint - Includes 12V DC power cord - Clam - Black
44908	Polymer storage mount
44903	12V DC Power Cord*
44924	Red Filter
44925	Green Filter

*12V DC power cord does not charge batteries

ITEM #	DESCRIPTION
44910	Waypoint 400 - 120V AC - Box - Yellow
44911	Waypoint 400 - 120V AC - Box - Black
44918	Polymer storage mount
44909	120V AC Charge Cord
44923	12V DC Cord
44915	Red Filter
44916	Green Filter

SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium-ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! Its rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7-rated; waterproof to 1m. It floats.

BATTERY: Lithium-ion
SIZE: 3.8" x 7.5" (9.65 x 19.05 cm)
WEIGHT: 1 lb. 14 oz. (867.62g)
COLOR: Coyote or Yellow



Magnetic
Accessory Base

ITEM #	DESCRIPTION
44947	Super Siege - 120V AC - Coyote
44945	Super Siege - 120V AC - Yellow
44909	120V AC Charge Cord
44950	Glare Guard™
44951	Magnetic Base - Black

WHITE	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5.75h	11.5h	36.25h
RED	HIGH	SOS	LOW
LUMENS:	2.7	2.7	1
RUN TIME:	140h	320h	348h

[(RED SOS)]

Hold on/off button
to activate



Rechargeable lithium-ion battery supplies power to the lantern as well as gives you the ability to recharge your electronic devices from the USB port.



A small storage area is provided in the light's base for all your "keep dry" needs.



STREAMLIGHT SIEGE SERIES



BATTERY: (3) "D" alkaline
SIZE: 3.8" x 7.25" (9.65 x 18.41 cm)
WEIGHT: 1 lb. 15 oz. (878.83g)
COLOR: Coyote

ITEM #	DESCRIPTION
44931	The Siege
44950	Glare Guard™
44952	Magnetic Base - Black

SIEGE® AA

The Siege AA lantern features white LED and red LEDs for scene lighting, low level lighting or SOS mode. There are five output modes and a battery level indicator built into the power button. With the outer lantern globe in place, the Siege AA will float. Remove the outer globe and hang the body upside down by the D-ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

BATTERY: (3) "AA" alkaline
SIZE: 2.37" x 5.44" (6.00 x 13.82 cm)
WEIGHT: 8.8 oz. (249.47g) // 9.1 oz. (257.98g) with Magnet
COLOR: Coyote or Yellow

ITEM #	DESCRIPTION
44941	Siege AA - Coyote
44943	Siege AA - Yellow with Magnetic Base
44942	Magnetic Base - Coyote

THE SIEGE®

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

WHITE	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h

RED	HIGH	SOS
LUMENS:	10	10
RUN TIME:	235h	430h



[(RED SOS)]
 Hold on/off button
 to activate



Magnetic
Accessory Base

WHITE	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15.5h	37h

RED	HIGH	SOS
LUMENS:	.7	.7
RUN TIME:	192h	288h



The yellow Siege AA has three strong magnets in the base. It is a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.

[(RED SOS)]
 Hold on/off button
 to activate



Optional magnetic base for
hands-free work.



STREAMLIGHT

WEAPON-MOUNTED SERIES

LIGHT ONLY

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-1 HL®



TLR-1 HL®-X



TLR-1®
TLR-1®s



TLR-3®



TLR-7® X



TLR-7® X
CONTOUR REMOTE



TLR-7® HL-X USB



TLR-9®

SUBCOMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-6®
NON-LASER



TLR-7® X



TLR-7® HL-X USB



TLR-7® X



TLR-7® HL-X SUB

LONG GUN/AR

SHOTGUN FOREND & RAIL MOUNT MODELS



TL-RACKER®



TLR® RM 1



TLR® RM 1 HL-X



TLR® RM 2



PROTAC®
RAIL MOUNT 1



PROTAC®
RAIL MOUNT 2



PROTAC® RAIL
MOUNT HL-X



PROTAC® RAIL
MOUNT HL-X PRO



PROTAC® RAIL
MOUNT HP-X PRO



PROTAC® 2.0
RAIL MOUNT



PROTAC® 2.0
RAIL MOUNT HP



TLR-1 HL®
[Long Gun Kit]



TLR-1 HPL®
[Long Gun Kit]

LIGHT/LASER COMBO

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-2® // TLR-2^s



TLR-2 HL®



TLR-2^G // TLR-2 HL^G



TLR-8^X **NEW**



TLR-8^{X G} **NEW**



TLR-10[®] // TLR-10^G

SUBCOMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-4[®] // TLR-4^G



TLR-6[®]



TLR-6 HL[®] //
TLR-6 HL^G



TLR-8^X //
TLR-8^{X G} **NEW**



TLR-8^{X SUB} //
TLR-8^{X G SUB} **NEW**



TLR-8^{HL-X} //
TLR-8^{HL-X G} **NEW**



TLR-8^{HL-X SUB} //
TLR-8^{HL-X G SUB} **NEW**

LONG GUN/AR RAIL MOUNT MODELS



TLR-2[®] // TLR-2^s



TLR-2 HL[®]



TLR-2 HL^G



TLR[®] RM 1 LASER
RED//GREEN



TLR[®] RM 2 LASER
RED//GREEN



PROTAC[®] RAIL MOUNT
HL-X LASER

SPECIALTY/IR LONG GUN/AR & FULL FRAME PISTOLS



TLR-VIR[®] II



It can be difficult to choose the right weapon-mounted light for your specific gun and application. We want to make the process easier. That's why we designed the TLR Fit Guide to make it easy for you to select the right light for your weapon.

SCAN OR CLICK THE QR CODE TO VIEW OUR TLR FIT GUIDE

Beam Patterns Explained

Choosing the best gun light means pairing the right beam with your needs. Streamlight's range of gun lights offers Traditional, High Lumen, and High Candela options, each designed with features tailored to different tactical applications. Whether you need wide area visibility, a powerful pinpoint beam, or a mix of both, Streamlight has a solution to keep you ready for any challenge.



Traditional Beam Pattern: Designed for versatile, multi-purpose use, these lights offer exceptional value across a wide range of lighting needs.

Performance Characteristics	Traditional Product	
<ul style="list-style-type: none"> Optimal balance of candela and lumens - the beam pattern most people expect out of a quality flashlight Very good all-around use, broadest range of lighting applications Good focus and arc/periphery light Longest regulated run times 	<ul style="list-style-type: none"> TLR-1® and TLR-1® s TLR-2® and TLR-2® s TLR-3® TLR-4® TLR-6® 	<ul style="list-style-type: none"> TLR-7® X Series TLR-8® X Series TLR-9® TLR-10® Series ProTac® Rail Mount 1 ProTac® Rail Mount 2

High Lumen Beam Pattern: Delivers maximum brightness with a wide beam pattern, ensuring full situational awareness. Perfect for illuminating smaller spaces where intense light is essential without requiring long-range reach.

Performance Characteristics	High Lumen Product	
<ul style="list-style-type: none"> High lumen beam Maximum illumination - a broader beam pattern with a wider center spot Shorter regulated run time More glare/bounce back 	<ul style="list-style-type: none"> TLR-1 HL® TLR-1 HL®-X TLR-2 HL® Series TLR-6 HL® Series 	<ul style="list-style-type: none"> ProTac® Rail Mount HL-X Series ProTac® 2.0 Rail Mount

High Candela Beam Pattern: Delivers powerful, long-distance beams with high-lumen output - perfect for down-range applications requiring precision and clarity.

Performance Characteristics	High Candela Product	
<ul style="list-style-type: none"> High-candela beam Casts a wide, bright beam with a tight, focused center spot for greater down-range light More light on your target at a distance 	<ul style="list-style-type: none"> TLR-1 HPL® TLR-7® HL-X Series TLR-8® HL-X Series 	<ul style="list-style-type: none"> TLR® RM 1 Series TLR® RM 2 Series ProTac® 2.0 Rail Mount HP ProTac® Rail Mount HP-X Pro

TLR-1 HL[®]-X

THE TLR-1 HL GOES RECHARGEABLE

TLR-1 HL[®]-X **NEW**
WHITE LIGHT ILLUMINATOR

The multi-fuel TLR-1 HL-X uses our SL-B9[®] USB rechargeable protected lithium-ion battery pack; also accepts CR123A batteries. Using the same footprint as the original TLR-1 series, it fits handguns and long guns, and you can switch from one to the other in seconds. Easy, fast, front-load battery replacement. Interchangeable "High" or "Extended High" paddles to suit your shooting style. Unbreakable, scratch-resistant, gasket-sealed lens. Impact-resistant. IPX7-rated waterproof to 1m for 30 minutes.



MULTI-FUEL DESIGN:
Runs on SL-B9 battery packs or CR123A batteries

BATTERY: (2) SL-B9 battery packs or CR123A lithium
SIZE: 3.45" x 1.44" x 1.44" (8.76 x 3.66 x 3.66 cm)
WEIGHT: SL-B9: 5.19 oz. (147g) // CR123A: 4.94 oz. (140g)
COLOR: Black

SL-B9	
LUMENS:	1,500
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1h
CR123A	
LUMENS:	1,000
CANDELA:	15,000
DISTANCE:	245m
RUN TIME:	1.5h

**1,500
LUMENS**



[(STROBE)]
Double tap switch to activate



No need to remove from gun to replace the batteries

ITEM #	DESCRIPTION	COD	TAA
69500	TLR-1 HL-X - Includes rail locating keys for use with GLOCK [®] style, 1913 Picatinny, S&W 99/TSW, Sig P320 and Beretta [®] 90TWO and lithium batteries	US	YES
69501	TLR-1 HL-X USB - Includes rail locating keys for use with GLOCK [®] style, 1913 Picatinny, S&W 99/TSW, Sig P320 and Beretta [®] 90TWO and (2) SL-B9 battery packs	US	YES

STREAMLIGHT TLR SERIES



TLR-1 HL[®] WHITE LIGHT ILLUMINATOR



[(STROBE)]

Double tap
switch to activate

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)
WEIGHT: 4.32 oz. (122.5g)
COLORS: Black, Flat Dark Earth or Brown

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h



Available in Black,
Flat Dark Earth and
Flat Dark Earth Brown

ITEM #	DESCRIPTION	COO	TAA
69260	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries - Black	US	YES
69266	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries - Flat Dark Earth	US	YES
69267	TLR-1 HL - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries - Flat Dark Earth Brown	US	YES
69262	TLR-1 HL - Long Gun Kit includes Safe off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries - Black	US	YES
69888	TLR-1 HL - Long Gun Kit includes safe off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries - Flat Dark Earth	US	YES
69889	TLR-1 HL - Dual Remote Kit includes dual remote pressure switch, "safe off" door switch, mounting clips and lithium batteries - Black	US	YES



TLR-1 HL Long Gun Kit



TLR-1 HL Dual Remote

TLR-1® // TLR-1® s

WHITE LIGHT ILLUMINATOR

Intensely bright, durable, tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX7-rated; waterproof to 1m for 30 minutes. Impact resistant. Strobe mode (TLR-1s only) can be disabled.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)

WEIGHT: 4.18 oz. (118.6g)

COLOR: Black

LUMENS:	300
CANDELA:	12,000
RUN TIME:	2.5h

[(STROBE)]

Double tap switch to activate



ITEM #	DESCRIPTION	COO	TAA
69110	TLR-1 – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES
69210	TLR-1s – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES

TLR-2 HL®

WHITE LIGHT ILLUMINATOR / RED LASER



This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 640-660nm red laser.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

WEIGHT: 4.88 oz. (138.4g)

COLOR: Black



[(STROBE)]

Double tap switch to activate

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h
LASER MODE: RUNS 45 HOURS	

ITEM #	DESCRIPTION	COO	TAA
69261	TLR-2 HL - Includes Rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES

TLR-2 HL® G

WHITE LIGHT ILLUMINATOR / GREEN LASER



Features a highly visible (even in daylight) green laser that assists in target acquisition. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4-rated; water-resistant and features a 510-530nm green laser.

BATTERY: (2) CR123A lithium

SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)

WEIGHT: 4.88 oz. (138.4g)

COLOR: Black



[(STROBE)]

Double tap switch to activate

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.25h
LASER MODE: RUNS 17 HOURS	

ITEM #	DESCRIPTION	COO	TAA
69265	TLR-2 HL G - Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES

STREAMLIGHT TLR SERIES



TLR-2® // TLR-2®s

WHITE LIGHT ILLUMINATOR / RED LASER

Intensely bright, durable, tactical light securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Features an integrated 650-660nm red laser. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Impact resistant. Strobe mode (TLR-2s only) can be disabled.

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.72 oz. (133.8g)
COLOR: Black

LUMENS: 300
CANDELA: 12,000
RUN TIME: 2.5h
 LASER MODE: RUNS 48 HOURS

ITEM #	DESCRIPTION	COO	TAA
69120	TLR-2 – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES
69230	TLR-2s – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES



[(STROBE)]

Double tap switch to activate

TLR-2® G

WHITE LIGHT ILLUMINATOR / GREEN LASER

Features a highly visible (even in daylight) 510-530nm green laser that assists in target acquisition. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4-rated; water-resistant. Strobe can be disabled.

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.72 oz. (133.8g)
COLOR: Black

LUMENS: 300
CANDELA: 12,000
RUN TIME: 2.5h
 LASER MODE: RUNS 17 HOURS

ITEM #	DESCRIPTION	COO	TAA
69250	TLR-2 G – Includes rail locating keys for use with GLOCK® style, 1913 Picatinny, Smith & Wesson® 99/TSW, SIG SAUER P320® and Beretta® 90-TWO and lithium batteries	US	YES



[(STROBE)]

Double tap switch to activate

TLR-3[®]
WHITE LIGHT ILLUMINATOR

Lightweight and powerful, this light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. Impact-resistant polymer construction with durable anodized aluminum facecap. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) CR2 lithium
SIZE: 2.71" x 1.18" x 1.51" (6.88 x 3.00 x 3.84 cm)
WEIGHT: 2.32 oz. (65.8g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69220	TLR-3 - Includes rail locating keys and CR2 lithium battery	US	YES
69221	TLR-3 H&K USP Compact - Includes CR2 lithium battery	US	YES
69222	TLR-3 H&K USP Full-Size - Includes CR2 lithium battery	US	YES

LUMENS:	170
CANDELA:	3,300
DISTANCE:	115m
RUN TIME:	1.5h



TLR-4[®]
WHITE LIGHT ILLUMINATOR / RED LASER

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 640-660nm red aiming laser. Operates in extreme temperatures. Impact-resistant polymer body; anodized aluminum facecap. IPX4-rated; water-resistant.

BATTERY: (1) CR2 lithium
SIZE: 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)
WEIGHT: 2.81 oz. (79.7g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69240	TLR-4 - Includes rail locating keys for use with Picatinny or Glock [®] style rails and CR2 lithium battery	US	YES
69241	TLR-4 H&K USP Compact - Includes CR2 lithium battery	US	YES
69242	TLR-4 H&K USP Full-Size - Includes CR2 lithium battery	US	YES

LUMENS:	170
CANDELA:	3,300
DISTANCE:	115m
RUN TIME:	1.5h
LASER MODE: RUNS 15 HOURS	



TLR-4[®] G
WHITE LIGHT ILLUMINATOR / GREEN LASER

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 510-530nm green laser that can be seen even in daylight. Impact-resistant polymer body; anodized aluminum face cap. IPX4-rated; water-resistant.

BATTERY: (1) CR2 lithium
SIZE: 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)
WEIGHT: 2.81 oz. (79.7g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69245	TLR-4 G - Includes rail locating keys for use with Picatinny or Glock [®] style rails and CR2 lithium battery	US	YES
69246	TLR-4 G H&K USP Compact - Includes CR2 lithium battery	US	YES
69247	TLR-4 G H&K USP Full-Size - Includes CR2 lithium battery	US	YES

LUMENS:	160
CANDELA:	3,200
DISTANCE:	113m
RUN TIME:	1.75h LED ONLY
RUN TIME:	1.25h LED + LASER
LASER MODE: RUNS 4 HOURS	





TLR-6[®]

ULTRA-COMPACT LIGHTS FOR COMPACT, SUBCOMPACT & CONCEALED CARRY WEAPONS

TLR-6[®] RAIL MOUNT

Designed to securely attach to the rail and the trigger guard of GLOCK[®] compact railed handguns, SIG SAUER[®], Smith and Wesson[®] M&P[®] standard and compact railed handguns. The compact TLR-6 rail mount weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Durable, Impact-resistant polymer construction.

BATTERY: (2) CR-1/3 N lithium
SIZE: 2.20" x 1.20" x 1.47"
 (5.58 x 3.04 x 3.73 cm)
Size & Weight vary by model
WEIGHT: 1.12 oz. (33g)
COLOR: Black

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h
LASER MODE: RUNS 11 HOURS	



Red Laser #69290
GLOCK[®] 17/19/21



Red Laser #69291
SA XD



Red Laser #69293
M&P[®] Shield[™] 40/9

ITEM #	DESCRIPTION	COO	TAA
69290	TLR-6 (GLOCK [®] 17/19/21) White LED/red laser – Includes (2) CR 1/3N lithium batteries	US	YES
69291	TLR-6 (SA XD [®]) White LED/red laser – Includes (2) CR 1/3N lithium batteries	US	YES
69293	TLR-6 (S&W M&P [®]) White LED/red laser – Includes (2) CR 1/3N lithium batteries	US	YES

TLR-6® FOR SUBCOMPACT HANDGUNS

An industry first, the ultra-compact TLR-6 weapon light with white LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes — Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction.

BATTERY: (2) CR-1/3 N lithium

SIZE: 2.30" x 0.85" x 1.42" (5.84 x 2.16 x 3.61 cm)

Size & Weight vary by model

WEIGHT: 1.27 oz. (36g)

COLORS: Black or Flat Dark Earth

LUMENS:	100
CANDELA:	2,000
DISTANCE:	89m
RUN TIME:	1h
LASER MODE: RUNS 11 HOURS	

Universal Kit #69277



Universal Kit includes one LED/laser Aiming module and the following shells: GLOCK 42, GLOCK 26, M&P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. (Flat Dark Earth, Rail Mount, 1911 & Non Laser models not included.)

ITEM #	DESCRIPTION	COO	TAA
69270	TLR-6 (GLOCK® 42/43) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69272	TLR-6 (GLOCK® 26/27/33) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69277	TLR-6 Universal Kit – Includes LED/laser module and select TLR-6 body housings – Black	US	YES
69273	TLR-6 (M&P® Shield™ 40/9) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69278	TLR-6 (GLOCK® 42/43) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Flat Dark Earth	US	YES
69284	TLR-6 (SIG SAUER® P365®/XL) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69286	TLR-6 (GLOCK® 43X/48 MOS and GLOCK® 43X/48 RAIL) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69287	TLR-6 (SA Hellcat®) White LED/red laser – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69288	TLR-6 (Taurus GX4™) White LED/red laser - Includes (2) CR 1/3N lithium batteries - Black	US	YES
NON-LASER MODELS			
69280	TLR-6 (GLOCK® 42/43) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69282	TLR-6 (GLOCK® 26/27/33) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69283	TLR-6 (M&P® Shield™) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES
69285	TLR-6 (SIG SAUER® P365®/XL) without laser – White LED – Includes (2) CR 1/3N lithium batteries – Black	US	YES

All rights reserved. GLOCK®, Smith & Wesson® and M&P SHIELD®, Kahr®, SIG SAUER®, Kimber®, Springfield Armory®, Taurus®, Colt®, and Remington® are registered trademarks of Glock, Inc., Smith & Wesson Inc., Saeilo Enterprises, Inc., SIG Sauer, Inc., Kimber IP, LLC, Springfield, Inc., Taurus Armas S.A., Colt's Manufacturing IP Holding Company LLC, and Ammunition Operations, LLC, respectively. Streamlight has not sought endorsement from any of the Companies mentioned in this paragraph.

Red Laser #69270
GLOCK® 42/43



Red Laser #69278
GLOCK® 42/43



Red Laser #69272
GLOCK® 26/27/33



Red Laser #69273
M&P® Shield™ 40/9



Red Laser #69284
SIG SAUER® P365®/XL



Red Laser #69286
GLOCK® 43X/48MOS
GLOCK® 43X/48Rail



Red Laser #69288
Taurus GX4™



Non Laser #69280
GLOCK® 42/43



Non Laser #69282
GLOCK® 26/27/33



Non Laser #69283
M&P® Shield™ 40/9



Non Laser #69285
SIG SAUER® P365®/XL



Red Laser #69287
SA Hellcat®





TLR-6 HL[®]

RECHARGEABLE LIGHTS FOR COMPACT, SUBCOMPACT & CONCEALED CARRY WEAPONS

TLR-6 HL[®] // TLR-6 HL[®] G RAIL MOUNT

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, Impact-resistant polymer construction. Designed to securely attach to the rail and the trigger guard of GLOCK[®] compact railed handguns, standard and compact railed handguns.

BATTERY: (1) SL-B2 rechargeable battery
SIZE: 2.50" x 0.85" x 1.56" (6.35 x 2.16 x 3.96 cm)
Size & Weight vary by model
WEIGHT: 1.12 oz. (31.8g)
COLORS: Black

LUMENS:	300
CANDELA:	4,250
DISTANCE:	130m
RUN TIME:	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	



Red Laser #69343
GLOCK[®] Rail Mount



Green Laser #69353
GLOCK[®] Rail Mount

ITEM #	DESCRIPTION	COO	TAA
69343	TLR-6 HL (GLOCK [®] Rail Mount) White LED/red laser – Includes (3) SL-B2 batteries and charger	US	YES
69353	TLR-6 HL G (GLOCK [®] Rail Mount) White LED/green laser – Includes (3) SL-B2 batteries and charger	US	YES

TLR-6 HL® // TLR-6 HL® G FOR SUBCOMPACT HANDGUNS

With a rechargeable battery system powering 300 lumens of bright light and a red or green laser, identifying the target has never been easier. Includes three easy-to-swap batteries to triple your runtime for a full hour of power. A portable charging case conveniently stores and charges your batteries without the need to tether your gun. Save on cost over disposable batteries and save the waste stream. Durable, Impact-resistant polymer construction. Designed to securely attach to the trigger guard/rail of select handguns.

BATTERY: (1) SL-B2® rechargeable battery
SIZE: 2.50" x 0.85" x 1.56" (6.35 x 2.16 x 3.96 cm)
Size & Weight vary by model
WEIGHT: 1.12 oz. (31.8g)
COLORS: Black or Flat Dark Earth

LUMENS:	300
CANDELA:	4,250
DISTANCE:	130m
RUN TIME:	20min
RED LASER: RUNS 9 HOURS	
GREEN LASER: RUNS 5 HOURS	

SL-B2® charging case

Charges batteries using USB-C cord
 Features charge status indicator



Red Laser #69340
GLOCK® 42/43/49



Red Laser #69341
GLOCK® 42/43/49



Red Laser #69342
M&P® Shield™ 40/9



Red Laser #69344
SIG SAUER® P365®/XL



Green Laser #69350
GLOCK® 42/43/49



Green Laser #69351
GLOCK® 42/43/49



Green Laser #69352
M&P® Shield™ 40/9



Green Laser #69354
SIG SAUER® P365®/XL



ITEM #	DESCRIPTION	COO	TAA
TLR-6 HL			
69340	TLR-6 HL (GLOCK® 42/43/49) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69341	TLR-6 HL (GLOCK® 42/43/49) White LED/red laser – Includes (3) SL-B2 batteries and charger - Flat Dark Earth	US	YES
69342	TLR-6 HL (M&P® Shield™ 40/9) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69344	TLR-6 HL (SIG SAUER® P365®/XL) White LED/red laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
TLR-6 HL G			
69350	TLR-6 HL G (GLOCK® 42/43/49) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69351	TLR-6 HL G (GLOCK® 42/43/49) White LED/green laser – Includes (3) SL-B2 batteries and charger - Flat Dark Earth	US	YES
69352	TLR-6 HL G (M&P® Shield™ 40/9) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black	US	YES
69354	TLR-6 HL G (SIG SAUER® P365®/XL) White LED/green laser – Includes (3) SL-B2 batteries and charger - Black	US	YES

All rights reserved. GLOCK® is a registered trademark of Glock, Inc. SIG SAUER® and P365® are registered trademarks of SIG Sauer, Inc. M&P® Shield™ is a trademark of Smith & Wesson Inc. Streamlight has not sought endorsement from any of the Companies mentioned in this paragraph.

TLR-7® X RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

The TLR series is going rechargeable! The TLR-7 X multi-fuel rail-mounted light accepts either our new SL-B9 USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style.

BATTERY: (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery

SIZE: 2.58" x 1.18" x 1.27" (6.55 x 2.98 x 3.23 cm)

WEIGHT: SL-B9: 2.64 oz. (74.8g) // CR123A: 2.48 oz. (70.3g)

COLOR: Black or FDE

MULTI-FUEL DESIGN:

Runs on SL-B9 battery pack or CR123A battery

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME (SL-B9):	1h
RUN TIME (CR123A):	1.5h

[[STROBE]]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool

ITEM #	DESCRIPTION	COO	TAA
69424	TLR-7 X – Includes high switch mounted on light plus low switch in package – lithium battery, key kit – Black	US	YES
69429	TLR-7 X – Includes high switch mounted on light plus low switch in package – lithium battery, key kit – FDE	US	YES
69455	TLR-7 X USB – Includes high switch mounted on light plus low switch in package – SL-B9 rechargeable battery pack, key kit – Black	US	YES
69456	TLR-7 X USB – Includes high switch mounted on light plus low switch in package – SL-B9 rechargeable battery pack, key kit – FDE	US	YES

TLR-7® X CONTOUR REMOTE RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

The TLR-7 X Contour Remote is designed for one-handed shooting - ideal for dog handlers, SWAT teams, door breaching and close quarter operations. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium

SIZE: 4.6" x 1.16" x 1.79" (11.68 x 2.95 x 4.55 cm)

WEIGHT: SL-B9: 2.85 oz. (80.7g) // CR123A: 2.69 oz. (76.3g)

COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME (SL-B9):	1h
RUN TIME (CR123A):	1.5h

Safe Off feature prevents accidental activation; saves batteries



ITEM #	DESCRIPTION	COO	TAA
69428	TLR-7 X Contour Remote - for GLOCK® Gen 4 or Gen 5 models, CR123A lithium battery	US	YES
69480	TLR-7 X Contour Remote - for SIG SAUER® P320® XCARRY frame, CR123A lithium battery	US	YES

Securely fits GLOCK® Gen 4 or Gen 5 models with rails or SIG SAUER® P320® XCARRY frame. Designed to fit snugly around the trigger guard.

Note: Cannot be retrofitted with existing TLR-7 X products



TLR-7[®] HL-X SUB RAIL MOUNTED LIGHT **NEW**
WHITE LIGHT ILLUMINATOR

The TLR-7 HL-X sub provides a bright, 1,000-lumen beam. It features a specialized clamp system and includes high and low paddle switches to match your shooting style. Multi-fuel design – runs on one rechargeable SL-B9[®] battery pack or one disposable CR123A lithium battery.

BATTERY: (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery
SIZE: 1.16" x 1.24" x 2.51" (2.95 x 3.15 x 6.38 cm)
WEIGHT: 2.49 oz. (70.6g) w/ SL-B9 // 2.39 oz. (67.8g) w/ CR123A
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69503	TLR-7 HL-X sub USB (GLOCK [®] 43X/48 MOS 43X/48 Rail) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES
69504	TLR-7 HL-X sub USB (SIG SAUER [®] P365 [®] /XL closed rail systems*) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord *Does not fit the P365 [®] XMACRO	US	YES
69505	TLR-7 HL-X sub USB (1913 short) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES
69506	TLR-7 HL-X sub USB (Springfield Armory [®] Hellcat [®]) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES

SL-B9	DEFAULT	PROGRAMMABLE
LUMENS:	1,000	500
CANDELA:	10,000	5,000
DISTANCE:	200m	141m
RUN TIME:	30 min	1h

CR123A
LUMENS: 500
CANDELA: 5,000
DISTANCE: 141m
RUN TIME: 1.5h

[(STROBE)]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

TLR-7[®] X SUB RAIL MOUNTED LIGHT
WHITE LIGHT ILLUMINATOR

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-7 X sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-7 X sub fits on select railed subcompact pistols. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium
SIZE: 2.51" x 1.16" x 1.24" (6.38 x 2.95 x 3.15 cm)
WEIGHT: 2.39 oz. (67.8g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69400	TLR-7 X sub (for GLOCK [®] 43X/48 MOS 43X/48 Rail models only) - Includes mounting kit with key & CR123A lithium battery	US	YES
69401	TLR-7 X sub (for SIG SAUER [®] P365 [®] /XL closed rail systems) - Includes mounting kit with key and CR123A lithium battery	US	YES
69402	TLR-7 X sub (for 1913 short models) - Includes mounting kit with keys and CR123A lithium battery	US	YES
69404	TLR-7 X sub (for SA [®] Hellcat [®]) - Includes mounting kit with keys and CR123A lithium battery	US	YES

LUMENS:	500
CANDELA:	5,000
DISTANCE:	141m
RUN TIME:	1.5h

[(STROBE)]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

TLR-8[®] X RAIL MOUNTED LIGHT // **NEW**
WHITE LIGHT ILLUMINATOR / RED LASER

The TLR-8 X features an integrated 640-660nm red laser and interchangeable paddle switches. It is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4-rated; water-resistant.

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME (SL-B9):	1h
RUN TIME (CR123A):	1.5h
LASER MODE: RUNS 60 HOURS	



MULTI-FUEL DESIGN:
Runs on SL-B9 battery pack or CR123A battery

BATTERY: (1) CR123A lithium or (1) SL-B9 battery pack
SIZE: 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)
WEIGHT: CR123A: 2.64 oz. (75g) // SL-B9: 2.74 oz. (77.7g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69414	TLR-8 X – Includes high switch mounted on light plus low switch in package, lithium battery and key kit	US	YES

TLR-8[®] X G RAIL MOUNTED LIGHT // **NEW**
WHITE LIGHT ILLUMINATOR / GREEN LASER

The TLR-8 X G features an integrated 510-530nm green laser and interchangeable paddle switches. It is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4-rated; water-resistant.

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME (SL-B9):	1h
RUN TIME (CR123A):	1.5h
LASER MODE: RUNS 11 HOURS	



MULTI-FUEL DESIGN:
Runs on SL-B9 battery pack or CR123A battery

BATTERY: (1) CR123A lithium or (1) SL-B9 battery pack
SIZE: 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)
WEIGHT: CR123A: 2.64 oz. (75g) // SL-B9: 2.74 oz. (77.7g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69434	TLR-8 X G – Includes high switch mounted on light plus low switch in package, lithium battery and key kit	US	YES

TLR-8[®] X SUB RAIL MOUNTED LIGHT // **NEW**
WHITE LIGHT ILLUMINATOR / RED LASER

Optimize your firearm's performance with interchangeable rear paddle switches, letting you tailor the TLR-8 X sub to your shooting preferences. Engineered for increased visibility and precision, it is designed to fit select railed subcompact pistols. Water-resistant.

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME (SL-B9):	1h
RUN TIME (CR123A):	1.5h
LASER MODE: RUNS 60 HOURS	



MULTI-FUEL DESIGN:
Runs on SL-B9 battery pack or CR123A battery

BATTERY: (1) CR123A lithium or (1) SL-B9 rechargeable battery pack
SIZE: 2.51" x 1.16" x 1.45" (6.38 x 2.95 x 3.68 cm)
WEIGHT: CR123A: 2.77 oz. (78.53g) // SL-B9: 2.87 oz. (81.4g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69411	TLR-8 X sub (for GLOCK [®] 43X/48 MOS 43X/48 Rail models only) - Includes mounting kit with key & CR123A lithium battery	US	YES
69417	TLR-8 X sub (for SIG SAUER [®] P365 [®] /XL closed rail systems) – Includes mounting kit with key and CR123A lithium battery	US	YES
69418	TLR-8 X sub (for 1913 short models) – Includes mounting kit with keys and CR123A lithium battery	US	YES
69419	TLR-8 X sub (for SA [®] Hellcat [®]) - Includes mounting kit with keys and CR123A lithium battery	US	YES

TLR-8[®] X G SUB RAIL MOUNTED LIGHT // **NEW**
WHITE LIGHT ILLUMINATOR / GREEN LASER

TLR-8 X G sub is multi-fuel, powered by either CR123A or SL-B9 lithium-ion rechargeable battery pack. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact TLR-8 X G sub fits on select railed subcompact pistols. Water-resistant.

LUMENS:	500
CANDELA:	5,000
DISTANCE:	140m
RUN TIME (SL-B9):	1h
RUN TIME (CR123A):	1.5h
LASER MODE: RUNS 11 HOURS	



MULTI-FUEL DESIGN:
Runs on SL-B9 battery pack or CR123A battery

BATTERY: (1) CR123A lithium or (1) SL-B9 rechargeable battery pack
SIZE: 2.51" x 1.16" x 1.45" (6.38 x 2.95 x 3.68 cm)
WEIGHT: CR123A: 2.77 oz. (78.53g) // SL-B9: 2.87 oz. (81.4g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69431	TLR-8 X G sub (for GLOCK [®] 43X/48 MOS 43X/48 Rail models only) - Includes mounting kit with key & CR123A lithium battery	US	YES
69437	TLR-8 X G sub (for SIG SAUER [®] P365 [®] /XL closed rail systems) – Includes mounting kit with key and CR123A lithium battery	US	YES
69438	TLR-8 X G sub (for 1913 short models) – Includes mounting kit with keys and CR123A lithium battery	US	YES
69439	TLR-8 X G sub (for SA [®] Hellcat [®]) - Includes mounting kit with keys and CR123A lithium battery	US	YES

TLR-8[®] HL-X SUB RAIL MOUNTED LIGHT **NEW**
WHITE LIGHT ILLUMINATOR / RED LASER

The TLR-8 HL-X sub provides a bright, 1,000-lumen beam. It features a specialized clamp system and includes high and low paddle switches to match your shooting style. Multi-fuel design – runs on one rechargeable SL-B9[®] battery pack or one disposable CR123A lithium battery.

BATTERY: (1) SL-B9 rechargeable battery or (1) CR123A battery lithium battery
SIZE: 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)
WEIGHT: 2.74 oz. (77.7g)
COLOR: Black

SL-B9	DEFAULT	PROGRAMMABLE
LUMENS:	1,000	500
CANDELA:	10,000	5,000
DISTANCE:	200m	141m
RUN TIME:	30 min	1h

CR123A	
LUMENS:	500
CANDELA:	5,000
DISTANCE:	141m
RUN TIME:	1.5h

LASER MODE: RUNS 29 HOURS

[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION	COO	TAA
69466	TLR-8 HL-X sub USB (GLOCK [®] 43X/48 MOS 43X/48 Rail) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES
69467	TLR-8 HL-X sub USB (SIG SAUER [®] P365 [®] /XL closed rail systems*) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord *Does not fit the P365 [®] XMACRO	US	YES
69468	TLR-8 HL-X sub USB (1913 short model) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES
69469	TLR-8 HL-X sub USB (SA [®] Hellcat [®]) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES



Safe Off feature prevents accidental activation; saves batteries



Interchangeable paddle switches easy to swap out with multi-tool (included)

TLR-8[®] HL-X G SUB RAIL MOUNTED LIGHT **NEW**
WHITE LIGHT ILLUMINATOR / GREEN LASER

The TLR-8 HL-X G sub provides a bright, 1,000-lumen beam. It features a specialized clamp system and includes high and low paddle switches to match your shooting style. Multi-fuel design – runs on one rechargeable SL-B9[®] battery pack or one disposable CR123A lithium battery.

BATTERY: (1) SL-B9 rechargeable battery or (1) CR123A battery lithium battery
SIZE: 2.58" x 1.18" x 1.5" (6.55 x 2.98 x 3.81 cm)
WEIGHT: 2.74 oz. (77.7g)
COLOR: Black

SL-B9	DEFAULT	PROGRAMMABLE
LUMENS:	1,000	500
CANDELA:	10,000	5,000
DISTANCE:	200m	141m
RUN TIME:	30 min	1h

CR123A	
LUMENS:	500
CANDELA:	5,000
DISTANCE:	141m
RUN TIME:	1.5h

LASER MODE: RUNS 10 HOURS

[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION
69476	TLR-8 HL-X G sub USB (GLOCK [®] 43X/48 MOS 43X/48 Rail) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69477	TLR-8 HL-X G sub USB (SIG SAUER [®] P365 [®] /XL closed rail systems*) - Includes mounting kit with key, multi-tool and (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord *Does not fit the P365 [®] XMACRO
69478	TLR-8 HL-X G sub USB (1913 short model) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord
69479	TLR-8 HL-X G sub USB (SA [®] Hellcat [®]) - Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord



Safe Off feature prevents accidental activation; saves batteries



TLR-7® HL-X RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR

The TLR-7 HL-X, high lumen, multi-fuel rail-mounted light accepts either our new SL-B9® USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. Face cap engineered to produce a longer reaching, tighter beam. User-programmable output modes. IPX7-rated; waterproof to 1m for 30 minutes.



MULTI-FUEL DESIGN:

Runs on SL-B9 battery pack or CR123A battery



SL-B9	DEFAULT	PROGRAMMABLE
LUMENS:	1,000	500
CANDELA:	22,000	11,000
DISTANCE:	297m	210m
RUN TIME:	30 min	1h

CR123A
LUMENS: 500
CANDELA: 11,000
DISTANCE: 210m
RUN TIME: 1.5h

BATTERY: (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery

SIZE: 2.9" x 1.18" x 1.27" (7.37 x 2.98 x 3.23 cm)

WEIGHT: SL-B9: 2.88 oz. (81.6g) // CR123A: 2.8 oz. (79.4g)

COLOR: Black or Flat Dark Earth (FDE)



Safe Off feature prevents accidental activation, saves batteries

ITEM #	DESCRIPTION	COO	TAA
69458	TLR-7 HL-X USB – Includes high switch mounted on light plus low switch in package, SL-B9 rechargeable battery pack and key kit – Black	US	YES
69459	TLR-7 HL-X USB – Includes high switch mounted on light plus low switch in package, SL-B9 rechargeable battery pack and key kit – FDE	US	YES



Interchangeable paddle switches easy to swap out with multi-tool

TLR-8® HL-X RAIL MOUNTED LIGHT **NEW**
WHITE LIGHT ILLUMINATOR / **RED LASER**

The TLR-8 HL-X with red laser, high lumen, multi-fuel rail-mounted light accepts either our new SL-B9® USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. Face cap engineered to produce a longer reaching, tighter beam. User-programmable output modes. Water-resistant.

BATTERY: (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery
SIZE: 2.9" x 1.18" x 1.5" (7.37 x 2.98 x 3.81 cm)
WEIGHT: SL-B9: 3.14 oz. (89g) // CR123A: 3.04 oz. (86.2g)
COLOR: Black

MULTI-FUEL DESIGN:
Runs on SL-B9 battery pack or CR123A battery

SL-B9	DEFAULT	PROGRAMMABLE
LUMENS:	1,000	500
CANDELA:	22,000	11,000
DISTANCE:	297m	210m
RUN TIME:	30 min	1h
CR123A		
LUMENS:	500	
CANDELA:	11,000	
DISTANCE:	210m	
RUN TIME:	1.5h	
LASER MODE: RUNS 29 HOURS		



[(STROBE)]
Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION	COO	TAA
69465	TLR-8 HL-X USB – Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES



Interchangeable paddle switches easy to swap out with multi-tool (included)

TLR-8® HL-X G RAIL MOUNTED LIGHT **NEW**
WHITE LIGHT ILLUMINATOR / **GREEN LASER**

The TLR-8 HL-X G with green laser, high lumen, multi-fuel rail-mounted light accepts either our new SL-B9® USB rechargeable protected lithium-ion battery pack or a CR123A lithium battery. Interchangeable rear paddle switches accommodate your shooting style. Face cap engineered to produce a longer reaching, tighter beam. User-programmable output modes. Water-resistant.

BATTERY: (1) SL-B9 rechargeable battery pack or (1) CR123A lithium battery
SIZE: 2.9" x 1.18" x 1.5" (7.37 x 2.98 x 3.81 cm)
WEIGHT: SL-B9: 3.14 oz. (89g) // CR123A: 3.04 oz. (86.2g)
COLOR: Black

MULTI-FUEL DESIGN:
Runs on SL-B9 battery pack or CR123A battery

SL-B9	DEFAULT	PROGRAMMABLE
LUMENS:	1,000	500
CANDELA:	22,000	11,000
DISTANCE:	297m	210m
RUN TIME:	30 min	1h
CR123A		
LUMENS:	500	
CANDELA:	11,000	
DISTANCE:	210m	
RUN TIME:	1.5h	
LASER MODE: RUNS 10 HOURS		



[(STROBE)]
Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION	COO	TAA
69475	TLR-8 HL-X G USB – Includes mounting kit with key, multi-tool, (1) SL-B9 Li-ion rechargeable battery pack and USB-C cord	US	YES

TLR-9[®] RAIL MOUNTED LIGHT
WHITE LIGHT ILLUMINATOR

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-9 to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) CR123A lithium
SIZE: 3.87" x 1.18" x 1.27" (9.82 x 2.98 x 3.22 cm)
WEIGHT: 4.26 oz. (120.9g)
COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1.5h
STROBE:	RUNS 3 HOURS



[[STROBE]]
Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



High Switch



Low Switch



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION	COO	TAA
69464	TLR-9 – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit	US	YES



TLR-10[®] RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR/ **RED LASER**

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 with an integrated 640-660nm red laser to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4-rated; water-resistant.

BATTERY: (2) CR123A lithium
SIZE: 3.87" x 1.18" x 1.50" (9.82 x 2.98 x 3.81 cm)
WEIGHT: 4.62 oz. (131g)
COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1.5h
LASER MODE: RUNS 60 HOURS	

ITEM #	DESCRIPTION	COO	TAA
69470	TLR-10 – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit	US	YES



[(STROBE)]
 Double tap
 switch to activate

Safe Off feature prevents
 accidental activation;
 saves batteries



Interchangeable paddle switches easy to
 swap out with multi-tool (included)

TLR-10[®] G RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR/ **GREEN LASER**

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 G with an integrated 510-530nm green laser to match your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4-rated; water-resistant.

BATTERY: (2) CR123A lithium
SIZE: 3.87" x 1.18" x 1.50" (9.82 x 2.98 x 3.81 cm)
WEIGHT: 4.62 oz. (131g)
COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1.5h
LASER MODE: RUNS 11 HOURS	



[(STROBE)]
 Double tap
 switch to activate

Safe Off feature prevents
 accidental activation;
 saves batteries

ITEM #	DESCRIPTION	COO	TAA
69473	TLR-10 G – Includes high switch mounted on light plus low switch in package, lithium batteries and key kit	US	YES



TLR-VIR® II

WHITE LIGHT ILLUMINATOR / IR ILLUMINATOR & IR LASER COMBO

LUMENS:	300
CANDELA:	5,000
IR OUTPUT:	600mW/sr
VISIBLE RUN TIME:	1.5h
IR RUN TIME:	12h

Designed to be used with a pistol or long gun. Features a White LED Illuminator and Combo IR Illuminator/IR Laser. Has a seamless design so you can easily switch from white light to IR all while keeping your eyes on the target or the threat. Class 1 eye safe IR Laser, 850 nm, output power less than 0.8mW, with 3 mrad adjustment increment markings and tactile indicator on housing identifying IR Illumination position. IPX7-rated; waterproof to 1m for 30 minutes.



[(STROBE)]

Double tap switch to activate



BATTERY: (1) CR123A lithium
SIZE: 3.3" x 1.45" x 1.4" (8.39 x 3.69 x 3.56 cm)
WEIGHT: 3.82 oz. (108g) with batteries
COLORS: Coyote or Black



ITEM #	DESCRIPTION	COO	TAA
69191	TLR-VIR II - visible LED/IR illuminator/IR laser – Includes rail locating keys and CR123A lithium battery – Coyote	US	YES
69192	TLR-VIR II - visible LED/IR illuminator/IR laser – Includes rail locating keys and CR123A lithium battery – Black	US	YES

SL-B9[®] BATTERY PACK

TURN YOUR TLRs INTO RECHARGEABLE SYSTEMS



You know how you make the best performing gun lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B9[®] Protected Lithium-Ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional bank charger. Flexibility for however and wherever you use your light.

SL-B9[®] PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery pack that transforms multi-fuel, high-performance gun lights into rechargeable systems. USB rechargeable - Features USB-C input and charge status indicators; charges in 2.5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

BATTERY CAPACITY: 850mAh SL-B9 protected Li-Ion USB rechargeable battery pack
BATTERY SIZE: 1.36" x 0.67" (3.45 x 1.7 cm)
BATTERY WEIGHT: 0.72 oz. (20.4g)

ITEM #	DESCRIPTION
20237	SL-B9 Li-Ion USB rechargeable battery pack - 2pk
20238	SL-B9 Li-Ion USB rechargeable battery pack - 8pk
20239	SL-B9 Li-Ion USB rechargeable battery pack - 100pk
20230	SL-B9 8-Unit Bank Charger - 12V - batteries not included
20231	SL-B9 8-Unit Bank Charger - 12V - Includes (8) SL-B9 batteries
20233	SL-B9 8-Unit Bank Charger - 120V - batteries not included
20234	SL-B9 8-Unit Bank Charger - 120V - Includes (8) SL-B9 batteries
22084	22" (55.88 cm) USB-C Cord



Features integrated USB port
 Charge status LEDs:

Red = Charging

Green = Charged



CHARGING



CHARGED

USB-C Rechargeable 850mAh SL-B9 Lithium-Ion Battery Pack — Charges in 2.5 hours

STREAMLIGHT

SPEEDLOCKER®

PERSONAL, PORTABLE STORAGE | AIR

TRAVEL SUITABLE WITH SUPPLIED PADLOCK |

CONVENIENT CARRY HANDLE



[STREAMLIGHT.COM/SPEEDLOCKER](https://streamlight.com/speedlocker)
©2024 STREAMLIGHT, INC. ALL RIGHTS RESERVED

STREAMLIGHT

SPEEDLOCKER®

The SpeedLocker is a portable, locking storage container that provides you with swift and direct access. A patented mechanical keypad with one-handed entry keeps your personal items secure at home or at work. Rugged, water-resistant construction with convenient carry handle is designed for travel making it an ideal companion wherever you go.

The SpeedLocker accommodates various firearm sizes. It's important to note that the SpeedLocker is not a gun safe; however, it effectively limits unauthorized access while ensuring your essentials remain within easy reach.

EXTERNAL: 12.4" x 8.2" x 2.78" (31.5 x 20.8 x 7.1 cm)

INTERNAL: 8" x 7.1" (20.3 x 18 cm)

WEIGHT: 2.6 lbs. (1.2 kg)

COLOR: Black

ITEM #	DESCRIPTION
59000	SpeedLocker - Includes padlock, Allen key and security cable
59001	Padlock with 3 keys
59002	3' (91.44 cm) Security Cable

The SpeedLocker® is not an approved firearm safe. It is the user's responsibility to determine the suitability to the specific situation and need.



Patented mechanical keypad with 31 user selectable combinations - requires no batteries



Fits various compact firearm models



Air travel suitable with supplied padlock

TLR[®] RM 1 HL-X // NEW


COMPACT RAIL MOUNTED LIGHTING SYSTEM

Lightweight and compact, the multi-fuel TLR RM 1 HL-X produces 1,000 lumens and 22,000 candela. Independently operating push-button switch and optional remote pressure switch. IPX7-rated; waterproof to 1m for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.

	SL-B9	CR123A
LUMENS:	1,000	500
CANDELA:	22,000	11,000
DISTANCE:	297m	210m
RUN TIME:	30 min	1.5h

BATTERY: (1) SL-B9 rechargeable battery or (1) CR123A lithium
SIZE: 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)
WEIGHT: SL-B9: 3.12 oz. (88.5g) // CR123A: 3.02 oz. (85.6g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69483	TLR RM 1 HL-X USB - System - Includes straight momentary pressure switch, key kit, USB-C cord and (1) SL-B9 battery packs	US	YES
69484	TLR RM 1 HL-X USB - Light Only - Includes key kit, USB-C cord and (1) SL-B9 battery packs	US	YES



HIGH CANDELA BEAM PATTERN



Safe Off feature prevents accidental activation; saves batteries



Optional M-LOK[®] mount sold separately

[(STROBE)]


Double tap switch to activate

TLR[®] RM 1

COMPACT RAIL MOUNTED LIGHTING SYSTEM

The low-profile TLR RM 1 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button switch and optional remote pressure switch. IPX7-rated; waterproof to 1m for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.

LUMENS:	500
CANDELA:	11,000
DISTANCE:	210m
RUN TIME:	1.5h
STROBE RUNS 3 HOURS	



HIGH CANDELA BEAM PATTERN



Safe Off feature prevents accidental activation; saves batteries



Optional M-LOK[®] mount sold separately

BATTERY: (1) CR123A lithium
SIZE: 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)
WEIGHT: 3.02 oz. (85.6g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
69440	TLR RM 1 - System - Includes remote door switch, remote pressure switch, mounting clips and CR123A lithium battery	US	YES
69441	TLR RM 1 - Light Only - Includes key kit & (1) CR123A lithium battery	US	YES
69442	TLR RM 1 - with Dual Remote Switch	US	YES



TLR RM 1 with Remote Pressure Switch: #69440



[(STROBE)]

Double tap switch to activate

TLR[®] RM 2

COMPACT RAIL MOUNTED LIGHTING SYSTEM


The low-profile TLR RM 2 features an HPL face cap for a longer reaching, tighter beam; provides increased candela while maintaining the lumen output. Independently operating push-button switch and optional remote pressure switch. IPX7-rated; waterproof to 1m for 30 minutes. System is packaged as a kit offering everything you need to mount to your long gun.

LUMENS:	1,000
CANDELA:	22,000
DISTANCE:	297m
RUN TIME:	1.5h
STROBE RUNS 3 HOURS	



Optional M-LOK[®] mount sold separately

BATTERY: (2) CR123A lithium
SIZE: 4.97" x 1.5" x 1.18" (12.6 x 3.81 x 3 cm)
WEIGHT: 4.68 oz. (132.7g)
COLOR: Black



[(STROBE)]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries



TLR RM 2 with Remote Pressure Switch: #69450

ITEM #	DESCRIPTION	COO	TAA
69450	TLR RM 2 - System - Includes remote door switch, remote pressure switch, mounting clips, & (2) CR123A lithium batteries	US	YES
69451	TLR RM 2 - Light Only - Includes Key Kit and (2) CR123A lithium batteries	US	YES




STREAMLIGHT LONG GUN LIGHT SERIES

TLR[®] RM 1 LASER

WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 1 Laser features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button switch and optional remote pressure switch. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.



HIGH CANDELA
BEAM PATTERN



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



Optional M-LOK[®] mount
sold separately

BATTERY: (1) CR123A lithium
SIZE: 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)
WEIGHT: 3.24 oz. (91.9g)
COLOR: Black

LUMENS:	500
CANDELA:	11,000
DISTANCE:	210m
RUN TIME:	1.5h
STROBE RUNS 3 HOURS LASER RUNS 60 HOURS	

ITEM #	DESCRIPTION	COO	TAA
69445	TLR RM 1 Laser - System - Includes remote door switch, remote pressure switch, mounting clips and (1) CR123A lithium battery	US	YES
69446	TLR RM 1 Laser - Light Only - Includes key kit and (1) CR123A lithium battery	US	YES




TLR RM 1 Laser with Remote
Pressure Switch: #69445

TLR[®] RM 2 LASER

WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 2 Laser features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button switch and optional remote pressure switch. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.



HIGH CANDELA
BEAM PATTERN



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



Optional M-LOK[®] mount
sold separately

BATTERY: (2) CR123A lithium
SIZE: 4.97" x 1.18" x 1.5" (12.6 x 3 x 3.81 cm)
WEIGHT: 5.11 oz. (144.7g)
COLOR: Black

LUMENS:	1,000
CANDELA:	22,000
DISTANCE:	297m
RUN TIME:	1.5h
STROBE RUNS 3 HOURS LASER RUNS 60 HOURS	

ITEM #	DESCRIPTION	COO	TAA
69447	TLR RM 2 Laser - System - Includes remote door switch, remote pressure switch, mounting clips and (2) CR123A lithium batteries	US	YES
69448	TLR RM 2 Laser - Light Only - Includes key kit and (2) CR123A lithium batteries	US	YES



TLR RM 2 Laser with Remote
Pressure Switch: #69447

TLR[®] RM 1 LASER-G

WHITE LIGHT ILLUMINATOR / GREEN LASER


The low-profile TLR RM 1 Laser-G features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button switch and optional remote pressure switch. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

BATTERY: (1) CR123A lithium
SIZE: 3.64" x 1.5" x 1.18" (9.25 x 3.81 x 3 cm)
WEIGHT: 3.24 oz. (91.9g)
COLOR: Black

LUMENS:	500
CANDELA:	11,000
DISTANCE:	210m
RUN TIME:	1.5h
STROBE RUNS 3 HOURS LASER RUNS 11 HOURS	



Optional M-LOK[®] mount sold separately



HIGH CANDELA
BEAM PATTERN



11,000 cd

[(STROBE)]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION	COO	TAA
69443	TLR RM 1 Laser-G - System - Includes remote door switch, remote pressure switch, mounting clips & CR123A lithium battery	US	YES
69444	TLR RM 1 Laser-G - Light Only - Includes key kit & (1) CR123A	US	YES



Remote pressure switch attaches with retaining clips

TLR[®] RM 2 LASER-G


WHITE LIGHT ILLUMINATOR / GREEN LASER

The low-profile TLR RM 2 Laser-G features an HPL face cap for a longer reaching, tighter beam. It's designed to provide increased candela while maintaining the lumen output. Independently operating push-button switch and optional remote pressure switch. IPX4-rated; water-resistant 1m impact-resistance tested. System is packaged as a kit offering everything you need to mount to your long gun.

Remote switch exits port at 90° providing improved wire routing to preserve rail space



Ergonomic push-button switch



HIGH CANDELA
BEAM PATTERN



22,000 cd

[(STROBE)]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

BATTERY: (2) CR123A lithium
SIZE: 4.97" x 1.18" x 1.5" (12.6 x 3 x 3.81 cm)
WEIGHT: 5.11 oz. (144.7g)
COLOR: Black

LUMENS:	1,000
CANDELA:	22,000
DISTANCE:	297m
RUN TIME:	1.5h
STROBE RUNS 3 HOURS LASER RUNS 11 HOURS	



Optional M-LOK[®] mount sold separately

ITEM #	DESCRIPTION	COO	TAA
69453	TLR RM 2 Laser-G - System - Includes remote door switch, remote pressure switch, mounting clips & (2) CR123A lithium batteries	US	YES
69454	TLR RM 2 Laser-G - Light Only - Includes Key Kit & (2) CR123A lithium batteries	US	YES



Mode selector toggle switch for Laser only Light only or Light/Laser combo

**STREAMLIGHT
LONG GUN LIGHT SERIES**

TLR-1 HPL[®]

HIGH-LUMEN + LONG-DISTANCE

SEE EVERYWHERE

TLR-1 HPL[®]

This high lumen, long-range, rail-mounted tactical light produces an intensely bright, far-reaching wide beam that illuminates your target downrange along with everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. IPX7-rated; waterproof to 1m for 30 minutes. Impact-resistant. Easy, fast battery replacement.

LUMENS:	1,000
CANDELA:	60,000
DISTANCE:	490m
RUN TIME:	1.5h

TLR-1 HPL

BATTERY: (2) CR123A lithium
SIZE: 4.83" x 1.44" x 2.2"
(12.27 x 3.66 x 5.59 cm)
WEIGHT: 5.6 oz. (158.8g)
COLOR: Black

W/REMOTE

BATTERY: (2) CR123A lithium
SIZE: 5.25" x 1.44" x 2.2"
(13.34 x 3.66 x 5.59 cm)
WEIGHT: 5.9 oz. (167.3g)
COLOR: Black



ITEM #	DESCRIPTION	COO	TAA
69215	TLR-1 HPL Standard Switch - Includes Rail Locating Keys for use with GLOCK [®] style, 1913 Picatinny, Smith & Wesson [®] 99/TSW and Beretta [®] 90-TWO - Lithium batteries	US	YES
69216	TLR-1 HPL Remote Switch - Includes Rail Locating Keys for use with GLOCK [®] style, 1913 Picatinny, Smith & Wesson [®] 99/TSW and Beretta [®] 90-TWO - Remote switch - Lithium batteries	US	YES
69219	TLR-1 HPL Long Gun Kit - Includes Safe Off remote door switch, remote pressure switch, mounting clips, standard door switch and lithium batteries	US	YES

TL-RACKER®



The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 1,000 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses two CR123A lithium batteries. Its customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options. IPX7-rated; waterproof to 1m for 30 minutes.



Mossberg 590®
Shockwave model

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h

BATTERY: (2) CR123A lithium
SIZE: 8.00" x 1.95" x 2.64" (20.32 x 4.95 x 6.71 cm)
WEIGHT: 12.1 oz. (343g)
COLOR: Black or Orange



Models available for
Mossberg 500®/590®
and Remington 870™

ITEM #	DESCRIPTION	COO	TAA
69600	TL-Racker - Mossberg 500/590 - Includes (2) CR123A lithium batteries - Black	US	YES
69601	TL-Racker - Remington 870 - Includes (2) CR123A lithium batteries - Black	US	YES
69602	TL-Racker - Mossberg 590 Shockwave with strap - Includes (2) CR123A lithium batteries - Black	US	YES
69610	TL-Racker - Mossberg 500/590 - Includes (2) CR123A lithium batteries - Orange	US	YES
69611	TL-Racker - Remington 870 - Includes (2) CR123A lithium batteries - Orange	US	YES
69603	TL-Racker Forend Wrench 		



TLR SERIES ACCESSORIES

	TLR-1 HL-X	TLR-1 HL/ TLR-2 HL	TLR-2 G/ TLR-2 HL G	TLR-1/ TLR-1s	TLR-2/ TLR-2s	TLR-VIR II	TLR-6	TLR-6 HL/ TLR-6 HL G	TLR-7 X	TLR-7 HL-X USB
Remington 870 Mount 	69906	69906	69906	69906	69906	—	—	—	69906	69906
TLR 12 ga. Mag Mount Mag Tube/Mossberg Rail 	69901	69901	69901	69901	69901	—	—	—	69901	69901
Ambidextrous Vert. Grip w/Rail 	69114	69114	69114	69114	69114	—	—	—	—	—
TLR-1/TLR-2 Key Kit 	—	69175	69175	69175	69175	—	—	—	—	—
TLR-7 X/TLR-8 X/TLR-9/TLR-10 Key Kit 	—	—	—	—	—	—	—	—	69177	69177
TLR M-LOK® Mount 	88301	88301	88301	88301	88301	—	—	—	—	—
Contour Remote - GLOCK® - M&P® - SIG SAUER® P320® 	—	69300 69310 69481	69300 69310 69481	69300 69310 69481	69300 69310 69481	—	—	—	—	—
TLR-1/TLR-2 Remote Door Switch 	—	69130	69130	69130	69130	—	—	—	—	—
Door Switch w/Safe Off 	—	69161	69161	69161	69161	—	—	—	—	—
Tail Switch Kit TLR-7 X/TLR-9 	—	—	—	—	—	—	—	—	69490	69490
Tail Switch Kit TLR-8 X/TLR-8 X G/TLR-10/TLR-10 G 	—	—	—	—	—	—	—	—	—	—
Tail Switch Kit TLR-7 X sub 	—	—	—	—	—	—	—	—	—	—
Tail Switch Kit TLR-8 X sub/TLR-8 X G sub 	—	—	—	—	—	—	—	—	—	—
Tape Switch 	—	69132	69132	69132	69132	—	—	—	—	—
Coil Pressure Switch 	—	69134	69134	69134	69134	—	—	—	—	—
Straight Momentary Pressure Switch 	—	69135	69135	69135	69135	—	—	—	—	—
Straight Latching Pressure Switch 	—	89008	89008	89008	89008	—	—	—	—	—
Dual Remote Switch 	—	69138	69138	69138	69138	—	—	—	—	—
Remote Retaining Clips 	—	88178	88178	88178	88178	—	—	—	—	—
Red Flip Lens Blue Flip Lens Green Flip Lens IR Flip Lens Opaque Flip Lens 	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	69115 69116 69117 69118 69124	—	—	—	—
CR123A Batteries 	2pk // 85175		6pk // 85180	12 Pk // 85177	400pk // 85179	—	—	—	85175 - 2pk // 85180 - 6pk 85177 - 12pk // 85179 - 400pk	
CR1/3N Batteries 	—	—	—	—	—	—	69271 - 2pk 69281 - 12pk	—	—	—
SL-B9® Battery Pack (see pg 49 for bank charger information) 	20237 - 2pk 20238 - 8pk 20239 - 100pk	—	—	—	—	—	—	—	20237 - 2pk // 20238 - 8pk 20239 - 100pk	
SL-B2® Battery - 2pk 	—	—	—	—	—	—	—	22121	—	—
SL-B2® Charging Case 	—	—	—	—	—	—	—	22120	—	—

TLR-8 HL-X TLR-8 HL-X G	TLR-8 X TLR-8 X G	TLR-7 HL-X SUB/ TLR-7 X SUB	TLR-8 X SUB TLR-8 X G SUB	TLR-8 HL-X SUB TLR-8 HL-X G SUB	TLR-7 X CONTOUR REMOTE	TLR-9	TLR-10 TLR-10 G	TLR® RM 1 HL-X USB	TLR RM 1 SERIES	TLR RM 2 SERIES	TLR-1 HPL	
—	69906	—	—	—	—	69906	69906	—	—	—	69906	
—	69901	—	—	—	—	69901	69901	—	—	—	69901	
—	—	—	—	—	—	—	—	—	—	—	69114	
—	—	—	—	—	—	—	—	—	—	—	69175	
—	69177	—	—	—	—	69177	69177	69177	69177	69177	—	
—	—	—	—	—	—	—	—	88301	88301	88301	88301	
—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	69130	
—	—	—	—	—	—	—	—	—	—	—	69161	
—	—	—	—	—	—	69490	—	—	—	—	—	
69491	69491	—	—	—	—	—	69491	—	—	—	—	
—	—	69492	—	—	—	—	—	—	—	—	—	
69493	—	—	69493	69493	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	69132	
—	—	—	—	—	—	—	—	—	—	—	69134	
—	—	—	—	—	—	—	—	69135	69135	69135	69135	
—	—	—	—	—	—	—	—	89008	89008	89008	89008	
—	—	—	—	—	—	—	—	69138	69138	69138	69138	
—	—	—	—	—	—	88178	88178	88178	88178	88178	88178	
—	—	—	—	—	—	—	—	—	—	—	—	
2pk // 85175 6pk // 85180 12 Pk // 85177 400pk // 85179												
—	—	—	—	—	—	—	—	—	—	—	—	
2 Pk // 20237 8 Pk // 20238 100 Pk // 20239									20237 - 2pk 20238 - 8pk 20239 - 100pk	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	



THE PROTAC RAIL MOUNT LIGHTS SHATTER THE DARK WITHOUT BREAKING THE BANK

PROTAC® RAIL MOUNT 1 LONG GUN LIGHT
WHITE LIGHT ILLUMINATOR

This 350 lumen light features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. Can run on either a lithium battery or an easy-to-find alkaline battery, both included. IPX7-rated with the Standard button switch installed; waterproof to 1m for 30 minutes. IPX4-rated with the remote pressure switch installed.

BATTERY: (1) CR123A lithium or (1) "AA" Alkaline
SIZE: 4.25" x 1.50" x 1.20" (10.8 x 3.81 x 3.04 cm)
WEIGHT: CR123A: 4.3 oz. (121.9g) // Alkaline: 4.5 oz. (127.5g)
COLOR: Black

CR123A	HIGH	LOW
LUMENS:	350	40
CANDELA:	12,000	1,380
DISTANCE:	219m	19m
RUN TIME:	1.75h	14.5h
STROBE RUNS 2.75 HOURS		

ALKALINE	HIGH	LOW
LUMENS:	150	40
CANDELA:	4,950	1,380
DISTANCE:	141m	19m
RUN TIME:	1.5h	8h
STROBE RUNS 2.75 HOURS		



[(STROBE)]
Double tap
switch to activate

MULTI-FUEL DESIGN:
Runs on alkaline or
CR123A lithium batteries

ITEM #	DESCRIPTION
88058	ProTac Rail Mount 1 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount, (1) lithium & (1) "AA" Alkaline battery

PROTAC® RAIL MOUNT 2 LONG GUN LIGHT
WHITE LIGHT ILLUMINATOR

This bright, lightweight, light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. IP67-rated with the Standard button switch installed; waterproof to 1m for 30 minutes. IP54-rated with the remote pressure switch installed.

BATTERY: (2) CR123A lithium
SIZE: 5" x 1.50" x 1.20" (12.7 x 3.81 x 3.04 cm)
WEIGHT: 5 oz. (141.7g)
COLOR: Black

	HIGH	LOW
LUMENS:	625	60
CANDELA:	22,000	2,000
DISTANCE:	297m	89m
RUN TIME:	2h	21h
STROBE RUNS 2.75 HOURS		

ITEM #	DESCRIPTION
88059	ProTac Rail Mount 2 - Includes remote pressure switch, tailcap switch, mounting hardware, M-LOK mount and (2) CR123A lithium batteries

[(STROBE)]
Double tap
switch to activate



PROTAC® RAIL MOUNT HL-X LONG GUN LIGHT
WHITE LIGHT ILLUMINATOR

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	50,000	3,100
DISTANCE:	447m	111m
RUN TIME [CR123A]:	1.25h	21h
RUN TIME [SL-B26]:	1.75h	24h
STROBE RUNS 2.5 HOURS [CR123A]; 3.5 HOURS [SL-B26]		

The ProTac Rail Mount HL-X features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button tail switch. IP67-rated with the Standard button switch installed; waterproof to 1m for 30 minutes. IP54-rated with the remote pressure switch installed.

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack
SIZE: 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)
WEIGHT: alkaline: 6.4 oz. (181.4g) // SL-B26: 6.9 oz. (195.6g)
COLOR: Black

ITEM #	DESCRIPTION
88066	ProTac Rail Mount HL-X - Includes remote switch, tail switch, remote retaining clips mounting hardware, M-LOK mount and lithium batteries
88071	ProTac Rail Mount HL-X USB - Includes remote switch, tail switch, remote retaining clips mounting hardware, M-LOK mount, SL-B26 battery pack and USB cord



50,000 cd



1,000 LUMENS

[(STROBE)]
Double tap
switch to activate



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries

PROTAC® RAIL MOUNT HL-X PRO LONG GUN LIGHT

WHITE LIGHT ILLUMINATOR

The ProTac series expands its weapon-mounted lights with this 50,000 candela light with a 447m beam distance. It features a fixed-mount for MIL-STD 1913 or M-LOK® compatible rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button switch. Easily replace batteries by unplugging the remote and removing tail cap - no connected wires. IP67-rated without the remote pressure switch installed; waterproof to 1m for 30 minutes. IP54-rated with the remote pressure switch installed.

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	50,000	3,100
DISTANCE:	447m	111m
RUN TIME (CR123A):	1.25h	21h
RUN TIME (SL-B26):	1.75h	24h
STROBE RUNS 2.5 HOURS (CR123A); 3.5 HOURS (SL-B26)		


[(STROBE)]

Double tap
switch to activate

Jack-Cap® tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch.



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries



BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack
SIZE: 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)
WEIGHT: CR123A: 6.6 oz. (187.1g) // SL-B26: 7.2 oz. (204.1g)
COLOR: Black



ITEM #	DESCRIPTION
88126	ProTac Rail Mount HL-X Pro - Includes Jack-Cap, momentary remote switch, remote retaining clips, mounting hardware, M-LOK mount and lithium batteries
88127	ProTac Rail Mount HL-X Pro USB - Includes Jack-Cap, momentary remote switch, remote retaining clips, mounting hardware, M-LOK mount, SL-B26 battery pack and USB cord
88128	ProTac Rail Mount HL-X Pro - Light only - Includes Jack-Cap, M-LOK mount and lithium batteries
88129	ProTac Rail Mount HL-X Pro USB - Light only - Includes Jack-Cap, M-LOK mount, SL-B26 battery pack and USB cord


PROTAC® RAIL MOUNT HL-X LASER LONG GUN LIGHT

WHITE LIGHT ILLUMINATOR / RED LASER

The ProTac Rail Mount HL-X Laser features integrated red aiming laser with windage and elevation adjustments. It has unique functionality with its double switches: push button tailcap or remote pressure switch and multi-fuel options. The USB rechargeable system includes our Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack; the lithium battery version includes two CR123A lithium batteries. Each model includes all that you need to mount to your long gun.

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	18,200	1,100
DISTANCE:	270m	66m
RUN TIME (CR123A):	1.25h	20h
RUN TIME (SL-B26):	1.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)		

**1,000
LUMENS**



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack
SIZE: 6.56" x 1.47" x 1.76" (16.7 x 3.73 x 4.47 cm)
WEIGHT: SL-B26: 10.8 oz. (306.2g) // CR123A: 10.3 oz. (292g)
COLOR: Black

[(STROBE)]
Double tap switch to activate



ITEM #	DESCRIPTION
88089	ProTac Rail Mount HL- X Laser - Includes remote switch, tail switch, remote retaining clips, mounting hardware and (2) CR123A lithium batteries
88090	ProTac Rail Mount HL-X Laser USB - Includes remote switch, tail switch, remote retaining clips, mounting hardware, SL-B26 battery pack and USB cord

PROTAC® 2.0 RAIL MOUNT



	HIGH	LOW
LUMENS:	2,000	250
CANDELA:	17,700	2,150
DISTANCE:	266m	93m
RUN TIME:	2.5h	11h

STROBE RUNS 4.5 HOURS

The high performance ProTac 2.0 Rail Mount produces 2,000 lumens without sacrificing run time. Powered by our proprietary SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord - no need to remove from your weapon.

System includes remote rail grabber, remote pressure momentary switch, push-button tailcap switch and M-LOK® mount and mounting hardware. Tactical tailcap switch provides momentary & “constant on” operation. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.



Tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack
SIZE: 6.3" x 1.46" x 1.02" (16 x 3.7 x 2.6 cm)
WEIGHT: 9.06 oz. (257g)
COLOR: Black

ITEM #	DESCRIPTION
89009	ProTac 2.0 Rail Mount - System - Includes straight momentary pressure switch, SL-B50 battery pack, mounting hardware, USB-C cord, M-LOK mount
88003	ProTac 2.0 Rail Mount - Light Only - Includes SL-B50 battery pack, USB-C cord and M-LOK mount

[(STROBE)]
Double tap switch to activate



Slide sleeve back to access USB-C port; charges via USB-C cord



PROTAC RAIL MOUNT ACCESSORIES

DESCRIPTION	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk 	85175 85177 85179 85180	ProTac Rail Mount 1, ProTac Rail Mount 2, ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
SL-B26 Li-Ion USB Battery Pack Charge Cradle <i>(Includes (2) SL-B26 battery packs and USB cord)</i> 	22010 <i>See pgs 80-81 for more information</i>	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
8-Unit SL-B26 Bank Charger - 12V DC 	20220 <i>See pgs 80-81 for more information</i>	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
120V AC USB Charge Cord 	22071	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
SL-B26 Battery Packs - 1pk SL-B26 Battery Packs - 2pk SL-B26 Battery Packs - 8pk 	22101 22102 22105	ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac Rail Mount HL-X Laser, ProTac Rail Mount HP-X Pro
SL-B50 Battery Packs - 1pk SL-B50 Battery Packs - 2pk 	22111 22112	ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP
22" (55.88 cm) USB-C Cord 	22084	ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP
M-LOK® Mount 	88300	ProTac Rail Mount 1, ProTac Rail Mount 2 ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro , ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP
Remote Retaining Clips 	88178	ProTac Rail Mount 1, ProTac Rail Mount 2 ProTac Rail Mount HL-X, ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP, ProTac Rail Mount HP-X Pro
Filters 	69115 (red) 69116 (blue) 69117 (green) 69118 (IR) 69124 (opaque)	ProTac Rail Mount 1 ProTac Rail Mount 2
Jack-Cap® 	88130	ProTac Rail Mount HL-X Pro, ProTac Rail Mount HP-X Pro
Remote Switch 	88098	ProTac Rail Mount 1, ProTac Rail Mount 2
Remote Switch 	88125	ProTac Rail Mount HL-X Laser
Straight Momentary Pressure Switch 	69135	ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP, ProTac Rail Mount HP-X Pro
Straight Latching Switch 	89008	ProTac Rail Mount HL-X Pro, ProTac 2.0 Rail Mount, ProTac 2.0 Rail Mount HP, ProTac Rail Mount HP-X Pro



PROTAC® RAIL MOUNT HP-X PRO // NEW

	HIGH	LOW
LUMENS:	800	55
CANDELA:	105,000	7,600
DISTANCE:	648m	174m
RUN TIME (SL-B26):	2h	26h
RUN TIME (CR123A):	1.5h	18h
STROBE RUNS 2.5 HOURS (CR123A) 3.5 HOURS (SL-B26)		



105,000 cd

Get extreme beam reach with 105,000 candela! This multi-fuel light shines far and bright, penetrating smoke, fog, and photonic barriers. Its Jack-Cap® tail cap switch offers operational switch redundancy with both push-button operation or remote pressure switch operation. IPX7-rated without remote pressure switch; waterproof to 1m for 30 minutes. IPX4-rated with remote pressure switch.



ITEM #	DESCRIPTION
89015	ProTac Rail Mount HP-X Pro - System - Includes Jack-Cap tail cap switch, M-LOK mount, mounting hardware, Allen wrench, straight momentary pressure switch and (2) CR123A lithium batteries
89016	ProTac Rail Mount HP-X Pro USB - System - Includes Jack-Cap tail cap switch, M-LOK mount, mounting hardware, Allen wrench, straight momentary pressure switch (1) SL-B26 rechargeable battery pack, and USB cord
89017	ProTac Rail Mount HP-X Pro - Light Only - Includes Jack-Cap tail cap switch, M-LOK mount, Allen wrench and (2) CR123A lithium batteries
89018	ProTac Rail Mount HP-X Pro USB - Light Only - Includes Jack-Cap tail cap switch, M-LOK mount, Allen wrench, (1) SL-B26 rechargeable battery pack and USB cord

Jack-Cap® tail cap provides operational switch redundancy, featuring both a push-button switch and a port for a remote pressure switch.



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries

BATTERY: (1) SL-B26 protected Li-Ion USB rechargeable battery pack or (2) CR123A lithium batteries

SIZE: 5.63" x 1.38" x 1.72" (14.3 x 3.5 x 4.4 cm)

WEIGHT: CR123A: 6.4 oz. (181g) // SL-B26: 7 oz. (198g)

COLOR: Black

PROTAC® 2.0 RAIL MOUNT HP NEW

The ProTac 2.0 Rail Mount HP produces increased candela without sacrificing lumen output or run time. Powered by our proprietary SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord - no need to remove from your weapon.

System includes remote rail grabber, remote pressure momentary switch, push-button tail cap switch and M-LOK® mount and mounting hardware. Tactical tailcap switch provides momentary & "constant on" operation. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack

SIZE: 6.3" x 1.46" x 1.02" (16 x 3.7 x 2.6 cm)

WEIGHT: 9.06 oz. (257g)

COLOR: Black

	HIGH	LOW
LUMENS:	2,000	250
CANDELA:	85,000	11,500
DISTANCE:	583m	214m
RUN TIME:	2.5h	11h
STROBE RUNS 4.5 HOURS		



ITEM #	DESCRIPTION
89014	ProTac 2.0 Rail Mount HP - System - Includes straight momentary pressure switch, (1) SL-B50 battery pack, mounting hardware, USB-C cord and M-LOK mount
89013	ProTac 2.0 Rail Mount HP - Light Only - Includes (1) SL-B50 battery pack, USB-C cord and M-LOK mount



HIGH-CANDELA WITHOUT SACRIFICING LUMEN OUTPUT

WEDGE®

	THRO	CONSTANT ON
LUMENS:	1,000	300
CANDELA:	3,000	1,200
DISTANCE:	110m	69m
RUN TIME:	35sec	3h

The Wedge is a compact, high-performance EDC light designed for clean pocket carry with two new colors, orange and lime green. Now you have your choice of six colors, making it easier to find when you put it in that particular spot you thought you wouldn't forget. All colors made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance, now with a splash of color.



BATTERY: Lithium Polymer
SIZE: 5.46" x 0.6" x 1" (13.87 x 1.52 x 2.54 cm)
WEIGHT: 3.3 oz. (93.5g)
COLOR: Black, Coyote, Red, Blue, Purple, Orange or Lime Green

ITEM #	DESCRIPTION
88810	Wedge - Includes USB-C cord and lanyard - Black
88811	Wedge - Includes USB-C cord and lanyard - Coyote
88814	Wedge - Includes USB-C cord and lanyard - Red
88817	Wedge - Includes USB-C cord and lanyard - Blue
88818	Wedge - Includes USB-C cord and lanyard - Purple
88820	Wedge - Includes USB-C cord and lanyard - Orange
88821	Wedge - Includes USB-C cord and lanyard - Lime Green
22084	USB-C Cord - 22" (58.8 cm)
88822	Wedge Body Screw Kit

Battery charge indicator located in the on/off switch as seen in the image to the right.

Charge indication:
 Red – Charging // Green – Charged



Outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes



Designed for comfortable, deep pocket carry



Many colors to choose from so it won't get lost in your backpack

WEDGE® XT


The Wedge XT is an ultra-compact, high-performance EDC light engineered with a push-button tail switch for one-handed use.

The Wedge XT features a FIVE-TAP® Lockout system, which prevents accidental activation inside your pocket or bag. Crafted from rugged anodized aluminum features a built-in waterproof USB-C port for use in virtually any weather condition.

	HIGH	LOW
LUMENS:	500	50
CANDELA:	1,900	200
DISTANCE:	87m	28m
RUN TIME:	2h	11h



Push-button tactical tail switch features constant on or momentary operation and Lockout mode



Another great addition to your EDC kit



Proven waterproof USB-C port with charge indication LED:
Red – Charging; Green – Charged
Lithium-polymer battery charges in 6 hours



Comfortable, deep pocket carry



BATTERY: Lithium Polymer
SIZE: 4.25" x 0.6" x 1" (10.8 x 1.52 x 2.54 cm)
WEIGHT: 2.62 oz. (74.3g)
COLOR: Black or Coyote

ITEM #	DESCRIPTION
88812	Wedge XT - Includes USB-C cord and lanyard - Black
88813	Wedge XT - Includes USB-C cord and lanyard - Coyote
88819	Wedge XT - Includes USB-C cord and lanyard - Silver
22084	USB-C Cord - 22" (58.8 cm)



PROTAC® 1L-1AA

The ProTac 1L-1AA is a perfect everyday carry light. This multi-fuel, ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7-rated; waterproof to 1m for 30 minutes; 2 meter impact-resistance tested.

CR123A	HIGH	LOW	AA	HIGH	LOW
LUMENS:	350	40	LUMENS:	150	40
CANDELA:	6,400	720	CANDELA:	2,750	720
DISTANCE:	160m	53m	DISTANCE:	105m	53m
RUN TIME:	1.5h	14h	RUN TIME (ALK):	1.25h	7.5h
STROBE RUNS 3 HOURS			RUN TIME (LITH):	4.25h	14h
			STROBE RUNS 3.5 HOURS (ALK); 8 HOURS (LITH)		

MULTI-FUEL DESIGN:

Runs on AA alkaline/lithium batteries or CR123A lithium batteries



[(STROBE)]
Double tap
switch to activate

BATTERY: (1) CR123A lithium or (1) "AA" alkaline/lithium
SIZE: 4.25" x 0.95" x 0.85" (10.8 x 2.41 x 2.16 cm)
WEIGHT [CR123A]: 2.5 oz. (71g)
WEIGHT [AA]: Alkaline: 2.8 oz. (79g) // Lithium: 2.4 oz. (68g)
COLOR: Black or Coyote

ITEM #	DESCRIPTION
88061	ProTac 1L-1AA - Includes lithium & AA alkaline battery & holster - Black
88073	ProTac 1L-1AA - Includes lithium & AA alkaline battery & holster - Coyote

PROTAC® 2.0

The high performance ProTac 2.0 produces 2,000 lumens without sacrificing run time. Powered by our SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord. TEN-TAP® Programmable. IP67-rated; dust-tight and waterproof to 1m for 30 minutes.

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack
SIZE: 6.1" x 1.46" x 1.02" (15.5 x 3.7 x 2.6 cm)
WEIGHT: 8.25 oz. (234g)
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	2,000	570	100
CANDELA:	17,300	5,000	890
DISTANCE:	262m	142m	60m
RUN TIME:	2.5h	4.5h	25h
STROBE RUNS 4 HOURS 25 MIN			



**2,000
LUMENS**

[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION
89000	ProTac 2.0 - Includes SL-B50 battery pack, USB-C cord and nylon holster

PROTAC® 2L

The ProTac 2L is compact and lightweight, yet powerful and bright with long run times and important features. TEN-TAP® programming for user selection of mode programs. IPX7-rated; waterproof to 1m for 30 minutes. 2 meter impact-resistance tested. Maximum light output throughout battery life.

	HIGH	LOW
LUMENS:	350	30
CANDELA:	6,300	600
DISTANCE:	159m	49m
RUN TIME:	3.25h	35h
STROBE RUNS 6 HOURS		



[(STROBE)]
Double tap
switch to activate

BATTERY: (2) CR123A lithium
SIZE: 4.77" x 0.9" x 0.77" (12.12 x 2.29 x 1.96 cm)
WEIGHT: 2.8 oz. (79g)
COLOR: Black

ITEM #	DESCRIPTION
88031	ProTac 2L - Includes (2) lithium batteries and holster

PROTAC HL®

This tactical flashlight has a far reaching beam to light up areas with a blinding 750 lumens. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated; waterproof to 1m for 30 minutes. 1 meter impact-resistance tested.

	HIGH	LOW
LUMENS:	750	35
CANDELA:	18,300	900
DISTANCE:	270m	60m
RUN TIME:	1.25h	18h
STROBE RUNS 2.5 HOURS		



[(STROBE)]
Double tap
switch to activate

BATTERY: (2) CR123A lithium
SIZE: 5.4" x 1.375" x 1.0" (13.72 x 3.49 x 2.54 cm)
WEIGHT: 5.6 oz. (158g)
COLOR: Black

ITEM #	DESCRIPTION
88040	ProTac HL - Includes (2) lithium batteries & holster



PROTAC® 2AA-X

The ProTac 2AA-X USB features a multi-function tail switch for momentary or constant on operation and three different user selectable programs. Knurled body for a sure grip. Packaged with a removable pocket clip and holster. Multi-fuel capability - accepts either one USB rechargeable lithium polymer battery or two "AA" alkaline batteries.

LITHIUM POLYMER	HIGH	LOW
LUMENS:	550	40
CANDELA:	10,250	740
DISTANCE:	203m	54m
RUN TIME:	2.25h	16h

STROBE RUNS 4.5 HOURS

AA	HIGH	LOW
LUMENS:	270	18
CANDELA:	5,000	400
DISTANCE:	141m	40m
RUN TIME:	2.5h	48h

STROBE RUNS 5 HOURS

[(STROBE)]

Double tap switch to activate



MULTI-FUEL DESIGN:
Runs on lithium polymer battery pack or alkaline batteries

BATTERY: Lithium polymer USB rechargeable battery pack or (2) "AA" alkaline

SIZE: 6" x 0.9" x 0.7" (15.3 x 2.3 x 1.8 cm)

WEIGHT: 3.5 oz. (99g)

COLOR: Black or Coyote

ITEM #	DESCRIPTION
88135	ProTac 2AA-X USB - Includes lithium polymer battery pack, USB-C cord and holster - Black
88137	ProTac 2AA-X USB - Includes lithium polymer battery pack, USB-C cord and holster - Coyote
88033	ProTac 2AA-X - Includes (2) "AA" alkaline batteries and holster - Black
88072	ProTac 2AA-X - Includes (2) "AA" alkaline batteries and holster - Coyote
88136	Protected lithium polymer USB-C rechargeable battery pack

PROTAC® 2L-X

The ProTac 2L-X is a multi-fuel tactical light that comes in two versions. The ProTac 2L-X USB is a rechargeable system that uses a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. The ProTac 2L-X includes two CR123A lithium batteries.

Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX7-rated; waterproof to 1m for 30 minutes; 1m impact-resistance tested.

	HIGH	LOW
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME (CR123A):	2.75h	30h
RUN TIME (SL-B26):	3.25h	30h

STROBE RUNS 3.25 HOURS (CR123A);
4.5 HOURS (SL-B26)

MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A lithium batteries



[(STROBE)]

Double tap switch to activate

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

SIZE: 5.14" x 1.06" x 0.94" (13 x 2.7 x 2.4 cm)

WEIGHT: SL-B26: 4.4 oz. (125g) // CR123A: 3.9 oz. (111g)

COLOR: Black

ITEM #	DESCRIPTION
88062	ProTac 2L-X - Includes (2) CR123A lithium batteries & holster - Clam
88063	ProTac 2L-X - Includes (2) CR123A lithium batteries & holster - Box
88082	ProTac 2L-X USB - Includes SL-B26 battery pack, USB cord & holster - Clam
88083	ProTac 2L-X USB - Includes SL-B26 battery pack, USB cord & holster - Box

PROTAC® HL-X

The ProTac HL-X is a multi-fuel tactical light that comes in two versions. The ProTac HL-X USB is a rechargeable system that uses our SL-B26 protected USB rechargeable battery pack. The ProTac HL-X includes CR123A batteries.

Multi-battery versatility means the user can use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IP68-rated; dust tight and waterproof to 2 meters.

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123A):	1.25h	3h	20h
RUN TIME (SL-B26):	1.5h	3.5h	23h
STROBE RUNS 2.5 HOURS (CR123A); 3.25 HOURS (SL-B26)			



[(STROBE)]
Double tap
switch to activate

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 5.43" x 1.44" x 1" (13.8 x 3.7 x 2.54 cm)
WEIGHT: SL-B26: 6.2 oz. (176g) // CR123A: 5.7 oz. (162g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
95313	ProTac HL-X - Includes (2) CR123A lithium batteries, holster - Box	US	YES
88064	ProTac HL-X - Includes (2) CR123A lithium batteries, holster - Clam	--	--
88065	ProTac HL-X - Includes (2) CR123A lithium batteries, holster - Box	--	--
95314	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord and holster - Box	US	YES
88084	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord and holster - Clam	--	--
88085	ProTac HL-X USB - Includes SL-B26 battery pack, USB cord and holster - Box	--	--

PROTAC® 90X

The multi-fuel ProTac 90X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use. IPX7-rated; waterproof to 1m for 30 minutes; 2m impact-resistance tested.

	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME (CR123A):	2.5h	4h	21h
RUN TIME (SL-B26):	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123A); 3.5 HOURS (SL-B26)			



[(STROBE)]
Double tap
switch to activate



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium
SIZE: 4.39" x 1.14" x 0.94" (11.1 x 2.9 x 2.4 cm)
WEIGHT: SL-B26: 4.9 oz. (139g) // CR123A: 4.4 oz. (125g)
COLOR: Black

ITEM #	DESCRIPTION
88094	ProTac 90X - Includes (2) CR123A lithium batteries and holster
88095	ProTac 90X USB - Includes SL-B26 battery pack, micro USB cord and holster



PROTAC HL® 5-X

The ProTac HL 5-X is a high-powered, multi-fuel tactical light available in two configurations. The ProTac HL 5-X USB is a rechargeable system that uses two Streamlight SL-B26 protected Li-Ion USB rechargeable battery packs. The ProTac HL 5-X includes four CR123A batteries. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a “sure grip rubber sleeve.”

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs or (4) CR123A lithium
SIZE: 9.53" x 2.35" x 1.24" (23.65 x 5.97 x 3.15 cm)
WEIGHT: SL-B26: 1 lb. 3.4 oz. (550g) // CR123A: 1 lb. 2.4 oz. (522g)
COLOR: Black

ITEM #	DESCRIPTION
88074	ProTac HL 5-X - Includes (4) lithium batteries and wrist lanyard
88081	ProTac HL 5-X USB - Includes (2) SL-B26 battery packs, “Y” micro USB cord and lanyard



[(STROBE)]
 Double tap
 switch to activate

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	3,500	1,000	250
CANDELA:	51,000	14,100	3,620
DISTANCE:	452m	237m	120m
RUN TIME:	1.25h	3h	11.5h
STROBE RUNS 1.25 HOURS			
CR123A	HIGH	MEDIUM	LOW
LUMENS:	2,500	1,000	250
CANDELA:	37,000	14,100	3,620
DISTANCE:	385m	237m	120m
RUN TIME:	1.5h	2.5h	10.5h
STROBE RUNS 1.5 HOURS			

PROTAC HL® 6 // **NEW**

The ProTac HL 6 is a powerhouse of illumination, producing 5,300 lumens for two hours. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a “sure grip rubber sleeve”.

	HIGH	MEDIUM	LOW
LUMENS:	5,300	1,500	450
CANDELA:	80,000	23,000	6,700
DISTANCE:	566m	303m	164m
RUN TIME:	2h	3.75h	12.5h
STROBE RUNS 4 HOURS			

BATTERY: (2) SL-B48 Li-Ion USB rechargeable battery packs
SIZE: 10.5" x 2.35" x 1.25" (26.6 x 6 x 3.2 cm)
WEIGHT: 1.3 lbs. (590g)
COLOR: Black

ITEM #	DESCRIPTION
88131	ProTac HL 6 - Includes 120V AC Adapter, (2) SL-B48 rechargeable batteries, “Y” USB-C cord and wrist lanyard
88132	ProTac HL 6 - Includes (2) SL-B48 rechargeable batteries, “Y” USB-C cord and wrist lanyard



[(STROBE)]
 Double tap
 switch to activate

PROTAC® HPL USB

A versatile USB rechargeable tactical light designed for down range applications. Multi-battery versatility means you can use disposable batteries to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX4-rated; water-resistant .

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	35,000	14,100	2,250
DISTANCE:	374m	237m	95m
RUN TIME:	1.5h	3.5h	24h
STROBE RUNS 3 HOURS			



[(STROBE)]
Double tap
switch to activate

TEN-TAP® Programmable -
choose from three programs:
• high/strobe/low
• high only
• low/medium/high

BATTERY: Lithium-ion, SL-B26 battery pack
or (2) CR123A lithium
SIZE: 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm)
WEIGHT: 9.24 oz. (262g)
COLOR: Black

ITEM #	DESCRIPTION
88076	ProTac HPL USB - Includes USB cord and holster - Clam
88077	ProTac HPL USB - Includes USB cord and holster - Box

PROTAC HL® USB

The ProTac HL USB features multiple power source capability; it includes a rechargeable lithium-ion battery; also accepts Streamlight SL-B26 rechargeable lithium-ion battery or two CR123A batteries. An anti-rattle battery compartment keeps batteries securely and quietly in place without using a separate battery carrier. TEN-TAP programming lets you choose the selection of operating modes. IPX4-rated; water-resistant.

	HIGH	MEDIUM	LOW
LUMENS:	1,000	380	65
CANDELA:	12,000	4,420	700
DISTANCE:	219m	133m	53m
RUN TIME:	1.5h	3.5h	23h
STROBE RUNS 1.5 HOURS			



[(STROBE)]
Double tap
switch to activate






















TEN-TAP® Programmable -
choose from three programs:
• high/strobe/low
• high only
• low/medium/high

BATTERY: Lithium-ion, SL-B26 battery pack
or (2) CR123A lithium
SIZE: 6.50" x 1.23" x 1.07" (16.5 x 3.1 x 2.7 cm)
WEIGHT: 7.2 oz. (204g)
COLOR: Black

ITEM #	DESCRIPTION
88052	ProTac HL USB - Includes USB cord and holster
88054	ProTac HL USB - 120V AC/12V DC - Includes USB cord and holster

PROTAC // POLYTAC ACCESSORIES

ITEM	PART #	GOES WITH
CR123A Lithium Batteries - 2pk CR123A Lithium Batteries - 6pk CR123A Lithium Batteries - 12pk CR123A Lithium Batteries - 400pk	 85175 85180 85177 85179	ProTac 1L-1AA, ProTac 2L, ProTac 2L-X, ProTac HL, ProTac HL-X, ProTac HL USB, ProTac HPL USB, ProTac HL 5-X, PolyTac X
SL-B26 Battery Pack	 See Page 78-79 for more information	ProTac HL USB, ProTac HPL USB, ProTac HL-X, ProTac 2L-X, ProTac HL 5-X, ProTac 90X, PolyTac X
40" (101.6 cm) USB Cord 22" (55.88 cm) USB Cord	 22070 22081	ProTac HL USB, ProTac HPL USB, ProTac HL-X USB, ProTac 2L-X USB, ProTac HL 5-X USB, ProTac 90X USB, PolyTac X USB
SL-B50 Battery Pack - 1pk SL-B50 Battery Pack - 2pk	 22111 22112	ProTac 2.0
Lithium Polymer Battery Pack	 88136	ProTac 2AA-X USB
SL-B48 Battery Pack - 2pk	 88133	ProTac HL 6
22" (55.88 cm) USB-C Cord	 22084	ProTac 2.0, Wedge, Wedge XT, ProTac 2AA-X USB
"Y" Micro USB Cord	 22082	ProTac HL 5-X USB
120V AC USB Adapter	 22089	ProTac HL 6
Y-Split USB-C Cord	 22090	ProTac HL 6
Nylon Holster	 88037 88036	ProTac 1L-1AA ProTac 2L
Nylon Holster	 88038 88043 88086	ProTac 2AA-X USB ProTac HL ProTac 2.0
Nylon Holster	 85905	PolyTac X
Nylon Holster	 85909	PolyTac X
Tactical Holster	 88051	ProTac HL, ProTac HL USB
Flip Lens - Red Flip Lens - Blue Flip Lens - Green Flip Lens - IR	 85115 85116 85117 74039	PolyTac X
Safety Wand	 88057	ProTac HL, ProTac HL-X, ProTac 2.0
Helmet Mount	 68085	PolyTac
Rubber Helmet Strap	 99075	PolyTac X

POLYTAC® X

This multi-fuel tactical light allows the user to use disposable batteries to power the light if the rechargeable battery pack is out of power and can't be charged. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated; waterproof to 1m for 60 minutes. Maximum light output throughout battery life.

BATTERY: (1) SL-B26 Li-Ion battery pack or (2) CR123A lithium
SIZE: 5.46" x 1.25" x 1" (13.87 x 3.18 x 2.54 cm)
WEIGHT: SL-B26: 4.9 oz. (139g) // CR123A: 4.4 oz. (125g)
COLOR: Black, Yellow or Coyote

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME [CR123A]:	2.75h	5.5h	34h
RUN TIME [SL-B26]:	3.5h	5.75h	36h

STROBE RUNS 5.5 HOURS [CR123A];
8 HOURS [SL-B26]

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries



NFPA Meets requirements of 1971-8.6 (2018); 500° heat resistance test

[(STROBE)]
Double tap switch to activate

CLAM	BOX	DESCRIPTION	COO	TAA
88600	88603	PolyTac X - Includes (2) CR123A lithium batteries - Black	US	YES
88601	88604	PolyTac X - Includes (2) CR123A lithium batteries - Yellow	US	YES
88602	88605	PolyTac X - Includes (2) CR123A lithium batteries - Coyote	US	YES
88610	88613	PolyTac X USB - Includes SL-B26 battery pack and USB cord - Black	--	--
88611	88614	PolyTac X USB - Includes SL-B26 battery pack and USB cord - Yellow	--	--
88612	88615	PolyTac X USB - Includes SL-B26 battery pack and USB cord - Coyote	--	--

POLYTAC 90® X

Rugged and bright, the PolyTac 90 X is built with the rigors of the job in mind. Features a switch with built in battery life indicator that will let you know when it is time to recharge your battery or replace them. The PolyTac 90 X USB is a rechargeable system.

	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME [CR123A]:	2.5h	12h
RUN TIME [SL-B26]:	3.75h	19h



NFPA
Meets requirements of 1971-8.6 (2018)

MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A lithium batteries

BATTERY: (1) SL-B26 battery pack or (2) CR123A lithium
SIZE: 4.43" x 1.3" x 1.11" (11.25 x 3.3 x 2.82 cm)
WEIGHT: SL-B26: 4.8 oz. (136g) // CR123A: 4.3 oz. (122g)
COLOR: Orange, Yellow or Black

ORANGE	YELLOW	BLACK	DESCRIPTION
88834	88831	88830	PolyTac 90 X - Includes (2) CR123A lithium batteries
88832	--	--	PolyTac 90 X - Includes (2) CR123A lithium batteries and Gear Keeper
88838	88836	88835	PolyTac 90 X USB - Includes SL-B26 battery pack & micro USB cord
88837	--	--	PolyTac 90 X USB - Includes SL-B26 battery pack & micro USB cord

POLYTAC®

Rugged housing, superior brightness and extended run times make the PolyTac ideal for the broadest range of lighting applications at the best value. TEN-TAP® programming. IPX7-rated; waterproof to 1m for 30 minutes.

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,500	4,900	675
DISTANCE:	214m	140m	52m
RUN TIME:	2.75h	5.5h	34h

STROBE RUNS 5.5 HOURS

NFPA
Meets requirements of NFPA 1971-8.6 (2018)



[(STROBE)]
Double tap switch to activate

BATTERY: (2) CR123A lithium
SIZE: 5.34" x 1.25" x 1" (13.56 x 3.18 x 2.54 cm)
WEIGHT: 4.2 oz. (121g)
COLOR: Black, Coyote or Yellow

ITEM #	DESCRIPTION
88850	PolyTac - Includes (2) CR123A lithium batteries - Clam - Black
88851	PolyTac - Includes (2) CR123A lithium batteries - Clam - Coyote
88853	PolyTac - Includes (2) CR123A lithium batteries - Clam - Yellow

SL-B26[®] BATTERY PACK

TURN YOUR HIGH-PERFORMANCE LIGHTS INTO RECHARGEABLE SYSTEMS

You know how you make the best performing, brightest lights in the business even better? Simple. Give users multiple ways to power and charge them. Streamlight's SL-B26[®] Protected Lithium-Ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional charge cradle. Flexibility for however and wherever you use your light.




SL-B26[®] PROTECTED LITHIUM-ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.



Features integrated USB port
Charge status LEDs:



BATTERY CAPACITY: 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack

BATTERY SIZE: 2.75" x 0.744" (7 x 1.89 cm)

BATTERY WEIGHT: 1.7 oz. (48g)

CRADLE SIZE: 4.5" (11.4 cm)

CRADLE WEIGHT: 2.4 oz. (68g)

ITEM #	DESCRIPTION
22101	SL-B26 Li-Ion USB rechargeable battery pack- 1pk
22102	SL-B26 Li-Ion USB rechargeable battery pack- 2pk
22104	SL-B26 Li-Ion USB rechargeable battery pack- 2pk - Box
22105	SL-B26 Li-Ion USB rechargeable battery pack- 8pk
22100	Li-Ion Charge Cradle
22010	Li-Ion Rechargeable Battery Kit - Includes USB cord and (2) SL-B26 battery packs
22011	Li-Ion Rechargeable Battery Kit - 120V AC - Includes (2) SL-B26 battery packs
22070	40" (101 cm) USB Cord
22081	22" (55.88 cm) USB Cord



Charger temperature safety circuit prevents damage to batteries while charging

MULTI-FUEL LIGHTING SYSTEMS



ALSO WORKS WITH:



Stinger® 2020

Available as system that includes lithium-ion battery #74175 (also used in Strion series).

SL-B26 battery pack sold separately.



ProTac HL® USB



ProTac® HPL USB

ORGANIZE, STORE AND CHARGE YOUR SL-B26® BATTERIES

EIGHT-UNIT SL-B26 BANK CHARGER

Charge up to eight batteries with Streamlight's lithium-ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area. Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries. Charges in 5.25 hours.

Charge indicators located over each battery:

- Red = charging
- Green = charged

BATTERY CAPACITY: 8

SIZE: 10.45" x 4.75" x 1" (26.54 x 12.06 x 2.54 cm)

WEIGHT WITHOUT BATTERIES: 7.61 oz. (216g)

WEIGHT WITH BATTERIES: 20.88 oz. (592g)



ITEM #	DESCRIPTION
20221	8-Unit Li-Ion Bank Charger - 120V AC
20220	8-Unit Li-Ion Bank Charger - 12V DC
20224	8-Unit Bank Charger - Includes (8) SL-B26 battery packs - 120V AC
20223	8-Unit Bank Charger - Includes (8) SL-B26 battery packs - 12V DC
44909	120V AC Charge Cord
44923	12V DC Cord



120V AC Charge Cord



12V DC Charge Cord

SIDEWINDER... THE MOST VERSATILE MILITARY LIGHTS IN THE WORLD



SIDEWINDER STALK®

Designed to minimize the number of illuminators and beacons an operator must carry, the low-profile Sidewinder Stalk provides ultimate maneuverability. Put light where you need it with multiple mounting options and a flexible stalk to aim the beam.

Features white, multi-colored and IR LEDs along with an IR/IFF beacon.

BATTERIES: (1) CR123A, (1) "AA" alkaline or (1) "AA" lithium

SIZE: 5.51" x 0.86" x 1.81" (14 x 2.18 x 4.60 cm)

WEIGHT: 3.20 oz. (90.72g) with CR123A battery and Hook and loop adapter // 2.88 oz. (81.65g) with AA battery and Hook and loop adapter

COLOR: Coyote or Black




White, red, green, blue and IR LEDs

Thumb Screw to lock into ARC rail slot

Uses "AA" alkaline battery or CR123A lithium (both included)

Also accepts "AA" lithium batteries for extended operation in extreme temperatures

Sidewinder Stalk does not need to be removed from mounted position in order to change batteries



Rotary mode selector switch (White, red, green, blue and IR)

IR/IFF beacon

Flexible stalk to aim the beam

Push-button switch for on/off and intensity control

IR/IFF beacon switch

ITEM #	DESCRIPTION	COO	TAA
14300	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Coyote – Mailer	US	YES
14310	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Black – Mailer	US	YES
14301	Sidewinder Stalk - Includes helmet clip, Arc rail mount & assembly, CR123A & "AA" alkaline battery – Coyote – Mailer	US	YES
14311	Sidewinder Stalk - Includes helmet clip, Arc rail mount & assembly, CR123A & "AA" alkaline battery – Black – Mailer	US	YES
14302	Sidewinder Stalk - Includes helmet clip, E-Mount, CR123A & "AA" alkaline batteries – Coyote – Mailer	US	YES
14306	Sidewinder Stalk - Includes helmet clip, CR123A & "AA" alkaline batteries – Coyote – Retail Box	US	YES
14307	Sidewinder Stalk - Includes arc rail mount & assembly, CR123A & "AA" alkaline batteries – Coyote – Retail Box	US	YES
14308	Sidewinder Stalk - Includes helmet clip, E-Mount, CR123A & "AA" alkaline batteries – Coyote – Retail Box	US	YES

HIGH (100%) OUTPUT - CR123A						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
LUMENS:	76	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
DISTANCE:	28m	---	7m	8m	12m	---
RUN TIME:	5.6h	32h	19h	13h	13h	21h

HIGH (100%) OUTPUT - AA LITHIUM/ALKALINE						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
LUMENS:	57	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
DISTANCE:	23m	---	7m	8m	12m	---
RUN TIME:	6h (lith) 3.8h (alk)	33h (lith) 20h (alk)	19h (lith) 10h (alk)	13h (lith) 6h (alk)	13h (lith) 5h (alk)	32h (lith) 19h (alk)

Securely attaches to MOLLE



SIDEWINDER STALK BATTERY RUN TIME				
CR123A LITHIUM BATTERY				
LED	LOW	MEDIUM	HIGH	STROBE
WHITE	95 hrs	15 hrs	5.6 hrs	11 hrs
RED	112 hrs	36 hrs	19 hrs	34 hrs
GREEN	80 hrs	27 hrs	13 hrs	25 hrs
BLUE	80 hrs	27 hrs	13 hrs	25 hrs
IR	174 hrs	57 hrs	32 hrs	61 hrs
IR W/ IFF BEACON	150 hrs	40 hrs	21 hrs	43 hrs
"AA" LITHIUM / ALKALINE BATTERY				
WHITE	79 hrs (lith) 66 hrs (alk)	16 hrs (lith) 8 hrs (alk)	6 hrs (lith) 3.8 hrs (alk)	11 hrs (lith) 5.5 hrs (alk)
RED	109 hrs (lith) 85 hrs (alk)	36 hrs (lith) 24 hrs (alk)	19 hrs (lith) 10 hrs (alk)	36 hrs (lith) 25 hrs (alk)
GREEN	84 hrs (lith) 55 hrs (alk)	26 hrs (lith) 15 hrs (alk)	13 hrs (lith) 5 hrs (alk)	23 hrs (lith) 17 hrs (alk)
BLUE	77 hrs (lith) 61 hrs (alk)	25 hrs (lith) 16 hrs (alk)	13 hrs (lith) 6 hrs (alk)	25 hrs (lith) 18 hrs (alk)
IR	173 hrs (lith) 145 hrs (alk)	55 hrs (lith) 39 hrs (alk)	33 hrs (lith) 20 hrs (alk)	60 hrs (lith) 41 hrs (alk)
IR W/ IFF BEACON	187 hrs (lith) 115 hrs (alk)	51 hrs (lith) 38 hrs (alk)	32 hrs (lith) 19 hrs (alk)	47 hrs (lith) 35 hrs (alk)

STREAMLIGHT SIDEWINDER SERIES

SIDEWINDER® X **NEW**

The Sidewinder® X high-output, right-angle, multi-fuel light is designed to meet the demanding needs of the user while providing unmatched versatility. It features a 185° tilting head and gear clip to allow for ideal positioning of the light, along with various colored LEDs operable at varying outputs and run times. A “survival mode” provides low-level lighting for 100+ hours. UC Model allows user to select two of three color options. Meets MIL-STD-810F, METHOD 512.4.

WHITE LED	HIGH	MEDIUM 2	MEDIUM 1	LOW
LUMENS:	275	80	35	5
CANDELA:	3,200	900	400	50
DISTANCE:	113m	60m	40m	14m
RUN TIME: AA	4.75h	13h	30h	150+h
RUN TIME: CR123A	2.75h	8h	19h	100+h
STROBE RUNS 10.5 HOURS (AA); 5.75 HOURS (CR123A)				



Push button on/off switch and rotary selector knob

Gear clip with integral helmet mount features

MILITARY MODEL




AVIATION MODEL



USER CONFIGURABLE MODEL



(user chooses between red, green, or blue)



Multiple mounting options for your helmet

BATTERY: (2) “AA” alkaline or (1) CR123A lithium for extended operation

in extreme temperatures (-40°F to +150°F)

SIZE: 2.4" x 1.2" x 4.6" (6.1 x 3 x 11.7 cm)

WEIGHT: CR123A: 3.3 oz. (93.6g) // Alkaline: 4.4 oz. (124.7g)

COLOR: Coyote

ITEM #	DESCRIPTION	COO	TAA
14803	Sidewinder X - UC (User Configurable) Model - Includes (2) “AA” alkaline batterie - Coyote	US	YES
MILITARY MODEL [WHITE, RED, BLUE, IR LEDS]		US	YES
14800	Sidewinder X Military Model - White, Red, Blue, IR LEDs - Includes E-Mount and (2) “AA” alkaline batteries - Coyote	US	YES
14801	Sidewinder X Military Model - White, Red, Blue, IR LEDs - Includes(2) “AA” alkaline batteries - Coyote	US	YES
AVIATION MODEL [WHITE, GREEN, BLUE, IR LEDS]		US	YES
14802	Sidewinder X Aviation Model -White, Green, Blue, IR LEDs - Includes MOLLE retainer and (2) “AA” alkaline batteries - Coyote	US	YES

IR & Color LEDs					
	IR	RED	BLUE	GREEN	
HIGH MODE	LUMENS	12mW	6.5	2.0	8.0
	CANDELA	---	40	12	83
	DISTANCE	---	13m	7m	18m
	RUN TIME Alkaline	40 hrs	50 hrs		
	RUN TIME CR123A	20 hrs	30 hrs		
LOWER MODE RUN TIMES	MED 2 (60%)	130 hrs (AA) 65 hrs (CR123A)	100 hrs (AA) // 70 hrs (CR123A)		
	MED 1 (25%)	330 (AA) 170 hrs (CR123A)	250 hrs (AA) // 150 hrs (CR123A)		
	LOW (5%)	600+ hrs (AA) 300+ hrs (CR123A)	300+ hrs (AA) // 200+ hrs (CR123A)		
	STROBE	100+ hrs (AA) // 50+ hrs (CR123A)			

SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7-rated; waterproof to 1m for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

BATTERY: (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40°F to +150°F)

SIZE: 2.34" x 1.08" x 4.65" (4.94 x 2.74 x 11.81 cm)

WEIGHT: Lithium: 4.38 oz. (124g) // Alkaline: 5.02 oz. (142g)

COLOR: Coyote



	HIGH
LUMENS:	55
CANDELA:	1,175
DISTANCE:	69m
RUN TIME:	5.5h



ITEM #	DESCRIPTION	COO	TAA
MILITARY MODEL [WHITE, RED, BLUE, IR LEDS]			
	MILITARY MODEL [WHITE, RED, BLUE, IR LEDS]	US	YES
14000	Sidewinder Military - Includes (2) "AA" alkaline batteries - Clam	US	YES
14027	Sidewinder Military - Includes helmet mount and (2) "AA" alkaline batteries - Clam	US	YES
14031	Sidewinder Military - Includes E-mount and (2) "AA" alkaline batteries - Clam	US	YES
AVIATION MODEL [WHITE, GREEN, BLUE, IR LEDS]			
	AVIATION MODEL [WHITE, GREEN, BLUE, IR LEDS]	US	YES
14008	Sidewinder Aviation - Includes (2) "AA" alkaline batteries - Clam	US	YES
14024	Sidewinder Aviation - Includes MOLLE retainer and (2) "AA" alkaline batteries - Box	US	YES

SIDEWINDER LIGHT OUTPUT & BATTERY RUN TIME

LED	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
White	55 Lumens	100 hrs+	45 hrs	11 hrs	5.5 hrs	10 hrs
IR	25mW/sr [min] radiant intensity	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Red	1 Lumen	200 hrs+	140 hrs	60 hrs	24 hrs	40 hrs
Blue	1.8 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs
Green	4.5 Lumens	150 hrs+	100 hrs	35 hrs	16 hrs	30 hrs

All run time to 10% of initial output level. Illumination output electronically regulated.

SIDEWINDER® RESCUE

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the "Slide-in-Place" diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two "AA" alkaline or two "AA" lithium batteries for maximum versatility in the field. IPX7-rated; waterproof to 1m for 30 minutes.

BATTERY: (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40°F to +150°F)

SIZE: 2.34" x 1.08" x 4.65" (4.94 x 2.74 x 11.81 cm)

WEIGHT: Lithium: 4.38 oz. (124g) // Alkaline: 5.02 oz. (142g)

COLOR: Coyote



"Slide-in-Place" diffuser can be used with any LED color for omni-directional light

Aluminum plate provides flat surface to adhere Velcro® for attaching to helmet

Cord attachment for paracord lanyard, which provides extra security from loss of light and allows it to be worn around the neck

ITEM #	DESCRIPTION	COO	TAA
RESCUE MODEL [WHITE, GREEN, BLUE, IR LEDS WITH DIFFUSER]			
	RESCUE MODEL [WHITE, GREEN, BLUE, IR LEDS WITH DIFFUSER]	US	YES
14065	Sidewinder Rescue Kit - Includes MOLLE retainer, paracord and (2) "AA" alkaline batteries - Box	US	YES
14069	Sidewinder Rescue Kit - Includes MOLLE retainer, paracord and (2) "AA" alkaline batteries - Clam	US	YES
14067	Sidewinder Rescue - Includes (2) "AA" alkaline batteries - Clam	US	YES



Securely attaches to MOLLE or other straps using MOLLE retainer

SIDEWINDER COMPACT® II

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7-rated; waterproof to 1m for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

BATTERY: (1) "CR123A" lithium, (1) "AA" alkaline, or (1) "AA" lithium
SIZE: 3" x 1.07" x 2.04" (7.62 x 2.72 x 5.21 cm)
WEIGHT: 2.4 oz. (68g) // 3.3 oz. (94g) with Helmet Mount
COLOR: Coyote

	HIGH CR123A	HIGH "AA" LITHIUM	HIGH "AA" ALKALINE
LUMENS:	55	47	47
CANDELA:	1,175	1,000	1,000
DISTANCE:	69m	63m	63m
RUN TIME:	6h	6h	2h



Military Model



Aviation Model



Rescue Model

ITEM #	DESCRIPTION	COO	TAA
MILITARY MODEL [WHITE, RED, BLUE, IR LEADS]			
14512	Sidewinder Compact II Military - Includes helmet mount, headstrap and (1) CR123A lithium battery - Clam	US	YES
14513	Sidewinder Compact II Military - Includes E-mount, headstrap and (1) CR123A lithium battery - Box	US	YES
14515	Sidewinder Compact II Military - Includes NVG mount (works w/ DoD, NATO & ISAF combat helmets) and (1) CR123A battery - Box	US	YES
AVIATION MODEL [WHITE, GREEN, BLUE, IR LEADS]			
14531	Sidewinder Compact II Aviation - Includes rail mount, headstrap and (1) CR123A lithium battery - Clam	US	YES
14533	Sidewinder Compact II Aviation - NVG mount (works with HGU-84 rotary wing aircrew helmet) and (1) "AA" alkaline battery - Box	US	YES
RESCUE MODEL [WHITE, GREEN, BLUE, IR LEADS WITH DIFFUSER]			
14534	Sidewinder Compact II Rescue - Includes (1) "AA" alkaline and CR123A battery - Box	US	YES

SIDEWINDER BOOT®

	HIGH	LOW
LUMENS:	55	7
CANDELA:	1,000	140
DISTANCE:	63m	24m
RUN TIME:	8h	90h

The Sidewinder Boot is the standard light for boot camp, recruit/basic training and wherever extra military instruction occurs. It's a durable hands-free task light that features a high-impact, super-tough, polymer case that offers exceptional durability and weather resistance. It's IPX7-rated and 1m drop tested and includes an integrated red filter that slides into place when needed.

BATTERY: (2) "AA" Alkaline; also accepts "AA" lithium
SIZE: 1.86" x 0.96" x 4.29" (4.72 x 2.44 x 10.9 cm)
WEIGHT: Alkaline: 3.52 oz. (100g) // Lithium: 2.88 oz. (82g)
COLOR: Coyote

ITEM #	DESCRIPTION
14975	Sidewinder Boot - Includes (2) "AA" alkaline batteries



"Slide-in-Place" Red Filter

Durable belt/clothing clip with integral helmet mount features

Battery polarity indicator for easy replacement in the dark

SIDEWINDER ACCESSORIES

DESCRIPTION	SIDEWINDER X	SIDEWINDER	SIDEWINDER COMPACT II	SIDEWINDER STALK	SIDEWINDER BOOT
Helmet Clip - Black 	-	-	-	14303	-
Arc Rail Clip - Coyote 	-	-	-	14304	-
Hook and Loop Adapter Plate - Coyote 	-	-	-	14305	-
Helmet Mount - Coyote 	14055	14055	14055	14055	14055
Rail Mount for Helmet - Coyote 	14057	14057	14057	14057	14057
Hook and Loop Mount 	14073	14073	14073	14073	14073
Contour ARC Rail Mount 	14114	14114	14114	14114	14114
Sidewinder High Offset ARC Mount 	14115	14115	14115	14115	14115
Night Vision Goggle Mount - Tactical (works with DoD, NATO, & ISAF combat helmets) 	14155	14155	14155	14155	14155
Night Vision Goggle Mount - Aviation (works with HGU-84 rotary wing aircrew helmets) 	14135	14135	14135	14135	14135
Safety Wand - Glow in the dark 	14902	14902	14902	-	-
Elastic Headstrap 	-	-	14059	-	14059
E-Mount (ACH, ECH, MICH, LWH compatible) 	14136	14136	14136	14136	14136
E-Mount (Includes E-Mount, MOLLE Retainer and paracord) 	14137	14137	14137	-	14137
Paracord 	14138	14138	14138	-	14138
Sidewinder Rescue Kit (Includes MOLLE Retainer and paracord) 	14139	14139	14139	-	14139
Helmet Mount Kit - Helmet Mount, Headstrap, and MOLLE plate 	14112	14112	14112	-	14112
Rail Mount Kit - Rail Mount, Headstrap and MOLLE plate 	14113	14113	14113	-	14113
MOLLE Retainer Replacement 	14030	14030	-	-	-
CR123A Batteries 	2 PK - 85175 // 6 PK - 85180 12 PK - 85177 // 400 PK - 85179				




STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a work site. Our choices of beam types, light output and run time ensures you'll be able to find exactly the light you need.

SPOT / FLOOD

MODELS

KEY ATTRIBUTES:
Multi-Function
Task Lighting
General Use
Multi-Purpose



RECHARGEABLE

USB HAZ-LO Headlamp
Double Clutch USB
Twin-Task USB Headlamp
Enduro Pro USB


NON - RECHARGEABLE

Double Clutch Alkaline
Trident - Div. 2
Enduro Pro
Enduro Pro HAZ-LO

FLOOD

MODELS

KEY ATTRIBUTES:
Arm's Length
Task Lighting
Wide, Smooth Light



RECHARGEABLE

Bandit
ProTac HL USB Headlamp
ProTac 2.0 Headlamp


NON - RECHARGEABLE

Bandit Pro
Septor - Div. 2
ProTac HL Headlamp

SPOT

MODELS

KEY ATTRIBUTES:
Down Range
Long Distance



RECHARGEABLE

NON - RECHARGEABLE

Argo - Div. 2
3AA HAZ-LO Headlamp
Enduro

SPECIALTY / COLOR LEDs

MODELS

KEY ATTRIBUTES:
Preserve Night Vision
Won't Spook Game

RECHARGEABLE

Bandit
Bandit Pro

NON - RECHARGEABLE

Enduro Pro
Green Trident

PROTAC HL HEADLAMPS

DELIVERING HIGH-LUMEN PERFORMANCE AND LONG-RANGE LIGHTING

PROTAC® 2.0 HEADLAMP

	HIGH	MEDIUM	LOW
LUMENS:	2,000	650	110
CANDELA:	14,500	4,200	750
DISTANCE:	241m	130m	55m
RUN TIME:	2.25h	4.5h	25h



Metal sleeve protects the USB-C port. Slide to the right to access.

SL-B50 charges in the light directly via USB-C port battery pack. Charges in 6 hours



The high-performance ProTac 2.0 headlamp produces 2,000 lumens without sacrificing run time. Powered by an SL-B50® protected Li-Ion rechargeable battery pack with onboard safety control circuit that charges inside the light using a USB-C cord. TEN-TAP® Programmable switch. IP64-rated; dust-tight and water resistant.

BATTERY: SL-B50 protected Li-Ion USB battery pack
SIZE: 4.92" x 1.46" x 2.56" (12.5 x 3.7 x 6.5 cm)
WEIGHT: 10.48 oz. (297g)
COLOR: Black

ITEM #	DESCRIPTION
89001	ProTac 2.0 Headlamp - Includes SL-B50 battery pack, USB-C cord, elastic and rubber straps
22111	SL-B50 Battery Pack - 1pk
22112	SL-B50 Battery Pack - 2pk
22084	USB-C Cord - 22" (55.88 cm)



STREAMLIGHT HEADLAMP SERIES

BANDIT®

Ultra lightweight, weather-resistant headlamp provides 180 lumens of widespread light. It features a large button for easy actuation, and a lithium polymer USB rechargeable battery. A hat clip adapter lets you attach the light on the brim of your hat or to add additional downward adjustability.

BATTERY: Rechargeable lithium polymer
SIZE: 2.7" x 0.75" x 1.13" (6.85 x 1.9 x 2.87 cm)
WEIGHT: 1.3 oz. (36.8g)
COLOR: Yellow, Black or Coyote

WHITE LED	HIGH	LOW
LUMENS:	180	35
RUN TIME:	2h	9.5h
EMERGENCY FLASH - 180 LUMENS		

Yellow & Black Models: White LED



GREEN LED	HIGH	LOW
LUMENS:	135	25
RUN TIME:	3h	13.5h
RED LED	HIGH	LOW
LUMENS:	45	10
RUN TIME:	2.5h	10h

Coyote Models: White/Red LED
 White/Green LED

ITEM #	DESCRIPTION
61700	Bandit - Includes micro-USB cord - Yellow
61702	Bandit - Includes micro-USB cord - Black
61706	Bandit - Includes micro-USB cord - Coyote with Red LED
61707	Bandit - Includes micro-USB cord - Coyote with Green LED



Includes a snap-in hat clip adapter

BANDIT® PRO

The Bandit Pro is an ultra-lightweight, weather-resistant, personal area/work light featuring a large, easy-to-use push button and a lithium polymer rechargeable battery. It includes a snap-in clip adapter to attach the light to the visor on a hat and it also adds additional downward adjustability. High, low and emergency flash modes. Battery life indicator: with approx. 5 minutes of remaining run time, light enters a sequence of blinking three times and remaining on for 30 seconds until it shuts off.

	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4.5h	21h
EMERGENCY FLASH - 180 LUMENS		



Multi-function push-button switch with charge indicator shines red when charging and green when charged

BATTERY: Rechargeable lithium polymer
SIZE: 2.7" x 0.97" x 1.13" (6.85 x 2.46 x 2.87 cm)
WEIGHT: 1.6 oz. (45.4g)
COLOR: Yellow or Black



ITEM #	DESCRIPTION
61710	Bandit Pro - Includes micro-USB cord - Yellow
61714	Bandit Pro - Includes micro-USB cord - Black

ENDURO® PRO

This low-profile headlamp has multiple modes to cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. 45° tilting head design. IPX4-rated; water-resistant.

BATTERY: (3) "AAA" alkaline or lithium
SIZE: 1.85" x 2.19" x 1.45" (4.70 x 5.56 x 3.68 cm)
WEIGHT: 3.4 oz. (96.38g)
COLOR: Yellow or Coyote

ITEM #	DESCRIPTION
61420	Enduro Pro - Includes (3) AAA batteries, elastic headstrap - Clam - Yellow
61421	Enduro Pro - Includes (3) AAA batteries, elastic headstrap - Box - Yellow
61425	Enduro Pro - Includes (3) AAA batteries, elastic headstrap - Clam - Coyote

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h



ENDURO® PRO USB

Save money over the cost of standard batteries with the Enduro Pro USB rechargeable headlamp. You'll always have the light you need with spot and flood beams, each with high, medium and low modes. Spot gives you a bright, focused beam and flood gives you soft, area illumination that won't tire your eyes on a long job.

BATTERY: Lithium polymer cell
SIZE: 1.85" x 2.19" x 1.7" (4.70 x 5.56 x 4.32 cm)
WEIGHT: 3.6 oz. (102g)
COLOR: Yellow

ITEM #	DESCRIPTION
61435	Enduro Pro USB - Includes USB cord, elastic head strap

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	90	25
CANDELA:	2,080	890	250
DISTANCE:	91m	60m	32m
RUN TIME:	6.25h	19h	48h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	145	50	15
CANDELA:	220	80	30
DISTANCE:	30m	18m	11m
RUN TIME:	7h	21h	48h



MICROSTREAM®

The MicroStream is a compact light, allowing you to discreetly carry it in your pocket or clip it to a hat for hands-free use.

BATTERY: (1) "AAA" alkaline
SIZE: 3.6" x 0.6" (9.14 x 1.5 cm)
WEIGHT: 1.1 oz. (31.2g)
COLOR: Black

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2.25h



Clip onto hat for hands-free use

ITEM #	DESCRIPTION
66318	MicroStream - Includes alkaline battery and lanyard

MICROSTREAM® USB

The MicroStream USB is small enough for you to discreetly keep it in your pocket, or clip it to a hat for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source. To charge it, slide the head cover forward to expose the micro-USB port.

BATTERY: Lithium-ion
SIZE: 3.87" x 0.61" (9.83 x 1.56 cm)
WEIGHT: 1.2 oz. (34.1g)
COLOR: Black or Coyote

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1.5h	3.5h



Sliding metal sleeve protects micro USB port

ITEM #	DESCRIPTION
66601	MicroStream USB - Includes USB cord and lanyard - Clam - Black
66604	MicroStream USB - Includes USB cord and lanyard - Box - Black
66608	MicroStream USB - Includes USB cord and lanyard - Clam - Coyote
66609	MicroStream USB - Includes USB cord and lanyard - Box - Coyote
66607	Lithium-ion Battery - MicroStream USB
22070	USB Cord 40" (101.6 cm)
22071	120V AC USB Cord

MACROSTREAM® USB

High-powered, ultra-compact, lithium-ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4-rated; water-resistant.

BATTERY: Lithium-ion
SIZE: 4.50" x 0.83" (11.43 x 2.1 cm)
WEIGHT: 2.2 oz. (62.4g)
COLOR: Black

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,000	220
DISTANCE:	90m	30m
RUN TIME:	2h	8h



Clip onto hat for hands-free use



Metal sleeve protects charge port; slide sleeve forward to reveal charge port

ITEM #	DESCRIPTION
66320	MacroStream USB - Includes USB cord - Clam
66321	Lithium-ion Battery - MacroStream USB
22070	40" (101 cm) USB Cord
22081	22" (55.88 cm) USB Cord

MEGASTREAM® USB

EDC LIGHT OFFERING A POWERFUL MIX OF LUMENS, CANDELA AND VERSATILITY



MEGASTREAM® USB // NEW

Ultra-bright, rechargeable light that combines intense brightness with long-distance beam reach, making it a “flame thrower” in your pocket. Powered by our new SL-B34® battery pack, it fully recharges in 5 hours. Hot-swappable battery - charge the battery pack inside or outside of the flashlight. Swap in a fully charged spare without missing a beat, ensuring you are never left in the dark. Durable aluminum construction; IPX7-rated; waterproof to 1m for 30 minutes.

	HIGH	MEDIUM	LOW
LUMENS:	1,800	500	150
CANDELA:	26,000	7,200	2,100
DISTANCE:	322m	170m	92m
RUN TIME:	2h	3.5h	13h

BATTERY: (1) SL-B34 rechargeable battery pack

SIZE: 5.3" x 1.1" (13.4 x 2.8 cm)

WEIGHT: 5.4 oz. (152g)

COLOR: Black



ITEM #	DESCRIPTION
66210	MegaStream USB - Includes (1) SL-B34 battery pack, nylon holster and USB-C cord
22131	SL-B34 Lithium-ion Rechargeable Battery Pack

STREAMLIGHT JR.® LED

This is a classic personal light featuring a 2 AA-sized aluminum body with non-slip knurled grip. It's brighter than most traditional 2AA flashlights, and it also has good beam distance capability. It's small enough to fit easily on your belt or tuck into a tool box when you go out on inspections and perform repairs.

LUMENS:	225
CANDELA:	2,700
DISTANCE:	104m
RUN TIME ALK:	6h
RUN TIME LITH:	10h

BATTERY: (2) "AA" alkaline or lithium
SIZE: 6.5" x 1" x 0.73" (16.51 x 2.54 x 1.85 cm)
WEIGHT: 4.1 oz. (117g)
COLOR: Black



Nylon Holster

ITEM #	DESCRIPTION
71500	Streamlight Jr. LED - Includes alkaline batteries
71503	Nylon Holster

STREAMLIGHT JR. F-STOP®

The Streamlight Jr. F-Stop is a work light that fits in your pocket. It provides a smooth flood beam to illuminate your work area without tiring your eyes. Slide the lens forward for a smooth transition to a spot beam for distance lighting.

	FLOOD	SPOT
LUMENS:	250	220
CANDELA:	360	5,600
DISTANCE:	38m	150m
RUN TIME ALK:	6h	6h
RUN TIME LITH:	10h	10h

BATTERY: (2) "AA" alkaline or lithium
SIZE: 6.5" x 1.12" x 0.75" (16.51 x 2.84 x 1.90 cm)
WEIGHT: 4.4 oz. (125g)
COLOR: Black



CLAM	BOX	DESCRIPTION
71700	71701	Streamlight Jr. F-Stop - Includes alkaline batteries
	71503	Nylon Holster

**STYLUS PRO® USB UV
STYLUS PRO® USB**

The Stylus Pro USB features a slim profile to fit in your pocket so you can take it with you wherever you go. Perfect for inspections, reading work orders or completing paperwork. IPX4-rated; water-resistant.

The Stylus Pro USB UV features a 400nm UV LED that is ideal for HVAC leak detection, forensic investigations or identifying fraudulent documents.

BATTERY: Lithium-ion
SIZE: 5.95" x 0.63" (15.1 x 1.6 cm)
WEIGHT: 1.8 oz. (51g)
COLOR: Black

ITEM #	DESCRIPTION
66133	Stylus Pro USB - 120V AC - Includes holster
66134	Stylus Pro USB - Includes micro USB cord and holster
66148	Stylus Pro USB UV - 120V AC - Includes holster
66149	Stylus Pro USB UV - Includes Micro USB cord and holster
66029	Nylon Holster
22070	USB Cord
22071	120V AC USB Cord

WHITE LED	HIGH	LOW
LUMENS:	350	90
CANDELA:	2,950	840
DISTANCE:	109m	58m
RUN TIME:	1.5h	3.5h



Sliding metal sleeve protects micro USB port

400NM UV LED	
OUTPUT:	250mW
RUN TIME:	2.5h



Sliding metal sleeve protects micro USB port

STYLUS®

This bright, long-running LED penlight has a long battery life, and goes anywhere you need it. IPX4-rated; water-resistant. Removable pocket clip.

WHITE LED	
LUMENS:	11
CANDELA:	140
DISTANCE:	24m
RUN TIME:	24h



BATTERY: (3) "AAAA" alkaline
SIZE: 6.21" x 0.375" (15.17 x 0.95 cm)
WEIGHT: 1.1 oz. (31g)
COLOR: Black

ITEM #	DESCRIPTION	COO	TAA
65018	Stylus - Black - White LED	US	Yes
65030	AAAA alkaline batteries - 6pk	---	---
65031	Glare Guard	---	---
65905	Nylon Holster	---	---
72024	Lanyard with push-button slide	---	---

STYLUS PRO®

Compact size, durable construction and optimum beam output make this an ideal light for multiple tasks. Unbreakable lens. O-ring sealed. IPX4-rated; water-resistant. 1m impact-resistance tested. Removable pocket clip.

LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h



BATTERY: (2) "AAA" alkaline
SIZE: 5.3" x 0.6" (13.4 x 1.5 cm)
WEIGHT: 1.64 oz. (46.9g)
COLOR: Black

ITEM #	DESCRIPTION
66118	Stylus Pro - Includes alkaline batteries

POCKET MATE®

The USB rechargeable Pocket Mate is small in size but big on power producing 325 lumens. Conveniently fits in your pocket and clips to your jacket or hat for hands-free use. Spring-loaded clip with carabiner shape hangs cleanly on key ring, zipper, etc. Recharges in four hours. IPX4-rated; weather-resistant.



Multi-function push-button switch with charger indicator LED:
Red = charging; Green = charged



	HIGH	LOW
LUMENS:	325	45
CANDELA:	1,450	200
DISTANCE:	76m	28m
RUN TIME:	20 min	1h

BATTERY: Lithium polymer
SIZE: 2" x 0.5" (5.1 x 1.27 cm)
WEIGHT: 0.5 oz. (14.2g)
COLOR: Silver, Red, Blue, Pink

ITEM #	DESCRIPTION
73300	Pocket Mate - Includes micro USB cord - Box - Silver
73301	Pocket Mate - Includes micro USB cord - Box - Red
73302	Pocket Mate - Includes micro USB cord - Box - Blue
73303	Pocket Mate - Includes micro USB cord - Box - Pink



Pocket clip attaches to visor for hands-free use





WHITE LED	HIGH	LOW	RED LED	HIGH	LOW
LUMENS:	70	10	LUMENS:	.5	.2
CANDELA:	500	50	CANDELA:	9	3
DISTANCE:	44m	14m	DISTANCE:	6m	3m
RUN TIME:	3.5h	24h	RUN TIME:	16h	65h

CLIPMATE® USB

This multi-function light clips to pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adapter. IPX4 water-resistant. 1 meter impact-resistance tested.



Flexible, extension cable targets the beam where you need it

BATTERY: Lithium polymer cell
SIZE: 3.20" x 1.39" x 0.65" (8.1 x 3.5 x 1.7 cm)
WEIGHT: 1.9 oz. (53.8g)
COLOR: Black

Dual LEDs:
 High-intensity white LED
 Night vision red LED

ITEM #	DESCRIPTION
61125	ClipMate USB - Light only
61126	ClipMate USB - 120V AC
22058	120V AC Wall Adapter

NANO LIGHT® II **NEW**

The ultra-compact Nano Light II light provides steady, bright light for one hour of run time with a single AAAA alkaline battery. Easily attaches to key rings and zippers and fits in your pocket without taking up a lot of space.

BATTERY: (1) AAAA alkaline battery
SIZE: 2.2" x 0.6" (5.7 x 1.4 cm)
WEIGHT: 0.6 oz. (18g)
COLOR: Black

LUMENS:	20
CANDELA:	120
DISTANCE:	22m
RUN TIME:	1h



ITEM #	DESCRIPTION
73020	Nano Light II - Includes (1) "AAAA" alkaline battery
65030	AAAA Batteries - 6 Pack



Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A. 19403-3996

streamlight.com // streamlightgear.com
(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax



NFPA®



©2025 Streamlight, Inc. ISO 9001:2015 certified 991166 Rev E 1/25 asi/89871

All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.