

PROTAC® RAIL MOUNT HP-X PRO HIGH CANDELA LONG GUN LIGHT


ProTac Rail Mount HP-X Pro – Includes M-LOK® mount, mounting hardware, straight momentary pressure switch, and two CR123A batteries – Box.....#89015
 ProTac Rail Mount HP-X Pro USB – Includes M-LOK® mount, mounting hardware, straight momentary pressure switch, SL-B26® batt pk and USB cord – Box.....#89016
 ProTac Rail Mount HP-X Pro - Light Only – Includes M-LOK® and two CR123A batteries – Box.....#89017
 ProTac Rail Mount HP-X Pro USB - Light Only – Includes M-LOK®, SL-B26 battery pack and USB Cord – Box#89018

	HIGH	LOW
LUMENS	800	55
CANDELA	105,000	7,600
DISTANCE	648m	174m
RUN TIME (SL-B26)	2 hrs	26 hrs
RUN TIME (CR123A)	1.5 hrs	18 hrs

Strobe runs 3.5 hours (SL-B26)
 runs 2.5 hours (CR123A)

- TEN-TAP® programming allows for selection of three different operating programs: 1) high/strobe 2) high only 3) low/high
- Jack-Cap® tail switch features a push-button switch and a port for a remote pressure switch for operational switch redundancy
- Waterproof without remote switch installed; water-resistant with remote pressure switch installed
- Multi-Fuel: Uses one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack; also accepts two CR123A lithium batteries

PROTAC® 2.0 RAIL MOUNT HP HIGH CANDELA/HIGH LUMEN LONG GUN LIGHT


ProTac 2.0 Rail Mount HP - Includes M-LOK® mount, mounting hardware, straight momentary pressure switch, USB cord, SL-B50® battery pack#89014
 ProTac 2.0 Rail Mount HP - Light only - Includes M-LOK® mount, USB cord, SL-B50® battery pack#89018

	HIGH	LOW
LUMENS	2,000	250
CANDELA	85,000	11,500
DISTANCE	583m	214m
RUN TIME	2.5 hrs	11 hrs

Strobe runs 4.5 hours

- TEN-TAP® programming allows for selection of three different operating programs: 1) high/strobe 2) high only 3) low/high
- Tail switch features a push-button switch and a port for a remote pressure switch for operational switch redundancy
- Waterproof without remote switch installed; water-resistant with remote pressure switch installed

TLR® RM 1 HL-X MULTI-FUEL HIGH CANDELA LONG GUN LIGHT



TLR RM 1 HL-X - System - Includes remote pressure switch, key kit, SL-B9® battery pack and USB cord#69483
 TLR RM 1 HL-X - Light Only - Includes key kit, SL-B9® battery pack and USB cord#69484

	SL-B9	CR123A
LUMENS	1,000	500
CANDELA	22,000	11,000
DISTANCE	297m	210m
RUN TIME	30 min	1.5 hrs

- Produces a longer reaching, tighter beam - provides more candela while maintaining the lumen output
- Independently operating push-button switch or remote pressure switch
 - Remote pressure switch exits at 90° providing improved wire routing option while preserving rail space
- Multi-Fuel: uses one SL-B9® USB rechargeable lithium-ion battery pack or one CR123A lithium battery
- “Safe off” feature prevents accidental activation, saves batteries
- Front loading battery
- Kit includes everything you need to mount to your long gun (remote pressure switch kit, key kit)
- Waterproof

Beam Patterns Explained

Choosing the best gun light means pairing the right beam with your needs. Streamlight's range of gun lights offers Traditional, High Lumen, and High Candela options, each designed with features tailored to different tactical applications. Whether you need wide area visibility, a powerful pinpoint beam, or a mix of both, Streamlight has a solution to keep you ready for any challenge.



Traditional Beam Pattern: Designed for versatile, multi-purpose use, these lights offer exceptional value across a wide range of lighting needs.

Performance Characteristics	Traditional Product
<ul style="list-style-type: none"> Optimal balance of candela and lumens - the beam pattern most people expect out of a quality flashlight Very good all-around use, broadest range of lighting applications Good focus and arc/periphery light Longest regulated run times 	<ul style="list-style-type: none"> TLR-1®/TLR-1® s TLR-2®/TLR-2® s TLR-3® TLR-4® TLR-6® TLR-7® X Series TLR-8® X Series TLR-9® TLR-10® Series ProTac® Rail Mount 1 ProTac® Rail Mount 2

High Lumen Beam Pattern: Delivers maximum brightness with a wide beam pattern, ensuring full situational awareness. Perfect for illuminating smaller spaces where intense light is essential without requiring long-range reach.

Performance Characteristics	High Lumen Product
<ul style="list-style-type: none"> High lumen beam Maximum illumination - a broader beam pattern with a wider center spot Shorter regulated run time More glare/bounce back 	<ul style="list-style-type: none"> TLR-1 HL® TLR-1 HL®-X TLR-2 HL® Series TLR-6 HL® Series ProTac® Rail Mount HL-X Series ProTac® 2.0 Rail Mount

High Candela Beam Pattern: Delivers powerful, long-distance beams with high-lumen output - perfect for down-range applications requiring precision and clarity.

Performance Characteristics	High Candela Product
<ul style="list-style-type: none"> High-candela beam Casts a wide, bright beam with a tight, focused center spot for greater down-range light More light on your target at a distance 	<ul style="list-style-type: none"> TLR-1 HPL® TLR-7® HL-X Series TLR-8® HL-X Series TLR® RM 1 Series TLR® RM 2 Series ProTac® 2.0 Rail Mount HP ProTac® Rail Mount HP-X Pro

TLR-1 HL[®]-X MULTI-FUEL, HIGH-LUMEN GUN LIGHT

TLR-1 HL-X – Includes rail locating keys and two CR123A lithium batteries – Black#69500
 TLR-1 HL-X USB – Includes rail locating keys, two SL-B9 battery packs, and USB-C cord – Black.....#69501



	SL-B9	CR123A
LUMENS	1,500	1,000
CANDELA	20,000	15,000
DISTANCE	283m	245m
RUN TIME	1 hr	1.5 hrs

- Multi-Fuel: uses two SL-B9[®] battery packs or CR123A lithium batteries
- Features a hinged face cap for quick and easy front-loaded battery changes without removing the light from the firearm
- User-interchangeable switches
- Waterproof

TLR-7[®] HL-X USB MULTI-FUEL, HIGH-LUMEN, HIGH-CANDELA GUN LIGHT

TLR-7 HL-X USB -Includes mounting kit with key, multi-tool, interchangeable switches one SL-B9 battery pack and USB-C cord - Black.....#69458
 TLR-7 HL-X USB - Includes mounting kit with key, multi-tool, interchangeable switches one SL-B9 battery pack and USB-C cord - FDE#69459




	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,000	500	500
CANDELA	22,000	11,000	11,000
DISTANCE	297m	210m	210m
RUN TIME	30 min	1 hr	1.5 hrs

- Multi-Fuel: uses SL-B9[®] battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Waterproof

TLR-8[®] HL-X USB MULTI-FUEL, HIGH-LUMEN, HIGH-CANDELA GUN LIGHT WITH RED LASER

TLR-8 HL-X USB – Includes mounting kit with key, multi-tool, interchangeable switches one SL-B9 battery pack and USB-C cord - Black.....#69465




	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,000	500	500
CANDELA	22,000	11,000	11,000
DISTANCE	297m	210m	210m
RUN TIME	30 min	1 hr	1.5 hrs

Laser only: runs 29 hours

- Multi-Fuel: uses SL-B9[®] battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

TLR-8[®] HL-X G USB MULTI-FUEL, HIGH-LUMEN, HIGH-CANDELA GUN LIGHT WITH GREEN LASER

TLR-8 HL-X G USB – Includes mounting kit with key, multi-tool, interchangeable switches, one SL-B9 battery pack and USB-C cord - Black.....#69475



	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,000	500	500
CANDELA	22,000	11,000	11,000
DISTANCE	297m	210m	210m
RUN TIME	30 min	1 hr	1.5 hrs

Laser only: runs 10 hours

- Multi-Fuel: uses SL-B9[®] battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

TLR-7® HL-X SUB MULTI-FUEL, ULTRA-COMPACT GUN LIGHT FOR SUBCOMPACT RAILED PISTOLS



HIGH CANDELA BEAM PATTERN



- TLR-7 HL-X sub USB (GLOCK® 43X/48 MOS | 43X/48 Rail) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord#69503
- TLR-7 HL-X sub USB (SIG SAUER® P365®/XL closed rail systems*) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C#69504
- *Does not fit the P365® XMACRO*
- TLR-7 HL-X sub USB (or 1913 short model) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord#69505
- TLR-7 HL-X sub USB (for Springfield Armory® Hellcat®) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord.....#69506

	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,000	500	500
CANDELA	10,000	5,000	5,000
DISTANCE	200m	141m	141m
RUN TIME	30 min	1 hr	1.5 hrs

- Multi-Fuel: uses SL-B9® battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Waterproof

TLR-8® HL-X SUB MULTI-FUEL, ULTRA-COMPACT GUN LIGHT WITH RED LASER FOR SUBCOMPACT RAILED PISTOLS



HIGH CANDELA BEAM PATTERN



- TLR-8 HL-X sub USB (GLOCK® 43X/48 MOS | 43X/48 Rail) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord#69466
- TLR-8 HL-X sub USB (SIG SAUER® P365®/XL closed rail systems*) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C#69467
- *Does not fit the P365® XMACRO*
- TLR-8 HL-X sub USB (or 1913 short model) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord#69468
- TLR-8 HL-X sub USB (for Springfield Armory® Hellcat®) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord.....#69469

	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,000	500	500
CANDELA	10,000	5,000	5,000
DISTANCE	200m	141m	141m
RUN TIME	30 min	1 hr	1.5 hrs

Laser only: runs 29 hours

- Multi-Fuel: uses SL-B9® battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

TLR-8® HL-X G SUB MULTI-FUEL, ULTRA-COMPACT GUN LIGHT WITH GREEN LASER FOR SUBCOMPACT RAILED PISTOLS



HIGH CANDELA BEAM PATTERN



- TLR-8 HL-X G sub USB (GLOCK® 43X/48 MOS | 43X/48 Rail) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord#69476
- TLR-8 HL-X G sub USB (SIG SAUER® P365®/XL closed rail systems*) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord.....#69477
- *Does not fit the P365® XMACRO*
- TLR-8 HL-X G sub USB (or 1913 short model) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord#69478
- TLR-8 HL-X G sub USB (for Springfield Armory® Hellcat®) - Includes mounting kit with key, multi-tool, one SL-B9 battery pack and USB-C cord.....#69479

	SL-B9 (DEFAULT)	SL-B9 (PROGRAMMABLE)	CR123A
LUMENS	1,000	500	500
CANDELA	10,000	5,000	5,000
DISTANCE	200m	141m	141m
RUN TIME	30 min	1 hr	1.5 hrs

Laser only: runs 10 hours

- Multi-Fuel: uses SL-B9® battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

TLR-8[®] X MULTI-FUEL, LOW-PROFILE GUN LIGHT WITH RED LASER

TLR-8 X - Includes interchangeable switches, CR123A lithium battery and key kit - Box.....#69414



LUMENS	500
CANDELA	5,000
DISTANCE	141m
RUN TIME (CR123A)	1.5 hrs
RUN TIME (SL-B9)	1 hr

Laser only (CR123A): runs 60 hours
Laser only (SL-B9): runs 36 hours

- Multi-Fuel: uses SL-B9[®] battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

TLR-8[®] X G MULTI-FUEL, LOW-PROFILE GUN LIGHT WITH GREEN LASER

TLR-8 X G - Includes interchangeable switches, CR123A lithium battery and key kit - Box.....#69434



LUMENS	500
CANDELA	5,000
DISTANCE	141m
RUN TIME (CR123A)	1.5 hrs
RUN TIME (SL-B9)	1 hr

Laser only: runs 11 hours

- Multi-Fuel: uses SL-B9[®] battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

TLR-8[®] X SUB MULTI-FUEL, ULTRA-COMPACT GUN LIGHT WITH RED LASER FOR SUBCOMPACT RAILED PISTOLS

TLR-8 X sub (for GLOCK[®] 43X/48 MOS | GLOCK[®] 43X/48 RAIL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69411

TLR-8 X sub (for SIG SAUER[®] P365[®]/XL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69417

**Does not fit the P365[®] XMACRO*

TLR-8 X sub (for 1913 short models) - Includes mounting kit with keys, CR123A lithium battery - Box.....#69418

TLR-8 X sub (for Springfield Armory[®] Hellcat[®]) - Includes mounting kit with key, CR123A lithium battery - Box.....#69419



LUMENS	500
CANDELA	5,000
DISTANCE	141m
RUN TIME (CR123A)	1.5 hrs
RUN TIME (SL-B9)	1 hr

Laser only (CR123A): runs 60 hours
Laser only (SL-B9): runs 36 hours

- Multi-Fuel: uses SL-B9[®] battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

TLR-8[®] X G SUB MULTI-FUEL, ULTRA-COMPACT GUN LIGHT WITH GREEN LASER FOR SUBCOMPACT RAILED PISTOLS

TLR-8 X G sub (for GLOCK[®] 43X/48 MOS | GLOCK[®] 43X/48 RAIL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69431

TLR-8 X G sub (for SIG SAUER[®] P365[®]/XL) - Includes mounting kit with key, CR123A lithium battery - Box.....#69437

**Does not fit the P365[®] XMACRO*

TLR-8 X G sub (for 1913 short models) - Includes mounting kit with keys, CR123A lithium battery - Box.....#69438

TLR-8 X G sub (for Springfield Armory[®] Hellcat[®]) - Includes mounting kit with key, CR123A lithium battery - Box.....#69439



LUMENS	500
CANDELA	5,000
DISTANCE	141m
RUN TIME (CR123A)	1.5 hrs
RUN TIME (SL-B9)	1 hr

Laser only: runs 11 hours

- Multi-Fuel: uses SL-B9[®] battery pack or CR123A lithium battery
- Front-loading battery
- “Safe off” feature prevents accidental activation, saves batteries
- Interchangeable paddle switches
- Water-resistant

MEGASTREAM® USB POWERFUL AND COMPACT RECHARGEABLE EDC FLASHLIGHT



MegaStream USB - Includes USB-C cord and nylon holster - Black#66210

	HIGH	MEDIUM	LOW
LUMENS	1,800	500	150
CANDELA	26,000	7,200	2,100
DISTANCE	322m	170m	92m
RUN TIME	2 hrs	3.5 hrs	13 hrs

- Lithium-ion battery charges in 5 hours
- Hot-swappable battery capability lets you keep going—charge one battery while using another, so you always have a fully charged backup
- Durable, anodized machined aluminum construction
- Metal sleeve protects charge port; slide sleeve back to reveal charge port
- Waterproof

WEDGE® COMPACT, RECHARGEABLE EDC FLASHLIGHT



Wedge - Includes USB-C cord and lanyard - Orange#88820

Wedge - Includes USB-C cord and lanyard - Lime Green#88821

	THRO	CONSTANT ON
LUMENS	1,000	300
CANDELA	3,000	1,200
DISTANCE	110m	69m
RUN TIME	35 sec	3 hrs

- Two lighting modes: Constant on and THRO® mode for maximum brightness
- Thin, ergonomic design fits comfortably in your hand and provides clean pocket carry – Grooved for a sure grip
- Rotatable switch with battery level/charge indicator
- USB-C rechargeable; recharges in 3 hours
- Durable, anodized aluminum construction; tempered glass lens
- Waterproof

WEDGE® XT COMPACT, RECHARGEABLE EDC FLASHLIGHT



Wedge XT - Includes USB-C cord and lanyard - Silver#88819

	HIGH	LOW
LUMENS	500	50
CANDELA	1,900	200
DISTANCE	87m	28m
RUN TIME	2 hrs	11 hrs

- USB rechargeable; recharges in 6 hours
- FIVE-TAP® lockout of the switch prevents the light from turning on inside your pocket or bag
- TEN-TAP® programmable – choose from two operating modes: High/low (factory default) or low/high
- Durable, anodized aluminum construction; polycarbonate lens
- Waterproof

NANO® LIGHT II COMPACT, RECHARGEABLE EDC FLASHLIGHT



Nano Light II - Includes one “AAAA” alkaline battery - Black#73020

LUMENS	20
CANDELA	120
DISTANCE	22m
RUN TIME	1 hr

- Rotating on/off head switch
- Non-rotating snap hook for easy one-handed operation
- Durable anodized aluminum construction
- Waterproof
- Length: 2.2 in (5.7 cm); Weight: 0.6 oz (18g)

PROTAC[®] 2AA-X MULTI-FUEL PERSONAL CARRY TACTICAL FLASHLIGHT



ProTac 2AA-X USB - Includes holster, lithium polymer battery pack and USB-C cord - Black	#88135
ProTac 2AA-X USB - Includes holster, lithium polymer battery pack and USB-C cord - Coyote	#88137
ProTac 2AA-X - Includes holster and 2 "AA" alkaline batteries - Black	#88033
ProTac 2AA-X - Includes holster and 2 "AA" alkaline batteries - Coyote	#88072

LITHIUM POLYMER	HIGH	LOW
LUMENS	550	40
CANDELA	10,250	740
DISTANCE	203m	54m
RUN TIME	2.25 hrs	16 hrs
Strobe runs 4.5 hours		
ALKALINE	HIGH	LOW
LUMENS	270	18
CANDELA	5,000	400
DISTANCE	141m	40m
RUN TIME	2.5 hrs	48 hrs
Strobe runs 5 hours		

- TEN-TAP[®] Programmable to allow for selection of operating modes: High/strobe/low (factory default), high only or low/high
- Multi-fuel: Uses rechargeable lithium polymer battery pack; also accepts (2) AA alkaline batteries
- Multi-function push-button tail switch
- Durable, anodized aluminum construction; impact-resistant glass lens
- Waterproof

PROTAC[®] HL 6 RECHARGEABLE, MULTI-FUNCTION FLASHLIGHT



ProTac HL 6 - Includes 120V AC adapter, "Y" USB-C cord and wrist lanyard	#88131
ProTac HL 6 - Includes "Y" USB-C cord and wrist lanyard	#88132

	HIGH	MEDIUM	LOW
LUMENS	5,300	1,500	450
CANDELA	80,000	23,000	6,700
DISTANCE	566m	303m	164m
RUN TIME	2 hrs	3.75 hrs	12.5 hrs
Strobe runs 4 hours			

- Features TEN-TAP[®] programming - Choice of three user-selectable programs:
1) high/strobe/low 2) high only 3) low/medium/high
- Durable, anodized aluminum construction; Anti-roll head design
- Rubber sleeve provides thermal insulation and a sure grip
- Uses two Streamlight SL-B48[®] protected Li-Ion USB-C rechargeable battery packs
- Waterproof

STINGER[®] 2020 S RECHARGEABLE, MULTI-FUNCTION FLASHLIGHT



Stinger 2020 S - 120V AC/12V DC - 1 Holder	#78202
Stinger 2020 S - 230V AC/12V DC - 1 Holder	#78203
Stinger 2020 S - 120V AC/12V DC - PiggyBack	#78201
Stinger 2020 S (WITHOUT CHARGER)	#78200

	HIGH	MEDIUM	LOW
LUMENS	2,000	850	100
CANDELA	25,000	10,000	1,200
DISTANCE	315m	200m	70m
RUN TIME	2 hrs	4 hrs	24 hrs
Strobe runs 3.25 hours			

- Intuitive mode switch for easy selection of high, medium, or low
– "Set and forget it" - no need to cycle through the settings to get to the desired mode
- Features a single head switch
- Uses one protected Li-Ion rechargeable battery pack
– Charges with existing Stinger[®] chargers or via PiggyBack[®] charger
- Aluminum alloy body with ergonomic, anti-roll body design and textured grip
- Waterproof

SIDEWINDER® X MULTI-FUEL MILITARY HELMET LIGHT



- Sidewinder X - UC (User Configurable) Model - Includes (2) "AA" alkaline batteries - Coyote.....#14803
- Sidewinder X Military Model - White, Red, Blue, IR LEDs - Includes E-Mount and (2) "AA" alkaline batteries - Coyote.....#14800
- Sidewinder X Military Model - White, Red, Blue, IR LEDs - Includes (2) "AA" alkaline batteries - Coyote.....#14801
- Sidewinder X Aviation Model - White, Green, Blue, IR LEDs - Includes MOLLE retainer and (2) "AA" alkaline batteries - Coyote.....#14802

WHITE LED	HIGH	MEDIUM 2	MEDIUM 1	LOW
LUMENS	275	80	35	5
CANDELA	3,200	900	400	50
DISTANCE	113m	60m	40m	14m
RUN TIME [AA]	4.75 hrs	13 hrs	30 hrs	150+ hrs
RUN TIME [CR123A]	2.75 hrs	8 hrs	19 hrs	100+ hrs

Strobe runs 10.5 hours [AA]; 5.75 hours [CR123A]

- Features white, IR, and colored LEDs, each with high, medium 2, medium 1, low, and strobe modes
- Available in the following configurations:
 - Military Model – White / Red / Blue / IR LEDs
 - Aviation Model – White / Green / Blue / IR LEDs
 - User Configurable Model – White / 2 LED Color Options (Red, Green, or Blue) / IR LEDs
- Push-button switch; pull-to-turn locking rotary selector knob
- Waterproof
- Uses two AA alkaline batteries (included) or one CR123A lithium battery



MILITARY MODEL



AVIATION MODEL



USER CONFIGURABLE MODEL



IR & Color LEDs					
		IR	RED	BLUE	GREEN
HIGH MODE	LUMENS	12mW	6.5	2.0	8.0
	CANDELA	---	40	12	83
	DISTANCE	---	13m	7m	18m
	RUN TIME Alkaline	40 hrs	50 hrs		
	RUN TIME CR123A	20 hrs	30 hrs		
LOWER MODE RUN TIMES	MED 2 (60%)	130 hrs (AA) 65 hrs (CR123A)	100 hrs (AA) // 70 hrs (CR123A)		
	MED 1 (25%)	330 (AA) 170 hrs (CR123A)	250 hrs (AA) // 150 hrs (CR123A)		
	LOW (5%)	600+ hrs (AA) 300+ hrs (CR123A)	300+ hrs (AA) // 200+ hrs (CR123A)		
	STROBE	100+ hrs (AA) // 50+ hrs (CR123A)			

HIGH OFFSET ARC RAIL MOUNT FOR SIDEWINDER® SERIES

High Offset ARC Rail Mount#14115

- Designed to minimize rail space without interfering with comms equipment and other gear

