

DUALIE® 3AA COLOR-RITE® INTRINSICALLY SAFE FLASHLIGHT WITH COLOR-RITE TECHNOLOGY®



Dualie 3AA Color-Rite - includes 3 "AA" alkaline batteries - Yellow.....#68910

- Intrinsically safe work light featuring a cool white LED and a 90 CRI LED with Streamlight's Color-Rite Technology
 - Three output modes: Spot, flood, spot/flood combo
 - » Spot: 225 lumens; 179m beam; runs 8 hours
 - » Flood: 175 lumens; 39m beam; runs 8.5 hours
 - » Spot/flood combo: 320 lumens; 167m beam; runs 5 hours
- Dual, independently operating push-button switches
- Unbreakable polycarbonate lens
- Rugged integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and other gear for hands-free use
- IP67-rated; dust-tight and waterproof to 1 meter for 30 minutes; 2m impact resistance tested
- Class I, II, Division 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN O, IIC; T-Code: T4
- 6.6 oz (187g)

SURVIVOR® X // SURVIVOR® X USB RIGHT-ANGLE FLASHLIGHT



| SYSTEM | ORANGE | YELLOW |
|--|--------|--------|
| Survivor X - 120V/100V AC/12V DC | 90952 | 90962 |
| Survivor X - Alkaline | 90950 | 90960 |
| Survivor X - Light Only | 90951 | 90961 |
| Survivor X USB - SL-B26 lithium ion battery pack | 90044 | 90044 |

Survivor X model:

- High: 250 lumens; 447m beam; runs 3.75 hours (Li-Ion); runs 5 hours (alkaline)
- Low: 60 lumens; 237m beam; runs 15 hours (Li-Ion); runs 15 hours (alkaline)
- Flash for signaling runs 8 hours
- Uses rechargeable lithium ion battery; accepts 3 "AA" alkaline batteries
- Class I & II, Div. 1, Groups A,B,C,D,E,F,G; Class III, T-Code: T3/T4



Survivor X USB model:

- High: 250 lumens; 447m beam; runs 4 hours
- Low: 60 lumens; 237m beam; runs 15 hours
- Flash for signaling runs 8 hours
- Uses SL-B26® battery pack; also accepts 3 "AA" alkaline batteries
- Class I & II, Div. 2, Groups A, B, C, D, F, G; Class III, T-Code: T4

- Rubber dome push-button switch easy to use with gloves:
 - ~ Battery life indicator switch; Green = Fully charged; Red = Battery nearing low voltage; Flashing red continuously when only 15 min of battery remains
- Unbreakable polycarbonate lens with silicone anti-scratch coating
- IP67 rated, dust tight and waterproof to 1m for 30 min; 2m impact-resistance tested;
- Spring-loaded clip securely grabs onto belts and gear; D-ring provides forward hanging orientation
- Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013); Charger meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

VULCAN® 180 HAZ-LO® // VULCAN® 180 MULTI-FUNCTION PORTABLE SCENE LIGHT



| SYSTEM | HAZ-LO ORANGE | HAZ-LO YELLOW | DIV 2 ORANGE | DIV 2 YELLOW |
|--|---------------|---------------|--------------|--------------|
| Vulcan 180 Standard System - 120V/100V AC/12V DC | 44331 | 44321 | 44311 | 44307 |
| Vulcan 180 Vehicle Mount System - 12V DC | 44335 | 44325 | 44315 | 44305 |
| Vulcan 180 without charger | 44330 | 44320 | 44310 | 44300 |

HAZ-LO® intrinsically safe model:

- High: 400 lumens; 316m beam; runs 10 hours
- Low: 130 lumens; 128m beam; runs 24 hours
- Class I, Div. 1 Groups A,B,C,D,E,F,G; Class I Zone 0, Groups IIC, Class III; T-Code: T4



DIV 2 model:

- High: 1,200 lumens; 548m beam; runs 5.75 hours
- Low: 350 lumens; 296m beam; runs 16 hours
- Class I, Div. 2, Groups A, B, C, D; Class II, Division 2, Groups F, G; Class III; T-Code T4

- Features a 180° articulating head
- Three LEDs produce a tight beam with optimum peripheral illumination; ultra-bright blue taillight LEDs make certain you can be seen even in thick smoke
- Rechargeable lithium ion battery
- High impact, super-tough nylon construction; articulating head constructed from high grade aluminum encased in super-tough nylon; reinforced D-Rings
- Meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position
- 7.43 in. (18.8 cm); 2.45 lbs. (1112g)

ENDURO[®] PRO HAZ-LO[®] LOW-PROFILE, SAFETY RATED MULTI-FUNCTION HEADLAMP



Enduro Pro HAZ-LO - USB cord and elastic headstrap - Box - Yellow.....#61424

- Low-profile headlamp with Class I, Div 1 safety ratings
 - Three output modes: Spot, flood, spot/flood combo
 - » Spot: 160 lumens; 73m beam; runs 5 hours
 - » Flood: 160 lumens; 20m beam; runs 5 hours
 - » Spot/flood combo: 235 lumens; runs 4.75 hours
- Multi-function push-button switch with charge status indicator
- Tough polycarbonate thermoplastic construction with elastomer over mold; unbreakable polycarbonate lens
- Uses 3 “AAA” alkaline batteries
- IP67 rated design; waterproof to 1 meter for 30 minutes; 2m impact resistance tested
- Class I, II, Div. 1, Groups A, B, C, D, E, F, G; Class III; Class 1, Zone 0, Group IIC, Exia; T-Code: T4
- MSHA Permissible Flashlight, Approval No. 20-A190001-0. Tested for Intrinsic Safety in Methane-Air mixtures only
- Includes rubber strap and 3M[®] Dual Lock[®] for strapless mounting to hard hats
- 3.5 oz (99.2g)

USB HAZ-LO[®] HEADLAMP RECHARGEABLE, INTRINSICALLY SAFE MULTI-FUNCTION HEADLAMP



USB HAZ-LO - 120V AC cord - Box - Yellow.....#61460

USB HAZ-LO - 120V AC charge cradle - Box - Yellow.....#61463

- Rechargeable headlamp with Class I, Div 1 safety ratings
 - Three output modes: Spot, flood, spot/flood combo
 - » Spot: 190 lumens; 89m beam; runs 7.5 hours
 - » Flood: 120 lumens; 19m beam; runs 13 hours
 - » Spot/flood combo: 250 lumens; runs 7 hours
- Features charge indicator: Red= charging; green = charged
- Charge via USB source, charge cradle or bank charger
- Tough polycarbonate thermoplastic construction with elastomer over mold; unbreakable polycarbonate lens
- Includes rubber strap and 3M[®] Dual Lock[®] for strapless mounting to hard hats
- IP67 dust-tight and waterproof to 1m for 30min
- Class I, II, Div. 1, Groups A, B, C, D, E, F, G; Class III; Class 1, Zone 0, Group IIC, T-Code: T4
- 2.75 oz (78.5g); 4.1 oz (116.2 g) with battery (included)

BEARTRAP[®] RECHARGEABLE, MULTI-FUNCTION WORK LIGHT



BearTrap - 120V/100V AC - Red.....#61520

- Cool white light with spot and flood modes, each with high, medium and low modes:
 - Flood fills your work area with evenly dispersed, bright light: High: 2,000 lumens; runs 2.5 hours
 - Spot provides a concentrated beam: High: 1,000 lumens; runs 4.5 hours
- Rechargeable, continues to charge while plugged in and in use
- Clamps virtually anywhere, features magnetic base
- Lithium ion battery recharges in 5.5 hours
- Tough thermoplastic construction with rubberized grip to prevent scratches; Chemical-resistant lens - withstands most common automotive chemicals
- IPX4 water resistant; 1m impact resistance tested
- The body can rotate 270° in the light's frame

SYCLONE[®] ULTRA-COMPACT, USB RECHARGEABLE MULTI-FUNCTION WORK LIGHT

Color-Rite[®]



Syclone - with USB cord - Red.....#61510

- Ultra-compact work light featuring cool white LED light and a 90 CRI LED with Streamlight's Color-Rite Technology - each with high, medium and low modes
 - Spot with cool white LED provides bright white light
 - » High: 400 lumens; 141m beam; runs 2 hours
 - » Medium: 200 lumens; 95m beam; runs 4.5 hours
 - » Low: 100 lumens; 72m beam; runs 9.5 hours
 - Flood with 90 CRI LED using Streamlight's Color-Rite Technology for true color recognition:
 - » High: 300 lumens; 48m beam; runs 2 hours
 - » Medium: 150 lumens; 35m beam; runs 4 hours
 - » Low: 75 lumens; 24m beam; runs 8 hours
- Head swivels 360° to aim the beam where you need it; adjustable with one hand
- Hands-free features: magnetic base and stowable hang hook
- Tough thermoplastic construction; chemical-resistant lens
- IPX4 water-resistant; 2m impact resistance tested

FLIPMATE[®] COMPACT, USB RECHARGEABLE MULTI-FUNCTION WORK LIGHT

Color-Rite[®]



| | |
|--|--------|
| Flipmate - with USB cord - Black | #61500 |
| Flipmate - with USB cord - Red | #61501 |
| Flipmate - with USB cord - Blue | #61502 |

- Compact worklight featuring cool white LEDs and 90 CRI LEDs with Streamlight's Color-Rite Technology - each with high and low modes
 - Cool white LEDs
 - » High: 500 lumens; runs 4 hours // Low: 250 lumens; 5.75 hours
 - 90 CRI LEDs using Streamlight's Color-Rite Technology for true color recognition:
 - » High: 400 lumens; runs 4 hours // Low: 200 lumens; runs 6 hours
- Light bar rotates 270° to aim the beam where you need it
- Hands-free features: magnetic base and stowable hang hook
- Machined aircraft aluminum construction; unbreakable polycarbonate lens
- IPX4 water-resistant; 2m impact resistance tested
- USB rechargeable; lithium ion battery recharges in 4.5 hours

STINGER SWITCHBLADE[®] RECHARGEABLE, MULTI-FUNCTION WORK LIGHT

Color-Rite[®]



| | |
|--|--------|
| Stinger Switchblade - 120V/100V AC 1 holder - Red..... | #76801 |
| Stinger Switchblade - with USB cord - Red..... | #76800 |

- Five lights in one: droplight, hands-free light, bright white light, UV light, and a high CRI light with Streamlight's Color-Rite Technology
- Work light features a 180° rotating light bar that aims the beam where you need it
- Double-sided light bar with cool white LEDs on one side, 90 CRI LEDs with Streamlight's Color-Rite Technology and a UV LED on the other
 - Cool white LEDs provide: 800 lumens; runs 3.75 hours
 - 90 CRI LEDs using Streamlight's Color-Rite Technology for true color recognition: 600 lumens; runs 3.75 hours
 - UV LED for leak detection: 500 mW; runs 15 hours
- Durable hinge; folds for storage
- Hands-free features: Magnetic base - now with a stronger magnet // Stowable hang hook // Stands upright; lip offers a secondary hook option
- Chemical-resistant lens - withstands most common automotive chemicals
- High-impact, super-tough nylon polymer construction with "Rocky Stipple" texture for a sure grip
- IPX4 water-resistant; 1m impact resistance tested
- Lithium ion battery charges via USB source or existing Stinger charger

STRION SWITCHBLADE[®] COMPACT, RECHARGEABLE, MULTI-FUNCTION WORK LIGHT

Color-Rite[®]



| | |
|--|--------|
| Strion Switchblade - 120V/100V AC 1 holder - Red..... | #74851 |
| Strion Switchblade - 120V/100V AC PiggyBack [®] - Red | #74854 |
| Strion Switchblade - with USB cord - Red..... | #74850 |

- Five lights in one: droplight, hands-free light, bright white light, UV light, and a high CRI light with Streamlight's Color-Rite Technology
- Work light features a 180° rotating light bar that aims the beam where you need it
- Double-sided light bar with cool white LEDs on one side, 90 CRI LEDs with Streamlight's Color-Rite Technology and a UV LED on the other
 - Cool white LEDs: 500 lumens; runs 3 hours
 - 90 CRI LEDs using Streamlight's Color-Rite Technology for true color recognition: 400 lumens; runs 3 hours
 - UV LED for leak detection: 500 mW; runs 5 hours
- Durable hinge; folds for storage
- Hands-free features: Magnetic base // Stowable hang hook // Foot provides stability to stand on end; lip offers a secondary hook option
- Chemical-resistant lens - withstands most common automotive chemicals
- High-impact, super-tough nylon polymer construction with "Rocky Stipple" texture for a sure grip
- Lithium ion battery charges in 4 hours - **uses existing Strion battery #74175**
 - Charges via USB source or Strion charger or **Strion PiggyBack[®] charger**

DUALIE[®] 2AA COMPACT, INTRINSICALLY SAFE, MULTI-FUNCTION FLASHLIGHT



| SYSTEM | YELLOW | BLACK |
|---|--------|-------|
| Dualie 2AA with 2 "AA" alkaline batteries. Clam | 67750 | 67752 |
| Dualie 2AA with 2 "AA" alkaline batteries. Box | 67751 | 67753 |

- Three lighting modes: Spot, flood, spot/flood combo
 - Spot: 115 lumens; 111m beam; runs 24 hours
 - » Provides tight beam with optimum peripheral illumination
 - Spot/Flood combo: 175 lumens; runs 15 hours
 - Flood: 115 lumens; 17m beam; runs 24 hours
 - » Produces a soft, wide beam to illuminate your work area
- Beams intersect for optimum path illumination and no blind spots
- Durable, non-conductive, corrosion-proof polymer resin; rocky stipple texture for a sure grip; unbreakable polycarbonate lens
- IPX4 rated; 2m impact resistance tested
- Integrated magnet on tail end for hands-free use
- Includes two "AA" alkaline batteries; mechanical battery polarity protection
- Class I, II, Div. 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN 0, IIC; Exia; T-Code: T4

DUALIE[®] 3AA // DUALIE[®] 3AA LASER INTRINSICALLY SAFE, WATERPROOF, MULTI-FUNCTION



| SYSTEM | YELLOW | BLACK |
|---|--------|-------|
| Dualie 3AA with 3 "AA" alkaline batteries | 68750 | 68752 |
| Dualie 3AA without batteries | 68751 | 68753 |
| Dualie 3AA Magnet with lanyard, without batteries - Box | 68780 | 68781 |
| Dualie 3AA Laser with 3 "AA" alkaline batteries | 68760 | 68762 |

Dualie model: three lighting modes: spot, flood, spot/flood combo:

- Spot: 140 lumens; 171m beam; runs 18 hours
- Flood: 140 lumens; 18m beam; runs 18 hours
- Spot/Flood combo: 245 lumens; runs 9 hours
 - » Intersecting beams eliminate blind spots

Dualie Laser model: three lighting modes: spot, laser, spot/laser combo:

- Spot: 150 lumens; 175m beam; runs 17 hours
- 640-650nm Laser: <5mW output power; Class 3R laser; runs 70 hours
- Spot/Laser combo: runs 12 hours

- Uses three "AA" alkaline batteries; also accepts "AA" lithium batteries; mechanical battery polarity protection
- Rugged, integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use
 - Magnet model features integrated magnets in clip for hands-free use
- Durable, non-conductive, corrosion-proof polymer resin; rocky stipple texture for a sure grip; unbreakable polycarbonate lens
- IP67 - dust-tight; waterproof to 1m for 30 minutes; 2m impact resistance tested
- MSHA Permissible Handheld Flashlight Approval No. A160001-0. Tested for Intrinsic Safety in Methane-Air mixtures only.
- Class I, II, Div. 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN 0, IIC; Exia; T-Code: T4

DUALIE[®] RECHARGEABLE INTRINSICALLY SAFE, MULTI-FUNCTION RECHARGEABLE FLASHLIGHT



| SYSTEM | MAGNET YELLOW | MAGNET BLACK | NO MAGNET YELLOW | NO MAGNET BLACK |
|--|---------------|--------------|------------------|-----------------|
| Dualie Rechargeable 120V/100V AC - Box | 68793 | 68794 | 68793 | 68794 |
| Dualie Rechargeable 12V DC - Box | 68795 | 68796 | 68795 | 68796 |
| Dualie Rechargeable Light Only - Box | 68785 | 68786 | 68785 | 68786 |

- Three lighting modes: Spot, flood, spot/flood combo
 - Spot: 180 lumens; 171m beam; runs 7.25 hours
 - » Provides tight beam with optimum peripheral illumination
 - Spot/Flood combo: 275 lumens; runs 5.5 hours
 - » Intersecting beams eliminate blind spots
 - Flood: 105 lumens; 18m beam; runs 13.5 hours
 - » Produces a soft, wide beam to illuminate your work area
- Dual head switches for accessibility of each of three functions; easy, one-handed operation for all functions
- Lithium ion battery recharges within 8 hours
- Rugged, integrated, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear for hands-free use
 - Optional integrated magnets in clip for hands-free use
- Durable, non-conductive, corrosion-proof polymer resin; rocky stipple texture for a sure grip; unbreakable polycarbonate lens
- IP67 - dust-tight; waterproof to 1m for 30 minutes; 2m impact resistance tested
- Class I, II, Div. 1, Groups A, B, C, D, E, F, G; Class III; CL I, ZN 0, IIC; Exia; T-Code: T4